KUBOTA TRACTOR CORPORATION

1000 Kubota Drive, Grapevine, TX 76051 Tel 888-4 KUBOTA

Visit our web site at: KubotaUSA.com



RUBOTA 4WD DIESEL UTILITY VEHICLE

SERIES

For Earth, For Life Kubota

©2025 Kubota Corporation



The RTV-X Series features four unique workhorse diesel utility-vehicles that help power your productivity, are tough and dependable and make you reimagine what a UTV is capable of.

RTV-X CAB

This workhorse diesel-powered Utility Vehicle is the epitome of comfort. With a factory-installed fully enclosed cab, air conditioning, heating and defrost; you can rest-assured you will remain comfortable no matter the weather. Combine that with the utility-performance you expect from our X-Series lineup, and you have a machine that makes even the toughest jobs a breeze.

RTV-X

When you have a job to get done look no further than the RTV-X. Seating for two and powered by our Kubota diesel engine, this machine is driven to do more. From farms to universities, construction sites to hunting, and everywhere in between. The RTV-X helps power your productivity and won't stop until the job is complete.

RTV-X CREW


Easily transform the machine from a 1-row model with extra cargo bed space to a 2-row machine for additional passengers. Much like the other models in the X-Series lineup, the RTV-X CREW powers your productivity, is tough and dependable and makes you reimagine what a utility-vehicle is capable of.

RTV-X LONG BED

This long bed model holds true to the legacy of the RTV-X Series with the Kubota Diesel Engine, VHT-X transmission, hydraulic dump box and power steering that have made the X-Series so popular. With it comes a suite of new features like the long bed cargo box, ProKonvert functionality, and exclusive cargo box accessories no matter what job you have to get done, or how you like to spend your free-time, the RTV-X LONG BED is driven to do more!



DRIVEN TO DO MORE



TOUGH & DEPENDABLE



VHT-X (Variable Hydraulic Transmission)

Kubota's VHT-X provides exceptional performance on various terrain with smooth and powerful acceleration. Low-speed driving is made exceptional through smooth throttle control, great traction and maneuverability with or without loads.

Wet Disk Brakes

The RTV-X Series uses multi-disk wet brakes which provide an excellent brake life. You'll also feel more secure, especially when traveling down long inclines, knowing that dynamic braking is helping to provide additional braking power and greater driving control.

Radiator Grill

Open the hood, and you'll find the radiator and air-intake located high and up front, where the air is cleaner and cooler. This helps both radiator performance and allows for quick access. Kubota's wide fin pitch design recduces clogging, further improving radiator performance.

KUBOTA DIESEL ENGINE



The legacy of the X-Series begins with the Kubota Diesel Engine at the heart of the new RTV-X. From towing and hauling to running through rough terrain the power provided by the engine ensures the machine will consistently show up to work as hard as you.

Full Steel Frame

The high-rigidity steel frame helps isolate the occupants from noise and vibration. The structural strength of this frame can hold up to many different tasks and seasons, to help you power your productivity.

CV Joint Guard & Underbody Skid Plate

CV joint guards and heavy duty skid plates will protect the most critical parts of the engine and transmission

Steel Cargo Bed (Spray-on Bed Liner)

An optional factory-installed bed liner helps protect the cargo bed from dirt and damage. Four tie-down hooks in the corners help keep loads in place.

POWER YOUR PRODUCTIVITY



The selectable full-time 4WD system ensures outstanding traveling performance even under heavy loads, providing superior traction and excellent control under a wide range of terrain conditions. The 4WD system can easily be turned off when 2WD is sufficient for current driving

Responsive hydraulic power steering helps give you the control you need to tame almost any terrain. The steering wheel is tilt-adjustable, allowing you to set the optimum angle for your driving style.

True 4WD with a limited-slip front differential and a locking rear differential help reduce wheelspin to a minimum, giving you greater control and a

CAPABILITY RE-IMAGINED



PROKONVERT CARGO BED



3-Way-Open

The new bed design allows you to open from either side, or the rear - especially useful for easily loading items in the back of the bed.

*Available on select trims.

Bed Liner

The steel cargo bed is a big advantage for our Kubota X-Series, but we don't stop there. On the new cargo bed, we utilize a spray on liner to help reduce scratches and dents, for a more durable loading surface.

Flatbed Conversion

For customers loading bulky or awkwardly shaped materials, or having to load the bed with another piece of equipment, customers can easily convert the cargo bed into a flatbed without the use of any tools. A shining example of capability re-imagined. *Available on select trims.



LED Headlights

For the jobs that begin well-before the sun rises and continue on long-after the sun sets, the new LED headlights not only look cool, they illuminate the way so you can stay focused on the job at hand.

Maneuverability With Loads

Vehicle performance is one thing, but being able to maintain consistent performance under pressure is another. The vehicle handles extremely well with cargo in the bed - especially valuable for those moving materials, tools or equipment throughout the day.

Specialized Cargo Dump

The VHT-X transmission allows us to utilize a hydraulic bed dump, available on all models except the basic model, which raises and lowers much easier and faster than the competition. Additionally, you are able to control the speed of the movement for more precise applications.

PRODUCTIVITY RTV-X LONG BED



handle from touching the ground, helping

to prevent damage.

HUNTER EDITION

The perfect partner for those in pursuit of hunting.



Cargo Bed Winch

When used in conjunction with the tailgate extender, loads that humans cannot lift can easily be winched into the cargo bed. The bed winch can pull up to 750LB with ease and can be operated with a wireless remote control.

Tailgate Extender

r, Take the strain out of heavy lifting with our innovative tailgate extender. Designed to work seamlessly with a cargo winch, it enables effortless loading of heavy items into your cargo bed - no manual lifting required. When not in use, it folds away, saving space and eliminating the need for removal.

LED Light Cargo Panel

Two 6" LED lights illuminate the cargo bed, making it easier to work in the early morning or late evening.

Most existing Kubota accessories are compatible with the RTV-X Long Bed.

K-VERTIBLE RTV-X CREW



ALL-WEATHER RTV-X CAB



K-CONNECT ATTACHEMENTS




4-Point & PTO Drive K-Connect

K-Connect is a fast & reliable connection system that allows for tool-less connecting and disconnecting of front attachments The 4 point hitch and power pack can be easily removed for seasonal



LED lights



Front grill adaptor kit



Control handle & PTO switch.

Simple intuitive control for all implements.



Snowblower 66"

The 66" professional grade PTO driven snowblower is two stage and has four fan blades, this allows it to throw snow further than the competition. Hydraulic chute rotation and deflector are standard.



Sweeper 66'


66" wide PTO driven sweeper turns at more than 240 rpm. Standard polyethelene brushes loaded with 34 (24" diameter) wafer brushes that can easily be replaced within 20 minutes.



V-Plow 78"

With a maximum width of 78" the heavy duty V-Plow will tackle the toughest of winter storms. Double acting cylinders hold the blade in place

when back dragging and selectable down pressure ensures a clean scrape when required.





Straight Blade 78"

78" wide blade you can rely on. The blade curvature has been designed to roll snow forward increasing productivity. Down selected to scrape packed or driven over

ELEVATE VERSATILITY (Accessories)

COMFORT

You never know what the day may bring, but you can be prepared by installing cab components onto your RTV-X for a more comfortable experience. We offer a variety of windshield, roof, rear panel and door options to help protect you from the elements.




PRODUCTIVITY

We have a variety of options to help increase productivity, or to make your experience more enjoyable. LED work lights, light bar, winches, and telematics are a few of the available options

Worker smarter, not harder with an accessory portfolio that is willing to work as hard as you. We offer a variety of items to make your machine even more versatile. From a debris blower to clear a job site to spreaders and sprayers to apply applications, we leave no stone unturned.

For Optional Cab and variety accessories, please see RTV's accessories and attachment brochure or visit our website, "www.KubotaUSA.com".









SPECIFICATIONS

Model name Grade		RTV-X						
		Basic	Premium					
Color		Orange	Orange, Camo	Orange, Camo, Desert Sand				
5 6 1 6 6 7	Make and model		KUBOTA D1105-E4-UV					
	Туре	3-cylinders, 4-cycle, diesel, OHV						
138 3	Displacement cu.in (cc)	68.5 (1,123)						
Engine	Horsepower (SAEJ1995) HP (kW) / rpm	23.3 (17.4) @3,000						
	Cooling system	Liquid						
STATE OF THE PERSON NAMED IN	Battery	670 CCA						
ransmiss		Variable hydro transmission (VHT-X)						
Gear selection		Hi-Lo range forward, neutral, reverse						
Max. trave	eling speed mph (km/h)	0-25 (0-40)						
4WD	Front differential	Limited-slip differential						
system	Rear differential	Foot operated differential lock						
Steering		Hydrostatic power steering						
10000	Front / Rear	Wet-disk brakes						
Brakes	Parking brake	Wet-disk brakes Rear wheel, hand operated						
	Front / Rear	Hear wheel, hand operated Independent, Dual A-arms with adjustable spring preload / Independent with coil over shock						
Suspension F	Front / Rear suspension travel in. (mm)	Independent, Duai A-arms with adjustable spring preload / Independent with coll over shock 8 (205) / 8 (205)						
		200	1 7 1					
Ground clearance	Front in. (mm)		10.4 (265)	A . A .				
	Rear in. (mm)	10.3 (260)						
Headlights		LED (Low) LED (High / Low)						
Occupant Protective	Tubular overhead structure in. (mm)	2.0 (50.8) steel tube						
System - OPS)	Seat belts	2-point						
(OPS)	Certification	SAE J2194 and OSHA 1928 ROPS						
	Length in. (mm)	120.1 (3,050)	122.4 (3,110)	123.0 (3,123)				
	Width in. (mm)	63.2 (1,605)						
	Height, overall in. (mm)	79.5 (2,020)						
Dimensions	Front tread centers in. (mm)	48.8 (1,240)						
	Rear tread centers in. (mm)	48.8 (1,240)						
	Wheelbase in. (mm)	80.5 (2,045)						
	Turning radius ft. (m)	13.1 (4.0)						
Weight	lbs. (kg)	2,050 (930)	2,072 (940)	2,099 (952)				
Towing ca	pacity lbs. (kg)		1,300 (590)					
Payload capacity Ibs. (kg)		1,521 (690)	1,499 (680)	1,472 (668)				
	Material	Steel						
	Width × Length × Depth in. (mm)	57.7 (1,465) × 40.5 (1,030) × 11.2 (285)						
Cargo	Volume cu. ft. (m³)	15.2 (0.43)						
ped	Bed height (unloaded) in. (mm)	34.9 (887)						
	Capacity Ibs. (kg)	1,102 (500)						
	Hydraulic bed lift	Avilable	Equipped	Equipped				
	Spray-on bed liner	Not available	(Orange) Available, (Camo) Equipped	Equipped				
	ProKonvert	Not available	Not available	Equipped				
Eugl took	/ / / / / / / / / / / / / / / / / / / /		7.9 (30)	Equipped				
Fuel tank capacity Sound rating at operator's ear at max rpm db. (A)		84						
ound rating	g at operator's ear at max rpm db. (A) ATV (All Terrain)							
Γires	HDMP (Heavy Duty Multi-Purpose)	25 × 10-12, 6-ply 25 × 10-12, 6-ply						
7.4		Avilable	(Oranga Cama)					
Alloy whee								

	RTV-X LONG BED	H. 173	.465	RTV-X CREW	And the second second second	RTV-2	X CAB	
Standard	Standard	Premium	Basic	Standard	Premium	Standard	Premium	
Orange	Orange	Camo	Orange	Orange, Camo	Orange, Camo, Desert Sand	Orange, Camo	Orange, Camo, Desert Sai	
				1105-E4-UV				
				ycle, diesel, OHV				
				(1,123)				
				4) @3,000				
				quid				
				CCA				
				nsmission (VHT-X)				
				rd, neutral, reverse (0-40)				
				p differential				
				differential lock			-	
				ower steering				
				sk brakes				
				hand operated				
	Indepe	ndent Dual A-arms			endent with coil ove	r shock		
	Писре	Taerit, Daar A-arms		/ 8 (205)	endent with con ove	1 SHOCK		
		11 2	(285)	7 0 (200)		10.0	(255)	
			(240)				(250)	
	LED (High / Low)		LED (Low)		LED (Hig		(200)	
			•	」) steel tube		,		
			The second secon	point				
				OSHA 1928 ROPS				
-	154.5 (3925)		139.8 (3,550)		(3,610)	122.0 (3,100)	123.0 (3,123)	
		63.2	(1,605)		(-,-,-,	, , ,	1,660)	
			79.7 (2,025)			81.9 (2,080)		
50	50.4 (1,280) (HDMP & ATV) 50.4 (1280) (HDMP & ATV)			50.4 (1,280)			48.8 (1,240)	
50				50.4 (1,280)			48.8 (1,240)	
		98.2	(2,495)			80.5 (2,045)	
		17.	1 (5.2)			13.1	(4.0)	
2,35	5 (1,068)	2,393 (1,085)	2,381 (1,080)	2,392	(1,085)	2,414 (1,095)	2,441 (1,107)	
			1,300	(590)	Zelenie		MANUS MARIN	
1,64	45 (746)	1,607 (729)	1,618 (734)	1,607	7 (729)	1,585 (719)	1,558 (707)	
/					Steel			
54.5 (1,384) × 72.3 (1,837) × 11.6 (294) 26.4 (0.74) 35.4 1,212 (550)			row 1 : 57.7 (1,465) × 51.1 (1,300) × 11.2 (285) row 2 : 57.7 (1,465) × 26.0 (660) × 11.2 (285)		57.7 (1,465) × 40.5	× 40.5 (1,030) × 11.2 (285		
			row 1 : 0	row 1 : 0.54 (19.1) row 2 : 0.28 (9.9)		15.2 (0.43)		
			900)		34.9 (887)			
			row 1 : 1	row 1 : 1,102 (500) row 2 : 661 (300)		1,102 (500)		
12 76/1N (\$15 SA)	Standard	ACCEPTAGE OF THE PROPERTY OF T	A BARK MARK TO		Equipped			
Standard			Not available	(Orange) Available, (Camo) Equipped	Equipped	(Orange) Available, (Camo) Equipped	Equipped	
	Standard		STANKANDAROS	Not available		Not available	Equipped	
			CERM NO CONTRACTOR		7.9 (30)		KIND NOT SEE	
	84		FARMANT KADITY	A STANDARD STANDARD	83			
× 10-12, 6-pl						-12, 6-ply		
- Option	25 × 10-12, 6-ply Option	- Option	Not available	(Orange, Camo) Available	25 x 10-	12, 6-ply Not available	(Orange, Camo) Availat	
				(Desert Sand) Equipped			(Desert Sand) Equippe	
Standard	Standard	Premium	Basic	Standard	Premium	Standard	Premium	

*"Realtree®" is a registered trademark of Jordan Outdoor Enterprises, Ltd. The company reserves the right to change the above specifications without notice.

The values in "Ground clearance"
and "Weight" are those of the
machine equipped with the tires in the
table above.
For off-highway use only.

Kubota Tractor Corporation reserves the right to change the stated specifications without notice. This brochure is for descriptive purposes only and reasonable efforts were used to set forth the contained information; some items shown may be optional and some products shown may not be available at all dealerships. Kubota disclaims all representations and warranties, express or implied, or any liability from the use of this brochure. For complete warranty, safety and product information, consult your local Kubota dealer and the operator's manual. Power (HP/ KW) and other specifications are based on various standards or recommended practices. For your safety, Kubota strongly recommends the use of a Rollover Protective Structure (ROPS) and seat belt in almost all applications. This brochure is intended for the United States and US territories only. For information regarding Kubota products or services outside these areas, see Kubota Corporation's global web site. Kubota does not provide parts, warranty or services for any Product which is re-sold or retailed in any country other than the country for which the Product(s) were designed or manufactured.

Kubota for excellent performance, durability and

