KUBOTA

RTV ACCESSORIES & IMPLEMENTS

RTV520 | SIDEKICK (RTV-XG850) | RTV-X SERIES (900, 1120, 1100C, 1140)





WE ARE KUBOTA.

TOGEGTHER WE DO MORE

Founded from decades of quality, precision, and innovation.

Because trust is earned, not given.



#1 GLOBAL LEADER IN COMPACT EXCAVATORS

OEM Off-Highway Researched, 2016



#1 DIESEL ENGINE MANUFACTURER

Largest builder of Under 100 hp Multi-Cylinder, Non-Automotive Diesel Engines



#1 SUB-COMPACT TRACTOR

AEM/EDA Industry Data May 2016



#1 DIESEL UTILITY VEHICLE

Kubota is the best-selling diesel utility vehicle manufacturer in North America since 2004*. And with 1,102 lb cargo capacity and 1,300 lb towing capacity, the RTV-X Series has the power and dependable performance to handle whatever job you may throw at it. Plus, we've developed an advanced experience in drivability and ergonomics, so your ride will be comfortable and smooth even in the roughest work environments.

*Power Products marketing. North American Utility Vehicle Markets Report May 2016



TABLE OF CONTENTS

KUBOTA RTV LINEUP

MID-SIZE UTILITY VEHICLES

RTV520

Accessories & Implements



RTV520

4
8
9
10
11
12

FULL-SIZE UTILITY VEHICLES

RTV-XG850 SIDEKICK

Accessories & Implements



RTV-XG850 SIDEKICK

Cab Components	14
Lights / Harnesses	16
Lights / Cab Accessories	18
Winches / Bed Lift	20
Guards	22
Cargo / Storage	23
Snow Removal / Tires & Wheels	24

RTV-X SERIES Accessories & Implements



RTV-X900



RTV-X1120



RTV-X1100C



RTV-X1140

Cab Components	30
Winches / Bed Lift / Hitch	34
Guards	35
Cargo / Storage	36
Cab Accessories	37
Rapid Access Cargo (RAC System)	38
Lights / Harnesses	40
Snow Removal	42
K-Connect Implements	44
Spreaders	48
Tires & Wheels	50
RTV Accessories	51



CAB COMPONENTS

520 SERIES



77700-11821 RTV520

Poly cab enclosure bundled all together to keep the operator and passenger out of the elements

Includes:

- Hard Cab Component Mounting Kit (77700-V4310A)
- Poly Windshield (77700-V4368)
- Plastic Canopy (77700-V4312)
- Acrylic Rear Panel (77700-11822)
- Plastic Door Kit (77700-11823)

Poly Cab Component Mounting Kit

77700-V4310A (V4310A) RTV520

- Slotted design mounting kit for quicker installation
- Included with Hard Cab Enclosure (77700-11821)
- Only one mounting kit required to install the Hard Cab Enclosure (77700-11821) components in any combination

The following 4 Cab Components are available as part of the 77700-11821, and can also be purchased individually.

В

Poly Windshield 77700-V4368 (V4368)

RTV520

- · Steel framed hard coated poly windshield featuring 30X more scratch resistance than the typical acrylic windshields
- · Superior scratch resistance for longer lasting glare-free optics
- Recommend adding Wiper Kit (77700-V4367)
- Requires Hard Cab Component Mounting Kit (77700-V4310A)





Plastic Canopy

77700-V4312 (V4312)

RTV520

- · Steel reinforced plastic canopy to keep the operator and passenger out of the elements
- Requires Hard Cab Component Mounting Kit (77700-V4310A)





Acrylic Rear Panel 77700-11822

RTV520

- Steel framed acrylic rear panel to prevent wind, dust, and rain from entering into the operator's area
- Requires Hard Cab Component Mounting Kit (77700-V4310A)



RTV520

- · Steel reinforced black plastic doors and sliding acrylic side windows
- Requires Hard Cab Component Mounting Kit (77700-V4310A)



Wiper Kit 77700-V4367 (V4367)

- · Keep mud, rain, dust, and everyday grime off the front windshield
- · Compatible with Poly Windshield (77700-V4368) and (77700-V4365), and Hard Cab Enclosure (77700-11821),
- Not compatible with Upper Glass Windshield (K7311-99280)



Front Heavy Load Strut K7311-99180

RTV520

• Optional for Cab and V4308B Front Blade. Not required.



Poly Windshield 77700-V4365 (V4365)

RTV520

- Steel framed hard coated poly windshield featuring 30X more scratch resistance than the typical acrylic windshields
- Superior scratch resistance for longer lasting glare-free optics
- Recommend adding Wiper Kit (77700-V4367)
- Requires Non Modular Cab Component Mounting Kit (77700-V4363)



Metal Canopy

77700-V4364 (V4364)

RTV520

- Metal canopy to keep the operator and passenger out of the elements
- Requires Non Modular Cab Component Mounting Kit (77700-V4363)



Non Modular Cab Component Mounting Kit

77700-V4363 (V4363)


RTV520

· Required to install Poly Windshield (77700-V4365) or Metal Canopy (77700-V4364)

Rear Cargo Screen

Black K7311-99590

• Rear net mounts directly to the ROPS and prevents objects from entering the operator area from behind



The following 3 Components are not compatible with Cab Enclosure Systems.



A1

Upper Glass Windshield

K7311-99280 (V4316)

- Upper glass windshield to provide a top front barrier from wind, dust, and rain
- Recommend adding Lower Poly Windshield (K7311-99290) for complete full coverage



Lower Poly Windshield K7311-99290 (V4315)

- Lower Poly windshield to provide a lower front barrier from wind, dust, and rain
- · Folds up to allow access to the bonnet
- Recommend adding Upper Glass Windshield (K7311-99280) for complete full coverage



Plastic Canopy K7311-99390 (V4321)

· Plastic canopy to keep the operator and passenger out of the elements



Warn VRX Winch Kit 3,500 lb. Steel Cable 77700-11552

RTV520

- IP68 waterproofing system standard
- Redesigned & improved brake system
- Improved and redesigned clutch system
- Engineered system which outperforms the competition
- Comes with winch remote for operation outside of cabin
- Limited lifetime mechanical & 3 year electrical warranty
- Requires K7311-97313 Winch Mounting Kit for RTV-500 and RTV-520



Black Front Grill Guard K7321-99210

RTV520

 With this stylish heavy duty grill guard, you can keep the front of the RTV-520 protected while looking great



2" Trailer Hitch Ball Mount

77700-V4349 (V4349)

RTV520

- SAE Class II approved
- Max Tongue/Towing 350/3500 lbs
- Glass black finish
- Trailer ball not included



CAB ACCESSORIES

Backup Beeper

K7321-99640

RTV520

• Alert the surrounding people when operating in reverse



Speedometer

K7311-99650 (V4333) RTV520

• Displays speeds up to 30 mph (50 km/h)



Headrest

K7421-99550

RTV520

- Provides head support
- · Sold individually
- Requires Headrest Stay Kit (Black K7311-99580)



Headrest Stay Kit

Black K7311-99580 (V4341A)

RTV520

- Sold individually
- Required to install Headrest (K7501-99550 or K7421-99550)



Side Mirror

ROPS 77700-V4358 (V4338)

RTV520

CAB 77700-V5059 (V5059) **RTV520**

- · Increases operator visibility
- Shatter resistant tempered convex mirror with an impact-resistant housing
- Sold individually





Kubota USA.com



STORAGE / SNOW REMOVAL

Front Accessory Box

K7321-99560 RTV520

· Mounts under the hood to hold small items securely



Cargo Box Mat

K7311-99200 (V4351)

 Durable, polyurethane cargo box pad designed to protect all types of cargo



Electric Angle Kit

V4303

RTV520

 Converts a manual angle blade to an electric angle blade making snow removal even easier

Glove Box Kit

K7321-99570

RTV520

- · Mounts under dash on driver's side
- Not compatible 77700-V4314 Cab Heater Kit



60" Front Blade

V4308B *

RTV520

- 60" wide (straight) snow blade with trip spring
- 52" plow width @ 30° max angle
- Electric lift with manual angle adjustment
- Includes adjustable skid shoes and dedicated hitch
- Not compatible with 2" Trailer Hitch Ball Mount (77700-V4349)
- Now compatible with the Electric Angle Kit (V4303)

Snow Deflector V4307 *

RTV520

- Rubber deflector mounted to the top of the 60" Front Blade (V4308B) to reduce the throw of snow and debris from the front blade
- Requires 60" Front Blade (V4308B)

Heavy Duty Cutting Edge V4306 *

RTV520

- Upgraded cutting edge constructed of heavy duty mild carbon steel
- Cutting edge is reversible for extended wear
- Requires 60" Front Blade (V4308B)

Standard Cutting Edge V4305 *

RTV520

- Replacement standard cutting edge which is standard on 60" Front Blade (V4308B)
- Cutting edge is reversible for extended wear
- · Requires 60" Front Blade (V4308B)

HDWS Steel Tire & Wheel Assembly

Front K7321-19310 **Rear** K7321-19410

RTV520

- Includes 1 OEM tire and steel wheel
- Front 24x9-12 6-ply tire
- Rear 24x11-12 6-ply tire
- · HDWS tread design are non-directional



ATV Alloy Tire & Wheel Assembly

Front Left K7321-99850 **Front Right** K7321-99860 **Rear Left** K7321-99870 **Rear Right** K7321-99880 **RTV520**

- Includes 1 OEM tire and alloy wheel
- Front 24x9-12 6-ply tire
- Rear 24x11-12 6-ply tire
- · ATV tread design are directional (left or right)

ATV Steel Tire & Wheel Assembly

Front Left K7321-19110 **Front Right** K7321-19160 **Rear Left** K7321-19210 **Rear Right** K7321-19260 **RTV520**

- Includes 1 OEM tire and steel wheel
- Front 24x9-12 6-ply tire
- Rear 24x11-12 6-ply tire
- · ATV tread design are directional (left or right)

HDWS Alloy Tire & Wheel Assembly

Front K7321-99800 Rear K7321-99810

RTV520

- Includes 1 OEM tire and alloy wheel
- Front 24x9-12 6-ply tire
- Rear 24x11-12 6-ply tire
- · HDWS tread design are non-directional



LIGHTS

Strobe Light Kit

77700-V4318 (V4318)

RTV520

- Strobe light with rubber base and polycarbonate lens
- On/off toggle switch included
- Not compatible with Plastic Canopy (K7311-99390)
- Requires Plastic Canopy (77700-V4312) or Hard Cab Enclosure (77700-11821)





Turn Signal/Hazard Light Kit K7321-99610

RTV520

- Includes two front hazard/indicator lamps and two rear combination hazard/indicator/tail lamp assemblies
- Not compatible with77700-V4365 Windshield, 77700-V4368 Windshield, or Hard Cab Enclosure 77700-11821

LED Work Light Kits

Front LED Work Light Kit (2) 77700-11933 **RTV520**

Rear LED Work Light Kit (1) 77700-11934 RTV520

- Six high intensity LEDs
- Ideal for off-road driving only
- Measured lumen: 1,000 lm
- Multivolt 10-30V DC
- Mounting: upright or flush
- Dimensions: 1.8"W x 6.3"H x 2.5"D 2.4"W x 7.7"H x 1.8"D







CAB COMPO

RTV-XG850 SIDEKICK

Poly Windshield 77700-VP0804A

- Fixed hard coated poly windshield to provide a front barrier from wind, dust, and rain
- Includes 4 quick clamps preinstalled for a quick and easy install

Poly Flip Windshield 77700-VP0805

- Flip hard coated poly windshield to provide a front barrier from wind, dust,
- Includes 4 quick clamps preinstalled for a quick and easy install

Glass Windshield 77700-VP0802

- · Fixed laminated glass windshield to provide a front barrier from wind, dust,
- Includes 4 quick clamps preinstalled for a quick and easy install
- Recommend adding Wiper Kit (77700-VP0817) and Washer Kit (77700-VP0818)

Premium Roof

77700-VP0801A

- Twin sheet vacuum formed black plastic roof with plug & play connections for electrical accessories and Premium Audio System (77700-09070)
- Keep the operator and passenger out of the elements

Premium Audio System 77700-09070

- Rugged Jensen Bluetooth audio system offers AM/FM, USB, and Auxiliary inputs
- Includes two Jensen speakers & antenna
- Not compatible with the Sport Roof (77700-VP0800)
- Requires Accessories Wiring Harness (77700-V0881A)

Sport Roof

77700-VP0800A

- Single sheet vacuum formed black plastic roof
- Keep the operator and passenger out of the elements

Sport Roof Seal Panel Kit 77700-VP0807

- Not compatible with Premium Roof (77700-VP0801A)
- Required when using Heater Kit (77700-V5247) to create a fully sealed cab









Poly Flip Windshield



Glass Windshield

Wiper Kit 77700-VP0817

- Includes a single wiper to keep the glass windshield clear from dust and rain
- Compatible only with Glass Windshield (77700-VP0802)
- Requires Accessory Wiring Harness (77700-V0881A)

Washer Kit 77700-VP0818

- · Upgrade the wiper kit with a washer kit to help keep the glass windshield clear
- Requires Wiper Kit (77700-VP0817) and Accessory Wiring Harness

Antenna

K7711-63160

• Optional antenna for the Premium Audio System (77700-09070) for AM/FM

Poly Rear Panel

77700-VP0806

- Poly rear panel to prevent wind, dust, and rain from entering into the operator's area
- Features a louver vent to allow airflow through the cabin

Glass Rear Panel

77700-VP0803

• Glass rear panel to prevent wind, dust, and rain from entering into the operator's area



Door Set

Side Mirror Kit

Cab 77700-VP0815 **ROPS** 77700-V4358

- Increases operator visibility
- Cab mirrors sold in a pair (left & right)
- · ROPS mirror sold individually

Underhood Seal Kit

77700-VP0808

Required when using Heater Kit (77700-V5247) to create a fully sealed cab

Heater Kit

77700-V5247

- Add an integrated heater with an in-dash adjustable temperature
- Requires an Underhood Seal Kit (77700-VP0808) for a fully sealed cab
- Requires a Sport Roof Seal Panel Kit (77700-VP0807) when used with a Sport Roof (77700-VP0800)

Front Heavy Duty Strut Kit

K7591-99180 (V5219)

- A pair of preassembled front struts with heavy duty springs
- No special tools required to install
- · Required when installing an enclosed cab or front implement

2" ROPS Quick Clamp

77700-VP0819A

- · Quick and easy ROPS clamp to attach an assortment of RTV accessories
- · Sold individually

Door Insert Kits

Orange 77700-VP0820 Camo 77700-VP0821 Green 77700-VP0822 Black 77700-VP0823

Add matching accent door panels to match the body color of the hood and rear cargo bed panels

- · Rear hinged thermoformed doors with steel frame for increased rigidity
- Large roll down glass windows

77700-VP0810

- · Features a storage pocket with an integrated bottle holder
- Requires Front Heavy Duty Strut Kit (K7591-99180) when installing an enclosed cab or front implement



LIGHTS / HARNESSES

Switches for the lighting accessories below are included with their respective mounting kit.

6" LED Worklight

77700-VP0892

- Equipped with 6 LEDs and produces 1,000 lumens
- Features a quick connector for an easy front or rear worklight install
- · Sold individually
- Requires Front Worklight Mounting Kit (77700-VP0893) or Rear Worklight Mounting Kit (77700-VP0894)
- Requires Sport Roof Worklight Supports (77700-V0890) when used with a Sport Roof (77700-VP0800)
- Requires two 2" ROPS Quick Clamps (77700-VP0819A) when installing 2 worklights onto the ROPS



13.5" LED Light Bar

77700-VP0891

- Features a low and high setting equipped with 12 LEDs capable of producing 2,200 lumens (High setting)
- Requires Light Bar Mounting Kit (77700-VP0895)
- Requires two 2" ROPS Quick Clamps (77700-VP0819A) when installed onto the ROPS



Rotating Beacon 77700-08687

- Features a magnetic base
- 195 flashes per minute
- Requires Strobe Mounting Kit (77700-VP0896) and Accessory Wiring Harness (77700-V0881A)
- Requires one 2" ROPS Quick Clamps (77700-VP0819A) when installed onto the ROPS



Strobe Light

77700-08686

- LED strobe light features a magnetic base
- 70 flashes per minute
- 11 flash patterns
- Requires Strobe Mounting Kit (77700-VP0896) and Accessory Wiring Harness (77700-V0881A)
- Requires one 2" ROPS Quick Clamps (77700-VP0819A) when installed onto the ROPS



Powering any of the 4 lights above will require a switch panel and accessory wiring harness. Add a ROPS wiring harness to add plug & play connections to a ROPS or Sport Roof configuration.

Switch Panel

77700-10732

- Centralized accessory switches into one convenient location
- Required for 13.5" LED Light Bar (77700-VP0891), 6" LED Worklights (77700-VP0892), Strobe Light (77700-08686) or Rotating Beacon (77700-08687), Wiper Kit (77700-VP0817), and Washer Kit (77700-VP0818)



ROPS Wiring Harness

77700-V0882

- Includes plug & play connections for 13.5" LED Light Bar (77700-VP0891) and two front 6" LED Worklights (77700-VP0892)
- Requires Accessory Wiring Harness (77700-V0881A)

Accessory Wiring Harness 77700-V0881A

- Main harness to provide power to the Premium Roof (77700-VP0801A) or ROPS Wiring Harness (77700-V0882)
- Includes plug & play connections for a rear 6" LED Worklight (77700-VP0892), Strobe Light (77700-08686) or Rotating Beacon (77700-08687), Wiper Kit (77700-VP0817), and Washer Kit (77700-VP0818)



LIGHTS / CAB ACCESSORIES



Need more lights? Check out these additional lighting kits, which include everything necessary to light the way to cross over to more.

LED Headlight

K7811-99680

 Add an optional 2nd set LED headlight to give the machine that unique quad LED look



Front Worklight Kit

K7811-99650

- Add optional front worklights to the Sidekick front guard
- Sold in a pair (left &right)
- Requires Sidekick Front Guard (K7811-97200)



Reverse Alarm

K7811-99640

Alert the surrounding people when operating in reverse



Turn Signal / Hazard Light Kit K7811-99610

 Includes two front hazard/indicator lamps and two rear combination hazard/indicator/tail lamp assemblies



Interior Rearview Mirror

77700-VP0816

- · Convex wide mirror and mounts to the ROPS
- · Easy to install on a ROPS or Cab



Headrest

K7811-99550

- Provides extra head support with a stylish design
- · Sold individually
- Requires Headrest Stay Kit K7591-99540 (V5230A)



Soft Grip Handle

77700-V0834

- Steel handle wrapped with a rubber grip
- · Kubota branded heavy duty velcro strap
- · Easy to install and remove



Headrest Stay Kit K7591-99540 (V5230A)

- Sold individually
- Required to install Headrest (K7811-99550)



Premium Side Mirror

77700-10706

- · Enhanced field of view
- · Dual axis breakaway
- · Three-way adjustment
- Adjustable blindspot mirror
- · Anti-vibration technology
- ROPS Mounted
- · Fits left or right side
- Easily return mirror to your preset position each time it breaks away for consistent viewing alignment

Premium Roof Radio & Speaker Kit

77700-VP0897

- Custom fit for RTV premium roof (77700-VP0801A) roof sold separately
- Rugged Jensen Bluetooth audio systems offers AM/FM, USB and aux inputs
- Includes two Jensen speakers
- Not compatible with the Sport Roof (77700-VP0800)
- Requires Accessories Wiring Harness (77700-V0881A)
- AM/FM/WB/USB Mini Bluetooth® Stereo (77700-09065)



E Kubota.

WINCHES / BED LIFT











Warn VRX & Axon Winches

Winch Kit VRX 3,500 lb. Steel Cable 77700-11552

Winch Kit VRX 4,500 lb. Synthetic Rope 77700-11554

Winch Kit AXON 3,500 lb. Steel Cable 77700-11556

Winch Kit AXON 4,500 lb. Synthetic Rope 77700-11558

- IP68 waterproofing system standard
- Redesigned & improved braking system
- New manual clutch for improved durability & sealing
- Engineered to outperform the competition
- The Axon line of winches provides class-leading electronics that help prevent motor failure and offer half the installation time compared to the VRX
- Limited lifetime mechanical & 3 year electrical warranty
- · Dash-mounted switch and remote standard
- Fits 2-seater units only



• Convert a manual bed lift to an electric over hydraulic bed lift









GUARDS

Sidekick Front Guard

K7811-97200

- Replacement RTV-XG850 Sidekick front guard
- Upgrade the front appearance of a General Purpose
- Addtional parts required: hardware not included



Rear Bumper

K7811-99250

- Upgrade the visual appearance while guarding the cargo bed
- Includes Tail Lamp Guards (K7811-99660)



Plastic Bumper

K7811-99220

• Upgrade the visual appearance of the front bumper



Tail Lamp Guard

K7811-99660

- Upgrade the visual appearance while protecting the tail lamps
- Sold in a pair (left & right)



Front Under Guard

K7811-99240

 Upgrade the visual appearance while guarding the front underside



A-Arm Guard

Front K7811-99150 Rear K7811-99160

- Metal guards to guard against debris
- Sold in a pair (left & right)



Bush Guard K7811-99230

 Upgrade the visual appearance while guarding the front



Mud Guard

Front K7591-99520 (V5225) Rear K7811-99510

- Add a visual appeal while guarding against debris
- Sold in a pair (left & right)



CARGO / STORAGE

Deluxe RTV Cargo Box

77700-08760

- Features 4.5 cu. ft. of cargo capacity in a tough and durable polyethylene construction to resist corrosion, water, and dust
- Lockable latches to secure your cargo
- Transport your tools and equipment into some of the most extreme terrain and conditions
- Easy-to-lift covers providing easy access from either side of the box
- Sliding and removable tool trays for better organization
- · Great for outdoorsmen non-reflective surfaces
- Requires 2 pairs of Cargo Clamps (K7811-99560) and Plastic Cargo Box Mounting Kit (77700-V0838)
- Requires 2 additional Plastic Cargo Box Mounting Kits (77700-V0838) when installed with RTV Rubber Cargo Bed Mat (77700-V0830)



Cargo Clamp

K7811-99560

- Drill-less cargo bed clamp with interchangeable rubber inserts
- Sold in a pair



Bed Extender

K7811-99570

- Drill-less design and can be positioned along the length of the cargo bed
- Can be positioned to extend or divide the cargo bed capacity



Cargo Bed Rail

K7811-99590

- Increase cargo bed capacity
- Sold in a pair (left & right)
- Not compatible with Deluxe RTV Cargo Box (77700-08760)

Rack Over Hood

77700-V0831

- Mounts to the front guard to add additional storage over the front hood
- Designed to be removed quickly without tools
- Can be pivoted to access the components under the front hood for general service and maintenance
- Not compatible with Plastic Bumper (K7811-99220)



RTV Rubber Cargo Bed Mat

77700-V0830

- Rubber compression molded rubber with integrated Kubota branding
- Protects the cargo bed from scratches and scuff marks
- Prevent objects from sliding around the cargo bed





SNOW REMOVAL

72" General Duty Front Blade V5008*

- 72" wide general purpose snow blade with 19" moldboard height and 12 gauge moldboard thickness
- 64.5" plow width @ 30° max angle
- Electric lift with manual angle adjustment
- Requires Front Heavy Duty Strut Kit (K7591-99180) and General Purpose Front Guard (Black - K7591-97900)





TIRES & WHEELS

Tire & Alloy Wheel Assembly

Green ATV Left K7811-99850 Green ATV Right K7811-99860 Green HDWS K7811-99800 Black ATV Left K7591-99850 (ARTV5212L) Black ATV Right K7591-99860 (ARTV5212R) Black HDWS K7591-99800 (ARTV5214) Silver ATV Left K7591-99830 (ARTV5211L) Silver ATV Right K7591-99840 (ARTV5211R) Silver HDWS K7591-99790 (ARTV5213)

- Includes 1 OEM tire and alloy wheel
- 25x10-12 6-ply tire
- ATV tread design are directional (left or right)
- HDWS tread design are non-directional
- Requires alloy Wheel Hardware Kit (black - K7591-99140) or (silver - K7591-99170)







HDWS Tire & Wheel Assembly

K7811-19410

- Includes 1 OEM tire and steel wheel
- 25x10-12 6 ply tire
- HDWS tread design are non-directional



ATV Tire & Wheel Assembly

Left K7811-19210 Right K7811-19260

- Includes 1 OEM tire and steel wheel
- 25x10-12 6 ply tire
- ATV tread design are directional (left or right)





PART NUMBER	DESCRIPTION	QTY
77700-11821	Complete Cab Kit	1
77700-11933	RTV 520 Front Work Light Kit	1
77700-11934	RTV 520 Rear Work Light Kit	1

RTV ACCESSORY PACKAGES



Scan to Learn More

PART NUMBER	DESCRIPTION	QTY
77700-VC5044	Metal Canopy FOPS (Black)	1
77700-VC5020	Windshield Laminated Glass (AS1)	1
77700-VC5050	Kit Work Light Front LED (2)	1
77700-VC5051A	Kit Work Light Rear LED (1)	1
77700-VC5076	Kit Mirror Deluxe External (2)	1
77700-VC5080	Kit Wireharness Switch Panel (Multi)	1
K7591-99150	Kit Guard CV Joint (2) Front	1
K7591-99160	Kit Guard CV Joint (2) Rear	1
K7591-99660	Kit Guard Tail Lamp	1
77700-11553	Winch Kit VRX 35 Kubota CW OE	1



PART NUMBER	DESCRIPTION	QTY
77700-VP0800A	Sport Roof	1
77700-VP0805	RTV-XG Windshield HC Poly (Flip)	1
77700-V4358	Kit Mirror (ROPS) Convex Tempered	2
77700-V0890	Kit Front Work Light Supplemental	1
77700-V0882	ROPS Wire Harness	1
77700-V0881A	Accessory Wire Harness	1
77700-VP0892	Work Light 6"	3
77700-VP0893	Kit Front Work Light Installation	1
77700-VP0894	Kit Rear Work Like Installation	1
77700-11552	VRX 35 Wire Rope Kubota	1
K7811-99660	Tail Lamp Guard	1
K7811-99150	A-Arm Guard Front	1
K7811-99160	A-Arm Guard Rear	1
K7811-99240	Under Guard	1
K7811-99230	Bush Guard	1

PART NUMBER	DESCRIPTION	QTY
77700-VP0801A	RTV-XG with Wire Harness	1
77700-VP0802	Windshield Glass (Fixed) w/ Clamps	1
77700-VP0803	RTV-XG Rear Panel Glass	1
77700-VP0810A	RTV-XG Door Set	1
77700-VP0808	Under Hood Seal Kit	1
77700-V0881A	Accessory Wire Harness	1
77700-VP0892	Work Light 6"	3
77700-VP0893	Kit Front Work Light Installation	1
77700-VP0894	Kit Rear Work Like Installation	1
77700-11558	Winch Kit Axon 45-S Kubota OE	1
77700-08760	Deluxe RTV Cargo Box	1
77700-V0838	Kit Cargo Box Installation	1
K7811-99560	Kit Cargo Clamp	2
K7811-99570	Bed Extender	1
K7591-99180	Heavy Loader Damper Front	1



MAINTENANCE

B R E A K I N

HOURS

Air Cleaner Element: Inspect & Clean as Needed

Engine Oil: Change - XG850 Only

Pre Cleaner Element: Inspect & Clean as Needed - 520 Only

Carbon Canister
Air Filter: Inspect
& Clean as
Needed -520 &
XG850 California
Model Only

Fuel Filter
Element: Inspect
& Clean as
Needed

Brake Pads & Fluid: Inspect & Clean as Needed

General Lubrication: All
Fittings, Pivots,
Linkages &
Cables, Etc.

1000

HOURS

Engine Oil & Filter: Change -20 Hour Interval for XG850

Transmission Oil Filters: Change

Wheel Fastener Torque: Inspect

Tire Wear: Inspect

CVT Belt: Inspect - XG850 Only

Brake Pads & Fluid: Inspect & Clean as Needed

General Lubrication: All Fittings, Pivots, Linkages & Cables, Etc. -Every 50

2 0 0

HOURS

Air Cleaner Element: Replace

Engine Oil & Filter: Change

Pre Cleaner Element: Inspect & Clean as Needed - 520 Only

Transmission Oil Filters:
Replace

Hydraulic Tank Oil: Change

Carbon Canister Air Filter: Inspect & Clean as Needed -520 & XG850 California Model Only

Fuel Filter
Element: Inspect
& Clean as
Needed

Brake Pads & Fluid: Inspect & Clean as Needed

General Lubrication: All
Fittings, Pivots,
Linkages &
Cables, Etc.

^{*}Break-in period is 50 hours



HOURS

Air Cleaner Element:

Inspect & Clean as Needed

Engine Oil: Change - XG850 Only

Pre Cleaner Element:

Inspect & Clean as Needed - 520 Only

Carbon Canister Air

Filter: Inspect & Clean as Needed -520 & XG850 California Model Only

Fuel Filter Element:

Inspect & Clean as Needed

Brake Pads & Fluid:

Inspect & Clean as Needed

General Lubrication: All Fittings, Pivots, Linkages & Cables, Etc.

4000

HOURS

Air Cleaner Element: Inspect & Clean as Needed

Engine Oil & Filter: Change

Pre Cleaner Element: Inspect & Clean as Needed - 520 Only

Transmission Oil Filters &

Fluid: Replace

Hydraulic Tank Oil: Change

Cab Air Filter: Inspect & Clean

as Needed - X1100C

Front Knuckle Case Oil:

Change - X1100C

Front Axle Case Oil: Change

Carbon Canister Air Filter:

Inspect & Clean as Needed - 520 & XG850 California Model Only

Fuel Filter Element: Inspect &

Clean as Needed

Brake Pads & Fluid: Inspect &

Clean as Needed

General Lubrication: All Fittings, Pivots, Linkages &

Cables, Etc.



CAB COMPONENTS

RTV-X SERIES



A1

Poly Windshield

77700-VC5023 (VC5023)

X900, X1120, X1140

- Steel framed, hard coated poly windshield to provide a front barrier from wind, dust, and rain
- Features latches to allow airflow through the cabin
- Compatible with Wiper Kit (77700-VC5030)



A2

Laminated Glass Windshield (AS1)

77700-VC5020 (VC5020)

X900, X1120, X1140

- Steel framed, laminated glass windshield to provide a front barrier from wind, dust, and rain
- Designed to hold together when shattered and prevents glass from breaking into large sharp pieces
- Features latches to allow airflow through the cabin
- Compatible with Wiper Kit (77700-VC5030)

A3

Tempered Glass Windshield (AS2)

77700-VC5025 (VC5025)

X900, X1140

- Steel framed, tempered glass windshield to provide a front barrier from wind, dust, and rain
- Designed to crumble into small granular chunks instead of sharp jagged shards
- · Features latches to allow airflow through the cabin
- Compatible with Wiper Kit (77700-VC5030)

В

Wiper Kit

77700-VC5030 (VC5030)

X900, X1120, X1140

- Includes a single 16" wiper to keep glass & poly windshields clear from dust and rain
- Compatible only with Poly Windshield (77700-VC5023), Laminated Glass Windshield (77700-VC5020), & Tempered Glass Windshield (77700-VC5025)



Alternative windshields for a windshield & canopy configuration only.

Poly Windshield

Clear K7591-99290 (V5258)

Tinted K7591-99260 (V5259)

X900, X1120

- Alternative, crack-resistant poly windshield for those who do not require the compatibility of a full cab enclosure
- Not compatible with Wiper Kit (77700-VC5030)
- Compatible only with Plastic Canopy (K7591-99390)



Acrylic Windshield

Clear 77700-V5027 (V5027) Tinted 77700-V5028 (V5028)

X900, X1120, X1140

- Alternative, scratch-resistant acrylic windshield for those who do not require the compatibility of a full cab enclosure
- Not compatible with Plastic Canopy (K7591-99390) & Wiper Kit (77700-VC5030)





C1

Metal FOPS Canopy

Black 77700-VC5000 (VC5000) Orange 77700-VC5001 (VC5001) X900, X1120

Black 77700-VC5044 (VC5044) **X1140**

 Metal canopies are FOPS certified to provide additional protection while keeping the operator and passenger out of the elements



 Not compatible with Poly Windshield (clear - K7591-99290) or (tinted - K7591-99260)

C2

Plastic Canopy

Black 77700-VC5011 (VC5011)

X900, X1120

Black 77700-VC5043 (VC5043) X1140

- Plastic canopy to keep the operator and passenger out of the elements
- Not compatible with Poly Windshield (clear – K7591-99290) or (tinted – K7591-99260)



Alternative canopy for a windshield & canopy configuration only.

Black Plastic Canopy

K7591-99390 (V5221)

X900, X1120

- Alternative plastic canopy for those who do not require the compatibility of a full cab enclosure
- Compatible only with Poly Windshield (clear K7591-99290) or (tinted – K7591-99260)



D1 /

Glass Rear Panel

77700-VC5040 (VC5040)

X900, X1120

 Steel framed, glass rear panel to prevent wind, dust, and rain from entering into the operator's area



D2

Rear Screen

Gray K7711-99280 (V4258) **Black** K7731-99280 (V4258A)

X1100

 Optional rear screen mounts to the RTV-X1100's ROPS structure acting as a barrier between the bed and rear window





CAB COMPONENTS



A2

Vinyl Door Set 77700-VC5095 (VC5095)

X900, X1120

- Vinyl doors featuring clear vinyl window
- Windows can be zipped open and rolled up
- Convenient heavy duty hinges allow for doors to be removed and stored away
- Requires Front Heavy Duty Strut Kit (K7591-99180) or Front Heavy Duty Spring Kit (K7591-99190)



Mid-Panel

Steel w/ Sliding Window 77700-VC5046 (VC5046) **Vinyl** 77700-VC5047 (VC5047)

X1140

- Add an optional mid-panel to completely enclose the front row of the RTV-X1140
- Requires 4 Metal Door Set with Rear Panel (77700-VC5045)



Steel with Sliding Window

A1

Metal Door Set

Black 77700-VC5090 (VC5090) Orange 77700-VC5091 (VC5091) X900, X1120

- Steel doors featuring an upper sliding window and a lower pocket window
- Convenient heavy duty hinges allow for doors to be removed and stored away
- Requires Front Heavy Duty Strut Kit (K7591-99180) or Front Heavy Duty Spring Kit (K7591-99190)



A3

4 Metal Door Set w/ Rear Panel

77700-VC5045 (VC5045)

X1140

- 4 steel doors featuring an upper sliding window and a lower pocket window
- Includes a rear panel to fully enclose the RTV-X1140 in a two row configuration when combined with a compatible canopy and windshield
- Convenient heavy duty hinges allow for doors to be removed and stored away
- Recommend adding a mid-panel to fully enclose the front row of the RTV-X1140 when combined with a compatible canopy and windshield

Heater Kit

77700-VC5083A (VC5083A)

X900, X1120, X1140

- Add an integrated cab heater with well-placed vents to stay warm during frigid winters
- Requires Wire Harness (Multiple - 77700-VC5080) or (Single - 77700-VC5081)



Front Heavy Duty Spring Kit

K7591-99190 (V5218)

X900, X1120, (X1100 & X1140 - Standard)

- Reuse the front struts and upgrade the front springs to heavy duty springs
- Required when installing an enclosed cab and/or front implement

Front Heavy Duty Strut Kit

K7591-99180 (V5219)

X900, X1120, (X1100 & X1140 - Standard)

- A pair of preassembled front struts with heavy duty springs
- · No special tools required to install
- Required when installing an enclosed cab and/or front implement

Side Mirror Kit

Cab 77700-VC5076 (VC5076) **ROPS** 77700-V4358 (V4358)

X900, X1120, X1140

- · Increases operator visibility
- Cab mirrors sold in a pair (left & right)
- ROPS mirror sold individually)





ROPS

Heavy Duty AM/FM/WB/ USB/iPhone®/iPod®/SiriusXM Ready® Radio

77700-04754

X1100

- 180-watt max output (45W x 4)
- iPod/iPhone controls and charging via front USB
- SiriusXM Ready (requires SiriusXM tuner and antenna)
- Seven-channel NOAA weatherband tuner and "Weather Alert"
- · Microphone sold separately



Premium Side Mirror

77700-10706

RTV-X900, RTV-X1120, RTV-X1140, RTV-XG850

- · Enhanced field of view
- Dual axis breakaway
- Three-way adjustment
- · Adjustable blindspot mirror
- Anti-vibration technology
- ROPS Mounted
- · Fits left or right side
- Easily return mirror to your preset position each time it breaks away for consistent viewing alignment

Heavy Duty AM/FM/USB/AUX/ WB/Bluetooth®/iPhone®/iPod®/ SiriusXM Ready® Radio

77700-06377

X1100C

- Same features as 77700-04755 with the exception of a CD player and App Ready
- Includes Bluetooth Microphone (77700-04786)
- *Fits all cabbed *M and *L units, RTV 1100's (RTV-1100, RTV-1100C, RTV-X1100C), Wheel Loaders (R630NT3, R630R431) and B Series (B2650HSDC, B3350HSDC) CAB Models Only



Side Mirror

77700-V5059 (V5059)

X1100

- Shatter resistant tempered convex glass for increased durability
- Impact resistant ABS housing for lasting durability
- Ball socket joint provides easy adjustment and wide range view
- Sold individually



Heavy Duty AM/FM/WB Radio 77700-04753

X1100

- 160-watt max output (40W x 4)
- · Seven-channel NOAA weatherband tuner
- Segmented, high-visibility LCD display with clock
- Two-wire hook-up prevents battery drain when vehicle is off





WINCHES / BED LIFT / HITCH







Warn VRX & Axon Winches

Winch Kits for 2-Seater Units: X900, X1100, X1120

VRX 3,500 lb. Steel Cable 77700-11552

VRX 4,500 lb. Synthetic Rope 77700-11554

AXON 3,500 lb. Steel Cable 77700-11556

AXON 4,500 lb. Synthetic Rope 77700-11558

- IP68 waterproofing system standard
- · Redesigned & improved braking system
- New manual clutch for improved durability & sealing
- Engineered to outperform the competition
- The Axon line of winches provides class-leading electronics that help prevent motor failure and offer half the installation time compared to VRX
- Limited lifetime mechanical & 3 year electrical warranty
- · Dash-mounted switch and remote standard

Hydraulic Bed Lift

K7591-99320 (V5242)

General Purpose X900, General Purpose X1120, (Worksite & Camo X900, Worksite & Camo X1120, X1100, and X1140 - Standard)

 Upgrade a manual bed lift on a general purpose RTV-X900 or RTV-X1120 to hydraulic bed lift





Winch Kits for 4-Seater Units: X1140

VRX 3,500 lb. Steel Cable 77700-11553

VRX 4,500 lb. Synthetic Rope 77700-11555

AXON 3,500 lb. Steel Cable 77700-11557

AXON 4,500 lb. Synthetic Rope 77700-11559

· 4-Seater winches for RTV-X1140 only



2" Trailer Hitch Ball Mount

77700-V5200 (V5200)

X900, X1120, X1100, X1140

 Towing is easy with this 2" Trailer Ball Mount Kit (does not include hitch ball)



GUARDS

General Purpose Front Guard

Gray K7591-97200 **X900**

Black K7591-97900 X900, X1120

 Replacement general purpose front guard



Worksite Front Guard

Gray K7591-97210

X900

Black K7591-97910 **X900**, **X1120**, **X1140**

 Replacement worksite front guard



Deluxe Front Guard

Gray K7421-97200

X1120, X1100, X1140

Black K7421-97900 X1120, X1100, X1140

• Replacement deluxe front guard



Tail Lamp Guard Kit

K7591-99660 (V5227)

X900, X1120, X1100, X1140

 Protect your tail light from damaging debris by installing this Tail Lamp Guard Kit





CV Joint Guard

Front K7591-99150 (V5238) Rear K7591-99160 (V5239)

X900, X1120, X1100, X1140

- Help protect your front CV Joint from rocks and stumps with this CV Joint Guard
- Reduce potential damage to the rear CV Joint with this CV Joint Guard





Mud Guard

Front K7591-99520 (V5225) Rear K7591-99510 (V5226)

X900, X1120, X1100, X1140

- Cut down on flying mud by installing this Mud Guard Kit
- Decrease mud spatter off the rear wheels with this Mud Guard Kit

CARGO / STORAGE

Deluxe RTV Cargo Box

77700-08760 (V0839)

X900, X1120, X1100, X1140

- Features 4.5 cu. ft. of cargo capacity in a tough and durable polyethylene construction to resist corrosion, water, and dust
- · Lockable latches to secure your cargo
- Transport your tools and equipment into some of the most extreme terrain and conditions
- Easy-to-lift covers providing easy access from either side of the box
- Sliding and removable tool trays for better organization
- · Great for outdoorsmen non-reflective surfaces
- Requires 2 pairs of Cargo Clamps (K7811-99560) and Plastic Cargo Box Mounting Kit (77700-V0838)
- Requires 2 additional Plastic Cargo Box Mounting Kits (77700-V0838) when installed with RTV Rubber Cargo Bed Mat (77700-V0830)



2 Cargo Clamps K7811-99560 (V0859)

X900, X1120, X1100, X1140

- Drill-less cargo bed clamp with interchangeable rubber inserts
- Sold in a pair



Plastic Bed Liner

K7591-99580 (V5229)

X900, X1120, X1100

 Prevent bed dents and dings with this high-quality plastic bed liner

RTV Rubber Cargo Bed Mat

77700-V0830 (V0830)

X900, X1120, X1100

- Rubber compression molded rubber with integrated Kubota branding
- Protects the cargo bed from scratches and scuff marks
- Prevent objects from sliding around the cargo bed



CAB ACCESSORIES

Interior Rearview Mirror

77700-V4266 (V4266) X900, X1120, X1140

 Mount an interior rearview mirror onto the ROPS for added visibility



Interior Rearview Mirror

77700-VP0816 (VP0816)

X900, X1120, X1140

- Convex wide mirror and mounts to the ROPS
- Easy to install on a ROPS or Cab



Sun Visor Kit

K7731-99270 (V5286)

- Match the interior of the RTV-X1100 with sun visors to block the sun
- Sold in a pair (left & right)



Glove Box Cover Kit

K7591-99570 (V5234)

General Purpose X900 & X1120, (Worksite & Camo X900, Worksite & Camo X1120, X1100, and X1140 - Standard)

 Upgrade the general purpose RTV-X900 & general purpose RTV-X1120 to a covered glove box to keep items away from the elements



Headrest

Gray K7501-99550 (V4231XT) **X900**, (RTV-X1100 - Standard)

Black K7421-99550 (V5231) **X1120**

- Add comfort and support to your day with this Headrest from Kubota
- Sold individually
- Requires Headrest Stay Kit (gray -K7591-99530) or (black -K7591-99540)



Headrest Bracket Kit

Gray K7591-99530 (V5230) **Black** K7591-99540 (V5230A)
X900, X1120

- Required to install headrest (gray - K7501-99550) or (black - K7421-99550)
- Sold individually



Backup Alarm Kit

K7591-99640 (V5236)

X900, X1120, X1100, X1140

• Alert the surrounding people when operating in reverse



Hand Throttle Kit

D902 Engine K7591-99450 (V5241)

X900

D1105 Engine K7421-99450 (V5243) **X1120**, **X1100**

 Hold engine speed at a constant RPM regardless of vehicle speed



ACCESS CARGO



Full RAC Frame System

77700-V5012 (V5012)

X900, X1120, X1100

- Heavy-duty powder-coated steel construction
- Wide selection of easy to use compatible attachments
- Exterior mounted risers provide greater carrying capacity
- · Works with or without cab
- RAC Structure weighs approx. 85lbs



Long Handle Tool Carrier

77700-V5018 (V5018)

- · High-strength steel construction
- Each scabbard has seven handle slots
- Two Scabbards can be combined to hold tools in-line
- Designed to minimize reach-over when loading & unloading tools
- Requires Full RAC Frame System (77700-V5012)



C

Extender Basket

77700-V5015 (V5015)

X900, X1120, X1100

- Large basket that can be positioned horizontally and stacked
- High-strength steel construction but light enough for carrying by hand
- Free large elastic cargo net included 32" L x 14" W
- Dimensions -46" W x 14" D x 3.75" H
- Weight Capacity 125lbs
- Requires Full RAC Frame System (77700-V5012)



D

RTV String Trimmer Holder

77700-V4419 (V4419)

X900, X1120, X1100

- High-strength steel forks over-molded with durable rubber
- Patented non-binding rubber fins cushion objects being carried
- Heavy-duty rubber straps secure items to forks
- Forks rotate 360 degrees and lock into place for multiple angles
- Forks adjust from 1.5" to 3.5" wide to hold a wide range of shapes & sizes
- Requires Full RAC Frame System (77700-V5012)



E

Half Clip Basket

77700-V5016 (V5016)

X900, X1120, X1100

- Shorter version of the Full Clip Basket for smaller loads
- Dimensions -24.15"L x 12.5"W x 4.3"H
- Weight Capacity 75lbs
- · Elastic cargo net included
- Requires Full RAC Frame System (77700-V5012)



RTV Backpack Blower Holder

77700-V4421 (V4421)

X900, X1120, X1100

- Made specifically for STIHL® BR Series backpack blowers
- High-strength steel construction
- Integrated hose management system
- Multiple mounting locations inside and outside RAC Structure
- Requires Full RAC Frame System (77700-V5012)



F

Full Clip Basket

77700-V5017 (V5017)

X900, X1120, X1100

- High-strength steel construction but light enough to carry by hand
- Multiple mounting locations inside or outside RAC Structure
- Dimensions -37.75"L x 12.5"W x 4.3"H
- included- 11"L x 14"W
 Weight Capacity 75lbs

· Elastic cargo net

 Requires Full RAC Frame System (77700-V5012)





Cooler/Bucket Cruiser

77700-V4422 (V4422)

- High-strength steel construction
- Integrated straps with buckles adjust to a variety of container shapes/sizes
- Multiple mounting locations inside and outside RAC Structure
- Requires Full RAC Frame System (77700-V5012)





LIGHTS / HARNESSES

2 Front LED Work Light Kit

77700-VC5050 (VC5050)

X900, X1120, X1140

- · Six high intensity LEDs on each light
- · Illuminated, high quality rocker switch
- Sold in a pair (left & right)
- Only compatible with the "VC" cab components
- Requires Wire Harness (Multiple 77700-VC5080) or (Single - 77700-VC5081)



Dome Light

77700-VC5053 (VC5053)

X900, X1120, X1140

- · Built-in on/off rocker switch
- · Bright 1-watt LED light
- Adjustable 40-degree swivel and spin
- Convenient for pre-dawn or working late into the night
- Only compatible with the "VC" cab components
- Requires Wire Harness (Multiple - 77700-VC5080) or (Single - 77700-VC5081)



Rear LED Work Light Kit

77700-VC5051A (VC5051A)

X900, X1120, X1140

- · Six high intensity LEDs on each light
- · Illuminated, high quality rocker switch
- Sold individually
- Only compatible with the "VC" cab components
- Requires Wire Harness (Multiple 77700-VC5080) or (Single - 77700-VC5081)



Strobe Light

77700-VC5056 (VC5056)

X900, X1120, X1140

77700-VC5058 (VC5058)

X1100

- Amber beacon features 70 FPM pulse, 8 ash patterns
- · Illuminated, high quality rocker switch
- Only compatible with the "VC" cab components
- Requires Wire Harness (Multiple 77700-VC5080) or (Single – 77700-VC5081)
- Mounting bracket 77700-V4284 is included with kit



4-Way Strobe-type Flashers

77700-VC5057A (VC5057A)

X900, X1120, X1140

- Black and weatherproof housing for indoor or outdoor use
- 18 different flash patterns to choose from
- Only compatible with the "VC" cab components
- Requires Wire Harness (Multiple 77700-VC5080) or (Single 77700-VC5081)



Select either wiring harness setup below to power the 5 lights above individually or together.

Switch Panel

77700-10732

- Centralized accessory switches into one convenient location
- Required for 13.5" LED Light Bar (77700-VP0891), 6" LED Worklights (77700-VP0892), Strobe Light (77700-08686) or Rotating Beacon (77700-08687), Wiper Kit (77700-VP0817), and Washer Kit (77700-VP0818)



Wire Harness - Single

77700-VC5081 (VC5081)

- For single electrical accessory or light
- In-line fuse for circuit protection
- · Automotive relay included

LED Work Light Kits

Front LED Work Light Kit 77700-11811 X1100C

Rear LED Work Light Kit 77700-11812 X1100C

- Six high intensity LEDs
- Ideal for off-road driving only
- Measured lumen: 1,000 lm
- Multivolt 10-30V DC
- · Mounting: upright or flush
- Dimensions: 1.8"W x 6.3"H x 2.5"D 2.4"W x 7.7"H x 1.8"D (flush)



Additional lighting options available with all the required.


Halogen Front Work Lights


K7591-99620 (V5222)

X900, X1120

K7731-99620 (V5282) X1100







• For RTV-X900 and RTV-X1120, lights mount to the ROPS or Plastic Canopy (K7591-99390) with everything necessary for installation

Halogen Rear Work Light

K7591-99630 (V5223)

X900, X1120

K7731-99630 (V5283) X1100



- · Halogen rear work light kit includes 1 work light
- For RTV-X1100, the lights mount to the top with everything necessary for installation
- For RTV-X900 and RTV-X1120, lights mount to the ROPS or Plastic Canopy (K7591-99390) with everything necessary for installation

Hazard Light Kit

K7591-99610 (V5237)

X900, X1120, X1140

K7731-99610 (V5257) X1100

 Includes two front hazard/ indicator lamps and two rear combination hazard



Strobe Light **Mounting Bracket**

77700-V4284

X1100

- Sturdy 10GA cold-rolled steel for secure mounting
- Durable UV-resistant powder paint for long lasting durability



Block Heater

77700-07942 X900

70000-73595 X1120, X1100, X1140

· Makes starting in cold climates less demanding on the engine



Extended Oil Dipstick

D902 Engine K7591-99810 (V5202)

D1105 Engine K7621-99810 (V5204A) X900, X1120, X1140

 Check oil regularly and precisely without having to raise the dump bed



SNOW REMOVAL

ELECTRIC POWERED IMPLEMENTS & ATTACHMENTS

72" General Duty Front Blade V5008*

X900, X1120, X1100, X1140

- 72" wide general purpose snow blade with 19" moldboard height and 12 gauge moldboard thickness
- 64.5" plow width @ 30° max angle
- · Electric lift with manual angle adjustment
- Recommend optional Hydraulic Angle Kit (V5007) to convert to hydraulic angle
- Requires Front Heavy Duty Strut Kit (K7591-99180) or Front Heavy Duty Spring Kit (K7591-99190)



HYDRAULIC POWERED IMPLEMENTS & ATTACHMENTS

72" XTRA Duty Front Blade V5060*

X900, X1120, X1100, X1140

- 72" wide heavy duty snow blade with 23.5" moldboard height and 12 gauge moldboard thickness
- 64.5" plow width @ 30° max angle
- Includes self contained electro-hydraulics for lift and angle adjustment
- Requires Front Heavy Duty Strut Kit (K7591-99180) or Front Heavy Duty Spring Kit (K7591-99190)

72" Commercial Straight Blade V5290*

X900, X1120, X1100

- 72" wide commercial snow blade with 21.75" moldboard height and 10 gauge moldboard thickness
- 62.4" plow width @ 30° max angle
- Hydraulic lift with down pressure and float
- · Hydraulic angle adjustment with adjustable blade trip springs
- Recommend optional Markers (V5250)
- Requires Front Quick Hitch (V5289), Electro-Hydraulic Valve Kit (V5232), Auxiliary Hydraulic Pump (X900 - V5271) or (X1120/X1100 - V5272), & Front Heavy Duty Strut Kit (K7591-99180) or Front Heavy Duty Spring Kit (K7591-99190)

72" V-Plow Blade

V5291*

X900, X1120, X1100

- 72" wide V-Blade (straight) with moldboard height 19 1/8" @ center, 20 1/2" @ ends, and 3/8" moldboard thickness
- 66" V position width and 59" scoop position width
- Hydraulic lift with down pressure and float
- Hydraulic angle adjustment with built-in relief valves to protect against impact
- Trip cutting edges
- Recommend optional Markers (V5250) and Curb Guards (V5256)
- Requires Front Quick Hitch (V5289), Electro-Hydraulic Valve Kit (V5232) & (3rd function - V5233), Auxiliary Hydraulic Pump (X900 - V5271) or (X1120/X1100 -V5272), & Front Heavy Duty Strut Kit (K7591-99180) or Front Heavy Duty Spring Kit (K7591-99190)

60" Rotary Broom

X900, X1120, X1100

- 60" wide rotary broom with 18" diameter poly brushes
- 50 1/2" width @ 25° max angle

V5260*

- Reversible broom rotation
- Hydraulic lift and angle adjustment
- Recommend optional Markers (V5250)
- Requires Front Quick Hitch (V5289), Electro-Hydraulic Valve Kit (V5232) & (3rd function V5233), Auxiliary Hydraulic Pump (X900 V5271) or (X1120/X1100 V5272), Hydraulic Oil Cooler (V5240), Hand Throttle Kit (V5245), & Front Heavy Duty Strut Kit (K7591-99180) or Front Heavy Duty Spring Kit (K7591-99190)





HYDRAULIC POWERED MOUNTING SYSTEM

Front Quick Hitch

V5289*

X900, X1120, X1100

· Required quick hitch system designed for 72" Commercial Straight Blade (V5290), 72" V-Plow Blade (V5291), and 60" Rotary Broom (V5260) for easy implement changes



Front Guard Adapter Kit

77700-V5255 (V5255)

X900, X1120, X1100

· Optional front guard adapter for Front Quick Hitch (V5289) to reinstall front quard when front quick hitch implements are put away for the season

HYDRAULIC POWERED ATTACHMENTS

Hydraulic Angle Kit

V5007*

X900, X1120, X1100, X1140

- Optional hydraulic angle kit to upgrade 72" General Duty Front Blade (V5008) to hydraulic angle adjustment
- Requires Auxiliary Hydraulic Pump (X900 V5271), (X1120/ X1100 - V5272), or (X1140 - V5262) and Auxiliary Hydraulic Valve: One Valve (X900/X1120/X1100 - V5273), Two Valve (X900/X1120/X1100 - V5274), or One Valve (X1140 - V5263)

Auxiliary Hydraulic Valve Kit

One Valve V5273*

X900, X1120, X1100

One Valve V5263*

X1140

Two Valve V5274* X900, X1120, X1100

• Required for Hydraulic Angle Kit (V5007) and aftermarket implements

Hydraulic Oil Cooler

V5240*

X900, X1120, X1100

• Required for 60: Rotary Broom (V5260)

Hand Throttle Kit

V5245*

X900, X1120, X1140

• Required for 60" Rotary Broom (V5260)

Markers

V5250*

X900, X1120, X1100

 Optional markers to increase visibility for 72" Commercial Straight Blade (V5290), 72" V-Plow Blade (V5291), or 60" Rotary Broom (V5260)

Auxiliary Hydraulic Pump **D902 Engine V5271***

X900

D1105 Engine V5272* X1120, X1100

D1105 Engine V5262* X1140

· Required for Hydraulic Angle Kit (V5007), hydraulic powered implements, and aftermarket implements

Electro-Hydraulic Valve Kit

Two Function V5232A*

X900, X1120, X1100

3rd Function V5233* X900, X1120, X1100

• Required for 72" Commercial Straight Blade (V5290), 72' V-Plow Blade (V5291), and 60" Rotary Broom (V5260)

Hydraulic Coupler Outlet

V5276*

X900, X1120, X1100, X1140

- · Stationary applications only, optional coupler to power aftermarket implements
- Cannot be used to power hydraulic motor applications

Curb Guards for V-Blade V5256*

X900, X1120, X1100

· Optional curb guards to protect the corners of 72" V-Plow Blade (V5291) from incidental curb damage



4 POINT K-CONNECT IMPLEMENTS

78" Straight Blade V5294A*

X1120, X1100, X1140

- 78" wide K-connect snow blade with 24" moldboard height and 0.075" moldboard thickness
- 68" plow width @ 30° max angle covers the width of the RTV-X
- · Hydraulic lift with down pressure and float
- · Hydraulic angle adjustment with two spring trip protection
- Reinforced with 4 vertical ribs, 2 diagonal ribs, and C-channels
- New curvature allows for rolling of snow eliminating the need for a deflector and includes markers and skid shoes standard
- Recommend optional Curb Guards (V5281)
- Requires 4 Point K-Connect (V5293) and Front Heavy Duty Strut Kit (K7591-99180) or Front Heavy Duty Spring Kit (K7591-99190)
- Compatible with PTO Drive K-Connect (V5299)

78" V-Blade V5295A*

X1120, X1100, X1140

- 78" wide K-connect V-blade (straight) with moldboard height 20" @ center, 25 3/4" @ ends, and 0.075" moldboard thickness
- 69 1/2" V position width and 66" scoop position width
- · Hydraulic lift with down pressure and float
- Hydraulic angle adjustment with built-in relief valves to protect against impact
- Trip cutting edges
- Reinforced with 3 vertical ribs, 1 diagonal ribs, and C-channel on each wing
- New curvature allows for rolling of snow eliminating the need for a deflector and includes markers and skid shoes standard
- Recommend optional Curb Guards (V5281)
- Requires 4 Point K-Connect (V5293) and Front Heavy Duty Strut Kit (K7591-99180) or Front Heavy Duty Spring Kit (K7591-99190)
- Compatible with PTO Drive K-Connect (V5299)



4 POINT K-CONNECT MOUNTING SYSTEM & ATTACHMENTS

4 Point K-Connect

V5293A*

X1120, X1100, X1140

- 4 point quick hitch system with a power unit to provide an independent 3 function hydraulic system
- Used to quick attached 78" Straight Blade (V5294A) or 78" V-Blade (V5295A)



4 Point Upgrade Kit

V5298*

X1120, X1100, X1140

 Add a brush bar and 2 rectangular LED worklights to the 4 Point K-Connect (V5293)

 Requires 4 Point K-Connect (V5293)



Front Guard Adapter Kit

77700-V5278 (V5278)

X1120, X1100, X1140

 Optional front guard adapter for 4 Point K-Connect (V5293) to reinstall front guard when front K-Connect implements are put away for the season

Rubber Cutting Edge

V5287*

X1120, X1100, X1140

 Optional rubber cutting edge for 78" Straight Blade (V5294A)

Plastic Cutting Edge

V5288*

X1120, X1100, X1140

 Optional plastic cutting edge for 78" Straight Blade (V5294A)

Plastic Cutting Edge

V5284*

X1120, X1100, X1140

 Optional plastic cutting edge for 78" V-Blade (V5295A)

Curb Guards

V5281*

X1120, X1100, X1140

 Optional curb guards to protect the corners of 78" Straight Blade (V5294A) and 78" V-Blade (V5295A) from incidental curb damage

Skid Shoes

V5285*

X1120, X1100, X1140

• Replacement skid shoes for 78" Straight Blade (V5294A) and 78" V-Blade (V5295A)

DRIVE IMPLEM

PTO DRIVE K-CONNECT IMPLEMENTS

66" Rotary Broom

V5266*

X1120, X1100

- 66" wide PTO driven rotary broom with 24" diameter poly brushes
- 25° max angle
- with 8 1/2 degree oscillation
- · Floating wheels and markers standard
- Requires 4 Point K-Connect (V5293), PTO Drive K-Connect (V5299), and Front Heavy Duty Strut Kit (K7591-99180) or Front Heavy Duty Spring Kit (K7591-99190)



V5296* X1120, X1100

66" Commercial Snowblower

- · 66" wide PTO driven 2-stage commercial snowblower with hvdraulic chute rotation and deflection
- 16" fan with 4 blades
- Skid shoes and drift cutters are standard
- Requires 4 Point K-Connect (V5293), PTO Drive K-Connect (V5299), and Front Heavy Duty Strut Kit (K7591-99180) or Front Heavy Duty Spring Kit (K7591-99190)



V5279

X1120, X1100-C

Debris Blower

- · The perfect addition to your X-Series, makes clean up and debris removal a breeze
- Generates over 214 mph of velocity, with 225° of hydraulically driven nozzle rotation with a standard parking stand included
- Estimated 30-minute installation time, so you can swap out snow removal implements and prepare for warmer weather quickly
- Requires 4 Point Hitch (V5293B), PTO Kit (V5299B), and Hand Throttle Kit (V5245)
- NOT compatible with 4 Point Hitch (V5293A & V5293) and PTO Kit (V5299A & V5299)



PTO DRIVE K-CONNECT MOUNTING SYSTEM & ATTACHMENT

PTO Drive K-Connect

V5299B*

X1120, X1100

- Used in conjunction with 4 Point K-Connect (V5293) to operate 66" Rotary Broom (V5266) or 66" Commercial Snowblower (V5296)
- For RTV-X1120, requires Water Pump Pulley (16241-74250) and Engine Fan Belt (1E270-97010)
- Requires 4 Point K-Connect (V5293)



50/50 Poly & Steel Brush Kit

V5269*

X1120, X1100

• Optional 24" diameter 50/50 poly and steel brush kit for 66" Rotary Broom (V5266)

Plastic Cutting Edge with Skid Shoes

V5297*

X1120, X1100

 Optional plastic cutting edge and skid shoes for 66" Commercial Snowblower(V5296)



SPREADERS

Rock Salt Spreader

V5002-A*

X900, X1120, X1100

- Ideal for winter applications with 3 cubic feet capacity (240 lbs) and spreading width up to 25 ft
- Electric powered motor and transmission controlled by a variable speed weatherproof controller
- Heavy duty poly hopper construction
- · Top screen and fitted cover included



Tailgate Spreader V5003-A*

X900, X1120, X1100

- Ideal for year round use with 3 cubic feet capacity (240 lbs) and spreading width up to 20 ft
- Easy-to-calibrate for various materials (e.g. seed, fertilizer, bagged ice melt, and more)
- Electric powered motor and transmission controlled by a variable speed weatherproof controller
- Heavy duty poly hopper construction
- · Top screen and fitted cover included



Cargo Box Spreader V5005*

X900, X1120, X1100

- 11 cubic feet capacity (800 lbs) and spreading width up to 30 ft
- Electric powered motor and transmission with a dual controller for independent material and spread width control



- Heavy duty poly hopper construction
- Top screen, fitted cover, and heavy duty vibrator included

Flow Control Tube V4407*

X900, X1120, X1100

- Optional stainless adjustable flow regulator helps prevent leaking issues when handling fine pellet and flake materials
- Requires Cargo Box Spreader (V5005)



36" Drop Spreader V5004*

- Ideal for precise snow and ice management applications
- 6 cubic foot (480 lb) material capacity and 36" drop pattern is perfect for sidewalk maintenance
- Electric powered motor and vibrator with cab mounted digital, variable speed controller
- Features a gateless design to help improve material efficiency and reduce turf damage
- Heavy duty poly hopper construction
- Top Screen and Molded Hopper Cover included



Spreading Materials	V5002-A	V5003-A	V5004	V5005
Bagged Rock Salt	X		X	X
Bagged Ice Melters		x	x	(w/ V4407)
Calcium Chloride Pellets		x	X	X (w/ V4407)
Calcium Flakes		X	X	(w/ V4407)
Bulk Salt			X	x
50/50 Sand Salt Mix			x	x
Granular Fertilizer & Turf Care Materials		x		X (w/ V4407)





TIRES & WHEELS

HDWS Tire & Wheel Assembly K7591-19312 (ARTV5203)

X900, X1120, X1100, X1140

- Includes 1 OEM tire and steel wheel
- 25x10-12 6 ply tire
- HDWS tread design are non-directional



ATV Tire & Wheel Assembly

Left K7591-19112 (ARTV5201L) Right K7591-19162 (ARTV5201R)

X900, X1120, X1100, X1140

- Includes 1 OEM tire and steel wheel
- 25x10-12 6 ply tire
- ATV tread design are directional (left or right)



TURF Tire & Wheel Assembly

K7591-19613 (ARTV5205) X900, X1120, X1100

- Includes 1 OEM tire and steel wheel
- · 25x12-12 6 ply tire
- TURF tread design are non-directional



Tire & Alloy Wheel Assembly


Black ATV Left K7591-99850 (ARTV5212L) Black ATV Right K7591-99860 (ARTV5212R) Black HDWS K7591-99800 (ARTV5214) Silver ATV Left K7591-99830 (ARTV5211L) Silver ATV Right K7591-99840 (ARTV5211R) Silver HDWS K7591-99790 (ARTV5213)

X900, X1120, X1100, X1140

- Includes 1 OEM tire and alloy wheel
- 25x10-12 6-ply tire
- ATV tread design are directional (left or right)
- HDWS tread design are non-directional
- Requires Alloy Wheel Hardware Kit (black - K7591-99140) or (silver - K7591-99170)







Cargo Net

77700-08978

- 34" x 34" stretches to 60" x 60"
- · Heavy duty plastic hooks prevent scratching
- Finger holes in hooks for safety and easy hook up
- · Weather resistant
- Secures odd, bulky shapes
- Adjustable hooks
- Fits most UTV/RTV Bed Boxes



Fire Extinguisher Mount

RTV Tow Strap

• 1-1/4" X 12' tow strap with loops and shackle

• 5,000 lbs. break strength

• Reinforced attachment loops

77700-08977

Forged shackle

77700-10709

RTV-X900, RTV-X1120, RTV-X1140, RTV-XG850

- Secures fire extinguishers up to 3.5" in diameter
- Universal design mounts to round tube roll cages up to 2.25"
- Patented low-profile mounting
- Adjustable clamps secure most fire extinguishers
- · Fire extinguisher not included



ShockStrap® Load-Absorbing Ratchet Straps 9' x 2" 77700-10680

18' x 2" 77700-10681

- Dependable a ShockStrap® provides superior shock absorption without coming loose-keeps tension on the strap
- Safety Strap a backup strap in case the ShockStrap® is compromised
- Durable made from our proprietary formula that is not affected by most chemicals, sunlight, oil, salt water, fungus or moisture
- Rust Resistant hooks and buckle are yellow zinc coated, which lasts 8 to 10 times longer than chrome plating
- Soft Loop flexibility to always find a way to secure your load

Work Gear Bag

77700-10694

X900, X1120, X1100, X1140

- Made from heavy duty, ballistic nylon
- Easily and quickly attaches
- to your Kubota RTV or Kubota stand-on mower • Includes strap kit to attach to your RopsRackPack® and
- buckles for attaching to your Ultimate Rack
- Gear Bag is 18" long x 4" wide x 11" tall



Safety Dust Mask

Dust Masks Universal Safety 77700-10710

XL Safety 77700-10711

Camo Safety 77700-10712

Neoprene Dust Mask 77700-10713

Red Bandana Style 77700-10714

Black Bandana Style 77700-10715

- Washable and reusable
- · Improved design provides maximum comfort
- · No replacement filters needed
- Compatible with open and closed face helmets and goggles



Neoprene Dust Mask

10" S-Biner® **Dual Carabiner** 77700-10783

Allows you to hang your trimmer, leaf blower and other large items



Kubota

KEEP IT GENUINE. KEEP IT KUBOTA!

ARE YOU MARKETING FOR KUBOTA GENUINE PARTS?

