



WORKSHOP PRODUCTS



As the #1 builder of under-100 HP multi-cylinder, non-automotive diesel engines in the world, Kubota literally powers the industry. That didn't happen by accident. It happened because we are committed to engineering excellence so that our customers can focus on planting, feeding, building and caring for our world. Kubota has expanded its program once again and we're honored to be your first choice in aftermarket parts. This year we've added a full new line up LED lights, grease guns, tool boxes and construction accessories just to name a few.



RADIOS & TECHNOLOGY

- 2-3 Radios
- 4 Custom SSV & SVL Kits
- 5-6 Excavator Kits
- 6-7 Radio Accessories
- 7 Displays

RTV ACCESSORIES

- 8-9 RTV accessories

LUBRICATION PRODUCTS

- 10 Grease
- 11-12 Grease Guns
- 13-14 Lubrication
- 15 Filter Wrenches

FUEL EQUIPMENT

- 16 DEF Kits
- 17 Pumps & Drum Level Indicator
- 18 Fuel Containers
- 19-20 Funnels
- 20 Pour Spouts

CHEMICALS

- 21-25 Chemicals

CARGO CONTROL

- 26-27 Cargo Control
- 27 Tarp Straps
- 28 Safety Chains
- 28-31 Tire Chains
- 32 Tow Chains
- 33 Hooks & Load Binders

LIFT EQUIPMENT

- 34 Lift Equipment

SHOP PRODUCTS

- 35 Flashlights
- 36-37 Shop Products
- 38-39 Hand Tools

DIAGNOSTIC TOOLS

- 40 Trailer Testers
- 41 Tire & Bolt Gauges

SAFETY PRODUCTS

- 42-44 Safety Products
- 44-45 Gloves

SPRAYERS

- 46-47 Sprayers

TOOL STORAGE

- 48-49 BIGTOOLRACK®
- 49-50 Jobsite Boxes
- 51 Chests & Cabinets

MOISTURE TESTERS

- 52 Portable Grain & Hay Moisture Testers

JUMPER CABLES & BATTERY CHARGERS

- 53 Jumper Cables & Battery Chargers



AM/FM/WB/Bluetooth®/SiriusXM Ready® Weatherproof MINI Radio 77700-08973

- 12V DC Power
- Bluetooth with hands free calling
- iPhone/iPod control and charging via USB
- Rear USB
- Line level RCA outputs
- Front panel audio AUX-in for use with iPods, MP3 players & portable CD players
- AUX A/V in (front and rear)
- 7-Channel NOAA Weatherband tuner
- Weather Alert automatically switches to WB mode when NOAA warning broadcast is received
- Corrosion and UV-resistant faceplate
- Built-in job site work timer
- 12/24 hour clock



- Daylight readable display with wide viewing angle
- 3.5mm headphone jack pigtail & 2-channel stereo speaker output
- 2-channel amplified audio output (15 watts)
- Microphone sold separately
- Dimensions: 5-3/16"W x 3-3/8"H x 1-7/8"D



Heavy Duty MINI Waterproof AM/FM/WB/Bluetooth® Radio 77700-04757

- Same features as 77700-04752 plus:
 - Works with Bluetooth wireless headphones, as well as most other Bluetooth streaming audio (A2DP) headphones
 - Front and rear AUX-inputs for a more permanent installation
- Applications: SSV65 and SSV75

Heavy Duty MINI Waterproof AM/FM/WB/MP3 Radio 77700-04752

- 12V DC system—no batteries to recharge or replace
- Seven-channel NOAA weatherband tuner
- Built-in job site work timer
- Applications: Kubota SSV65 and SSV75 Skid Steers and many other all makes and models of equipment



Heavy Duty AM/FM/USB/AUX/WB/ Bluetooth®/iPhone®/iPod®/ SiriusXM Ready® Radio 77700-06377

- Same features as 77700-04755 with the exception of a CD player and App Ready
- Includes Bluetooth Microphone (77700-04786)
- *Fits all cabbed *M and *L units, RTV 1100's (RTV-1100, 1100C, X1100C), Wheel Loaders (R630NT3, R630R43 1) and B Series (B2650HSDC, B3350HSDC) **CAB models only**



Heavy Duty AM/FM/CD/USB/WB/ Bluetooth®/iPhone®/iPod®/ SiriusXM Ready®/App Ready Radio 77700-04755

- 180 watt max output (45W x 4)
- iPod/iPhone controls and charging via front USB
- SiriusXM Ready (requires SiriusXM tuner and antenna)
- Seven-channel NOAA weatherband tuner and "Weather Alert"
- *Fits all cabbed *M and *L units, RTV 1100's (RTV-1100, 1100C, X1100C), Wheel Loaders (R630NT3, R630R43 1) and B Series (B2650HSDC, B3350HSDC) **CAB models only**
- Microphone sold separately

Heavy Duty AM/FM/WB/ USB/iPhone®/iPod®/ SiriusXM Ready® Radio 77700-04754

- Same features as 77700-04755 with the exception of a CD player and Bluetooth
- *Fits all cabbed *M and *L units, RTV 1100's (RTV-1100, 1100C, X1100C), Wheel Loaders (R630NT3, R630R43 1) and B Series (B2650HSDC, B3350HSDC) **CAB models only**



Heavy Duty AM/FM/WB Radio 77700-04753

- 160 watt max output (40W x 4)
- Seven-channel NOAA weatherband tuner
- Segmented, high-visibility LCD display with clock
- Two-wire hook-up prevents battery drain when vehicle is off
- *Fits all cabbed *M and *L units, RTV 1100's (RTV-1100, 1100C, X1100C), Wheel Loaders (R630NT3, R630R43 1) and B Series (B2650HSDC, B3350HSDC) **CAB models only**

SSV Observation Camera Kit

77700-08974

- Kit includes:
 - Monitor (77700-08976)
 - Fixed angle waterproof camera (77700-09106)
 - Camera mounting bracket
 - Power harness for Kubota SSV
 - Y adapter for Kubota SSV
 - Ball mount 2 x 1.7
 - 4" double mount
 - Various hardware and cable



SVL Radio Kit

CAB 77700-04787

ROPS 77700-06119

- Kit includes:
 - MINI Radio (77700-04752)
 - Waterproof Speakers (77700-04759)
 - 14" Rubber Mast Antenna (77700-04761)
 - Mounting brackets
 - Adapter harness



SVL Radio Kit with Bluetooth®

CAB 77700-04797

ROPS 77700-06120

- Kit includes:
 - **Bluetooth** MINI Radio (77700-04757)
 - Waterproof Speakers (77700-04759)
 - 14" Rubber Mast Antenna (77700-04761)
 - Mounting brackets
 - Adapter harness

All Makes Observation Kit

with 4.3" Monitor

77700-08975

- Built for severe duty environments
- CMOS Color 125° with Built-in Microphone (77700-09107)
- Excellent night vision
- Three camera capability
- Bright 4.3" LCD display with anti-glare/scratch protective lens (77700-08976)
- Image orientation: mirror (reversed)
- 15 ft. cable and 4 inch monitor mount included



Radio Kit for Excavators

77700-06210

- Kit includes:
 - MINI radio (77700-04752)
 - Weather resistant 4" speakers (77700-06375)
 - Two 4" grilles (77700-06376)
 - 6" rubber mast antenna (77700-04762)
 - Plug N' Play radio adapter harness and speaker terminal adaptors
 - Mounting brackets
- Applications include: KX71-3, KX71-3ST3, KX71-3S4, KX91-3S, KX91-3S2, U35S, U35S2, KX121-3S, KX121-3ST3, U45S, U45ST3, KX161-3ST3 **CAB models only**



Voyager Rear Observation Kit for Cab SVL Machines

77700-06141

SVL95-2 Machines 77700-07933

- Kit includes:
 - 5.6" Heavy-Duty Monitor (77700-06201)
 - Waterproof CMOS Color Camera (77700-06202)
 - Camera bracket
 - Monitor bracket
 - Power harness
 - Y connector
 - Hardware
 - **Optional 15' Extension Cable available, sold separately (77700-06271)**



Heavy Duty Short DIN Radio

77700-08588

- Waterproof face (IPX5)
- 12V DC power
- Electronic AM/FM tuner (77700-05478), RCA AUX input pigtail
- Includes NOAA 7-channel weather band, amber backlit control panel buttons
- 3" mounting depth
- Applications: KX057-4, U55-4, KX040-4, U35-4 **CAB models only**



Radio Kits for Excavators

77700-04753A & 77700-04753B
77700-04754A & 77700-04754B
77700-04755A & 77700-04755B
77700-06377A & 77700-06377B

- Radio kits include DIN radio indicated by model number
- "A" kit includes:
 - Bullet connector KUB2 (77700-04789)
- Applications include: U35-4, KX040-4, KX057-4, U55-4 (cab and non-cab models)
- "B" kit includes:
 - ISO male to ISO female double 8-pin connector, KUB3 (77700-05318)
 - Applications include: U27-4 (cab model)


NEW



77700-04754A & 77700-04754B




77700-04755A & 77700-04755B



77700-06377A & 77700-06377B

14" or 6" Top or Side Mount Rubber Mast Antenna

Item No.	Description
77700-04761	14" antenna with attached 59" cable
77700-04762	6" antenna with attached 39" cable



Radio Harnesses

- Your Kubota dealer offers a wide variety of harnesses that can be used to install these radios into many makes and models of equipment

Item No.	Description
77700-05368	All Makes Case Crawlers
77700-05318	All Makes CNH Current Models
77700-05319	All Makes CNH Old Models
77700-05369	All Makes Universal

SiriusXM Satellite Tuner

77700-05478

- For use with SiriusXM Ready Stereos
- Compact size hides discreetly behind the dash for a fully integrated look
- Includes one magnetic antenna
- Subscription required



77700-04789

Bullet Connectors

- For use with 77700-04755, 77700-04754, 77700-06377 and 77700-04753 stereos

Item No.	Description
77700-04788	9-pin connector to Din radio KUB1
77700-04789	Bullet connector to Din radio KUB2
77700-05318	ISO male to ISO female double 8-pin connector KUB3

4.3" Observation Monitor

77700-08976

- Three camera capability
- IPX6 rating
- Bright 4.3" LCD display with anti-glare/scratch protective lens
- Display graphic overlay shows real-time distance from objects
- Built-in speaker
- Manual or automatic source selection



77700-04759



77700-04760



77700-06376



77700-06375

Two Channel Bluetooth® ROPS Kit

Item No. 77700-07939

- Kit includes:
 - Two fully enclosed high power waterproof 6.5" ROPS speakers
 - 50 watts RMS, 100 watts max power
 - Fits round bars 1-5/8 to 3"
 - Fits square bars 3 x 1.5" to 3 x 2"
 - Two channel waterproof Bluetooth amplifier
 - 2 x 40 watts max power
 - Square brackets included in kit, round brackets are optional



Heavy Duty SVL Rear Observation Display

77700-06159

- Display includes:
 - Durable 4.3" Waterproof Monitor 77700-08976



- 5.6" Monitor 77700-06201
- Fixed Angle Waterproof Camera 77700-09106
- Waterproof Camera with Microphone 77700-06202

Heavy Duty Stereos & Accessories Display

77700-04785

- Display includes:
 - Heavy Duty Waterproof Bluetooth® Stereo with less than 3" chassis depth 77700-08588
 - MINI Heavy Duty Radio with Bluetooth®/SiriusXM Ready/WB/iPhone-iPod Control and charging via USB 77700-08973
 - 4" Waterproof Speakers 77700-04760



Bluetooth® Microphones

- Works with all Jensen Heavy Duty Bluetooth®-enabled radios

Item No.	Description
77700-04786	Visor clip
77700-04789	Panel mount

77700-04786



77700-08969



Speakers

Item No.	Description	Power	Sold
77700-04759	3.5" Heavy Duty Waterproof Surface Mount	120W Max.	Pair
77700-04760	4" Heavy Duty Waterproof	120W Max.	Individually
77700-06375	4" Weather Resistant Black metal grilles sold separately (77700-06376)	30W Max.	Individually

Strobe Light Kits

77700-V4318

- 12/24V single strobe light, 0.30 amperes
- Through bolt permanent mount
- Linear strobe bulb with rubber base and polycarbonate lens
- On/off toggle switch and automotive relay included
- **Fits RTV500**



Strobe Light Mounting Bracket

77700-V4284

- Sturdy 10GA cold-rolled steel for secure mounting
- Durable UV-resistant powder paint for long lasting durability
- **Fits RTV1100**



Work Light Kit

Single Rear Mount
77700-VC5051A

Fits RTV-X900, RTV-X1120, RTV-X1140

2 Pack Front Mount
77700-VC5050

Fits RTV-X900, RTV-X1120

- Six high intensity LEDs on each light
- Illuminated, high quality rocker switch
- Measured lumen: 1,000 lm
- Multivolt 10-30V DC
- 18W flood beam

77700-VC5051A

77700-VC5050



Hazard Light Kit

77700-VC5057A

- Black flange weatherproof housing for indoor or outdoor use
- 18 different flash patterns to choose from
- Four high-impact three 1-watt LED amber lightheads 12/24V
- Illuminated high quality rocker switch
- **Fits RTV-X900, RTV-X1120, RTV-X1140**



Strobe Light Kits

Strobe Light 77700-VC5058

Fits RTV-X1100

LED Strobe Light Kit 77700-VC5056

Fits RTV-X900, RTV-X1120, RTV-X1140

- Amber beacon features 70 FPM pulse, 8 flash patterns
- Illuminated, high quality rocker switch
- SAE J845 Class III, CE, R10, UL amber beacon
- 12-80VDC, 2.7 Amps
- Reverse polarity



Wire Harness Kit

77700-VC5081



- For single electrical accessory or light
- In-line fuse for circuit protection
- Automotive relay included
- **Fits RTV-X900, RTV-X1120**

Wiper Kit - Single 172° Sweep

77700-VC5030

- Keep rain, mud, dust from obstructing your view
- Large single wiper for laminated, tempered or hard -coated polycarbonate windshield
- **RTV-X900, RTV-X1120, RTV-X1140**



Wire Harness Switch Panel

77700-VC5080




- Includes painted switch panel for mounting five additional accessory switches
- Panel plugs for un-used positions
- Six position Fuse Block for circuit protection
- Vinyl dust cover to protect Fuse Block
- In-line fuse for circuit protection
- Automotive relay included
- **RTV-X900, RTV-X1120**

Cargo Net

77700-08978

- 34" x 34" — stretches to 60" x 60"
- Heavy duty plastic hooks prevent scratching
- Finger holes in hooks for safety and easy hook up
- Weather resistant
- Secures odd, bulky shapes
- Adjustable hooks
- Fits most UTV/RTV Bed Boxes



RTV Tow Strap


77700-08977

- 1-1/4" X 12' tow strap with loops and shackle
- 5,000 lbs. break strength
- Forged shackle
- Reinforced attachment loops



Deluxe RTV Cargo Box

77700-08760



- Requires two pairs of KAS Clamps (K7811-99560) and one Mounting Bracket (77700-V0838) (must be ordered separately)
- Kubota engineering designed and approved Deluxe RTV Bed Box features 4.5 cu. ft. of cargo capacity
- Tough and durable polyethylene construction resists corrosion, water and dust
- Lockable latches to secure your cargo
- Transport your tools and equipment into some of the most extreme terrain and conditions
- Easy-to-lift covers with lock in detents providing easy access from either side of the box
- Sliding and removable tool trays for better organization
- Great for outdoorsmen — non-reflective surfaces
- Fits RTV-X900, RTV-X1100, RTV-X1120, RTV-X1140 and RTV-XG850

Premium Roof Radio & Speaker Kit

77700-VP0897

- Custom fit for RTV premium roof (77700-VP0801A)—roof sold separately
- Rugged Jensen Bluetooth audio system offers AM/FM, USB and aux inputs
- Includes two Jensen speakers
- Not compatible with the Sport Roof (77700-VP0800)
- Requires Accessories Wiring Harness (77700-V0881)

NEW



High-Performance Synthetic Extreme Duty Grease

Synthetic Food Grade NLGI 2, GC-LB rated, extreme pressure grease with PTFE micro powders. Designed for use in agricultural, construction, automotive, recreational and industrial applications.

- Corrosion protection—impervious to salt water
- Lasts 3-4 times longer than petroleum based products
- Will not run or drip and does not evaporate
- Compatible with most other greases
- Non-toxic, clean, non-staining
- Operating temperature range -45°F to +450°F
- NSF Registered (H-1 Safe for incidental food contact) meets 1998 USDA Guidelines—approved for use in a federally inspected beef or poultry processing facility
- Applications include areas where a synthetic, non-toxic or food grade grease is required or desired, food processing equipment, near livestock i.e. gates, hinges, etc. and equipment used in lawn care and agriculture applications near sensitive vegetation (non-toxic)

Item No.	Description
77700-06321	14 oz.
77700-06322	30 lb. Pail



High-Performance Polyurea Multi-Purpose Grease

Premium Polyurea thickened, NLGI 2, GC-LB rated extreme pressure grease. Designed for use in agricultural, construction, automotive, recreational and industrial applications

- Superior rust and corrosion protection
- Excellent resistance to water wash out
- Compatible with most other greases (shear stable)
- Outstanding high temperature stability for long service life
- Operating temperature range -15°F to +380°F

Item No.	Description
70000-10701	14 oz.
77700-03523	3 oz. (Pack of 2)

High-Performance Moly-Lithium All-Purpose Heavy Duty Grease

Specially formulated lithium complex with 3% molybdenum disulfide/graphite NLGI 2, GC-LB rated extreme pressure grease. Designed for use in agricultural, construction, automotive and industrial applications.

- Will not plate out forming an adhering film on metallic surfaces reducing the coefficient of friction
- Molybdenum disulfide/graphite will act as a dry lubricant when necessary
- Cost effective
- Ideal for metal to metal applications
- Operating range 0°F to +350°F

Item No.	Description
70000-10401	14 oz.



Heavy Duty Construction Grade Pistol Grip Grease Gun

- 77700-09766
- 7,000 PSI
 - Aluminum barrel
 - Cold weather design with venturi grease inlet
 - Grease gun head fitted with bulk loader that doubles as an air release
 - 14 oz. capacity
 - Includes 18" flexible hose extension & 4-jaw coupler

NEW



NEW

Heavy Duty Construction Grade Lever Action Grease Gun

- 77700-09767
- 10,000 PSI
 - Lightweight aluminum barrel reduces fatigue, ideal for overhead applications
 - Grease gun head fitted with bulk loader and air bleeder
 - Extra strong lever handle with built-in variable stroke
 - 14 oz. capacity
 - Includes 6" bent steel extension & 4-jaw coupler



19.2V Cordless Grease Gun

Includes 1 Rechargeable Battery—77700-06280
Includes 2 Rechargeable Batteries—77700-06281

- Pressure release valve prevents gun from damage due to excessive back pressure
- Up to 6,000 PSI (413 bar) output grease pressure
- Includes:
 - Durable molded case
 - One “one hour quick charge” battery charger
 - 30” (762 mm) high pressure hose with spring guard on both ends (prevents hose kinking)
 - High pressure grease coupler

Item No.	Replacement Accessories
77700-06346	30" Replacement Hose
77700-06347	Rechargeable Battery , 19.2V , 1.5 Ah, Lithium Ion
77700-06348	1 Hour Battery Charger (Lithium Ion), 110V /60 Hz, 19.2V, US Plug



Pistol Grip Grease Gun 77700-02470

- Heavy duty aluminum die cast head with air bleeder
- Comfortable one-hand operation
- Heavy duty pistol handle with rubber grip
- Develops 6,000 PSI
- 3-way loading (14 oz. cartridge, suction and hand fill or with filler pump)
- Includes 18" flexible hose extension and 4-jaw coupler



Lever Action Grease Gun 77700-02471

- Heavy duty aluminum die cast head with air bleeder
- Built-in variable stroke mechanism
- Heavy duty lever handle with grip
- Develops 10,000 PSI
- 3-way loading (14 oz. cartridge, suction and hand fill or with filler pump)
- Includes 6" steel extension and 4-jaw coupler



Mini Lever Action Grease Gun with 2 Grease Cartridges 77700-03644

- 2 Pack Refill (Grease Only)—77700-03523
- Aluminum die cast head
 - Develops 6,000 PSI—highest in its class
 - 2-way loading (3 oz. cartridge or suction)
 - Push lock plunger and plastic T-handle locks in place
 - Includes 6" steel extension, 4-jaw coupler and two 3 oz. cartridges
 - Two 3 oz. refill cartridges feature High-Performance Polyurea Multi-Purpose NLGI #2 grease—excellent resistance to water washout and corrosion

77700-03523

Quick Release Coupler Display 77700-10041

- Interactive countertop display for hands-on testing
- Rugged metal construction with informative graphics
- Holds six of the 77700-09000 Quick Lock Couplers for easy point of sale

NEW



Quick Lock Coupler 77700-09000

- Up to 550 BAR / 8,000 PSI
- Unique new design for hassle free greasing
- Six point contact - six hardened cylindrical pins hold grease fitting in place



90° Coupler 77700-09001

- Working pressure 69 BAR / 1,000 PSI
- Designed for greasing fittings with limited reach, especially in low height application
- For hand operated grease guns only



80 Piece Metric Grease Fitting Kit 77700-06283

Threads	Straight	90°
M6 x 1	20	10
M8 x 1	15	10
M10 x 1	15	10




80 Piece SAE Grease Fitting Kit 77700-06282

Threads	Straight	45°	90°
1/8" - 27 PTF	25	10	10
1/4" - 28 SAE-LT	15	10	10

Grease Joint Rejuvenator 77700-02453

- Unclog frozen grease joints
- Works on farming, excavating, construction, industrial equipment, aircraft, automobiles, trailers and more
- Includes 5" flex hose for hard-to-reach areas



Grease Fitting Tool

77700-03385

- Designed for removing worn or broken threads
- Hex size: 5/16" (7 mm) and 3/8" (9 mm)
- Tap re-threads: 1/4"-28



Grease Injector Needle

77700-03386

- Lubricates in tight spaces
- Equipped with standard grease fitting without check ball
- Includes plastic protective cover



4-Jaw Coupler

77700-03383

- Working pressure of 6,000 PSI
- Hardened coupler body
- Hexagonal nut for easy tightening
- 1/8" NPT



6" Steel Extension

77700-03384

- Straight adaptor
- 1/8" NPT



Heavy Duty Grease Gun Holder

77700-02474

- Rugged holder firmly secures standard size tube-style and most battery-operated grease guns
- Mount as needed with 1/4" carriage bolts (not included)



Grease Gun Holder

77700-03387

- Simple snap action design
- Perfect for safe and convenient storage of grease gun
- Mounts on almost any surface



4 Gallon Oil Drain Pan

77700-02456

- 1" diameter pour spout built into the pan
- Overall height: 5-1/2"



Flexible Grease Gun Hose

18" 77700-02473

12" 77700-02472

- Flexible hose extension for hard-to-reach places
- Minimum radius bend of 1.57"
- Hose ID: .14" / OD: .33"



6 Ounce Pistol Grip Oil Can

77700-03382

- All steel construction from tin-coated sheet
- 6" rigid spout
- Springless suction valve design provides trouble-free performance



Oil Drip Tray

77700-02455

- 22" x 22" x 1-1/2"
- 3 gallon capacity
- Chemically resistant polypropylene



Oil Filter Wrench

- Features a swivel handle which allows users to get to filters in hard-to-reach areas
- Wide dimpled band securely grips filters without crushing
- Cushion grip vinyl handle



Item No.	Size	Filter Diameter
77700-03661	Small	2-13/16" to 3-5/32"
77700-03662	Medium	3-1/2" to 3-7/8"
77700-03663	Truck/Tractor	4-3/4" to 5-1/8"

Small/
Medium

Truck Filter Wrench

77700-03664

- Fits small diameter filters from 4-1/8" to 4-21/32" (105 mm to 118 mm)
- Wide 1-1/2" steel band designed to withstand the high torque requirements of truck, bus, RV and heavy duty equipment filters
- Use with 1/2" square drive



Full Range Filter Wrench Pliers

77700-03668

- 17" overall length with jaw range of 4-1/4" to 7"
- Full range pliers ideal for removing canister style filters from agriculture and construction equipment and vehicles
- Heavy duty forged construction
- Rubber grip handles provide leverage and extra reach
- Serrated teeth for better grip and grabbing power



Nylon Strap Oil Filter Wrench

77700-03665

- Adjusts quickly to any spin-on filter up to 6" in diameter
- Strong nylon web belt will not slip
- Use with 1/2" square drive



Heavy Duty Filter Wrench Pliers

77700-02454

- 23" long reach for overtightened, hard-to-reach filters
- Removes any canister-type oil, hydraulic and fuel filter safely around hot engines and those hard-to-reach areas
- Works on 1-1/2" to 8" diameter filters
- Perfect for all vehicles from light trucks and autos to heavy machinery



DEF Tote Mounting Kits (Closed system, tote not included)

- **Basic with Micro Matic Coupler: 77700-06165**
Includes Electric 110V AC DEF Pump, Stainless Steel Tote Mounting Plate, Micro Matic RSV Dispense Coupler (744-048), Micro Matic RSV Container Valve (743-097) with Tote Adapter Cap and Down Tube, Inlet Hose (EPDM) 6' Long x 3/4" ID, Nylon Manual DEF Nozzle, Discharge Hose (EPDM) 20' Long x 3/4" ID, and Connecting Hardware
- **Advanced: 77700-06166**
Includes everything in the Basic with Micromatic Valve kit (with exception of Nylon Manual DEF Nozzle) in addition to the SS Auto Shut-Off DEF Nozzle with Swivel
- **Premium: 77700-06167**
Includes everything in the Advanced kit, in addition to the DEF Digital Turbine Meter



DEF Drum Mounting Kits (Closed System, drum not included)

- **Basic with Micro Matic Coupler: 77700-06169**
Includes Electric 110V AC DEF Pump, Stainless Steel Drum Mounting Plate, Micro Matic RSV Dispense Coupler (744-048), Micro Matic RSV Container Valve (743-097) with Down Tube, Inlet Hose (EPDM) 4' Long x 3/4" ID, Nylon Manual DEF Nozzle, Discharge Hose (EPDM) 20' Long x 3/4" ID, and Connecting Hardware
- **Advanced: 77700-06170**
Includes everything in the Basic with Micromatic Valve kit (with exception of Nylon Manual DEF Nozzle) in addition to the SS Auto Shut-Off DEF Nozzle with Swivel
- **Premium: 77700-06171**
Includes everything in the Advanced kit, in addition to the DEF Digital Turbine Meter

Micro Matic RSV Dispense Coupler 744-048

- Features VITON seals and 3/4" hose barb outlet that attaches to the suction side of the pump hose
- Used to connect to the container valve for clean, safe closed-system dispensing
- Self-venting coupler allows air into the container to produce a smooth flow
- 90° angle with 3/4" fittings
- Dependable VITON seals for leak-resistant performance



Micro Matic RSV Container Valve 743-097

- 2.5" x 5 Buttress Thread with EPDM seals
- Connects the RSV Micro Matic Dispense Coupler (77700-06178) to Tote or Drum for a closed system (Tote connection requires IBC Center Cap 749-326)
- AISI 304 Stainless Steel Construction



DEF Kit Accessories

Item No.	Description
77700-09083	Down Tube for Drum, 810 mm
77700-09084	Down Tube for Drum, 1,065 mm
77700-09085	6" ICB (Tote) Center Cap 749-326
77700-06172	Stainless Steel Tote Mounting Plate
77700-06173	Stainless Steel Drum Mounting Plate
77700-06174	Electric 110V AC DEF Pump
77700-06175	DEF Digital Turbine Meter
77700-06176	Nylon Manual DEF Nozzle
77700-06177	SS Auto Shut-Off DEF Nozzle with Swivel
77700-06179	Inlet/Suction Hose (EPDM) 4' Long x 3/4" ID
77700-06180	Suction Hose (EPDM) 5' Long x 3/4" ID
77700-06181	Inlet Hose (EPDM) 6' Long x 3/4" ID
77700-06182	Discharge Hose (EPDM) 20' Long x 3/4" ID
77700-06183	Connecting Hardware

19.2V Battery Operated Drum Pump 77700-09770

- AC/DC rechargeable drum pump for use with 55 gal drums or IBC's
- 19.2V Li-ion battery and 1 hour quick charger
- Delivers up to 7.4 GPM
- For use with diesel, kerosene, DEF, Adblue™, antifreeze, detergents, soap solutions, pesticides, herbicides and water based media


NEW



NEW

Plastic Lever Pump with 2" Bung Adapter 77700-09768

- Lever action barrel pump, designed for use with high viscosity oils, agricultural chemicals and more
- Pump design makes it extremely convenient & comfortable to pump thick oils without excessive fatigue
- Durable and versatile material construction makes this pump ideal for use with water based media, as well as select chemicals
- Built-In 2" bung adaptor allows the pump to be fixed on drums with 2" opening
- Includes suction tube for use with 15-55 gallon drums & 6-1/2' x 3/4" flexible corrugated discharge hose
- Delivers up to 1 pint per stroke



Battery Operated Siphon Pump 77700-09771

- Multi-purpose siphon can pump up to 1.8 GPM (7 LPM)
- Powered by 2 "D" size batteries (not included)
- For use with light oils, diesel, kerosene, water & other water based media, etc.

NEW



Drum Level Indicator 77700-09769

- Fits 3/4" holes on drums
- Convenient method to check remaining fluid level in a 55 gallon drum
- Indicator can be adjusted to show readings in gallons or liters
- For use with oil, fuel, water and water based fluids, coolants, etc.

NEW



5 Gallon Tuff Jugs

- No vent to open and close or to leak when pouring
- Approved by CARB and is EPA compliant
- The adaptor is designed to snap on and off of the Ripper Cap (does not auto-shut off)
- Spill-proof, self-sealing spout automatically pours and shuts off as fuel level in tank fills to end of spout

Item No.	Description	Fuel Type	Ripper Cap
77700-02083	5 Gallon	Gasoline	Red
77700-02133	5 Gallon	Diesel	Yellow
77700-01308	Car Adapter for Tuff Jug	-	-



5 Gallon Type 1 Metal Safety Cans

- Spring-loaded, self-closing lid controls vapors, automatically closes after filling/pouring
- Rugged 24 gauge construction is guaranteed leak-proof
- Complies with OSHA 29 CFR 1910.106 and NFPA Code 30 requirements
- FM, UL, ULC certified
- Accepted container under CARB

Item No.	Fuel Type
77700-01541	Gasoline
77700-01542	Diesel
77700-03652	Kerosene



Plastic Fuel Containers

- Portable fuel containers come equipped with EPA/CARB compliant spouts and ANSI standards
- Easy-flow/spill-proof spout provides safe fuel storage and easy pouring

Item No.	Capacity	Fuel Type
77700-03647	1 Gallon	Gasoline
77700-03648	2 Gallon	Gasoline
77700-03649	5 Gallon	Gasoline
77700-03650	5 Gallon	Diesel
77700-03651	5 Gallon	Kerosene



Portable Fuel Filter Funnel

- Dirty Fuel In.....Pure Fuel Out
- Protect your investment and keep your engine running better, longer, more efficiently
- Unique filter technology features fluoropolymar-coated stainless steel filter
- Sump area collects deflected water and debris for proper disposal
- Works with gasoline, diesel, heating oil and kerosene



Item No.	Description
77700-08589	Small
77700-08590	Medium
77700-08591	Large

77700-03373



Capped Funnels

- Ideal for agriculture and construction industry
- Fights contamination and promotes a clean workshop environment

Item No.	Capacity	Top ID	Spout ID	Height
77700-03371	1 Pint	3"	1/2"	9-1/2"
77700-03372	1-1/4 Quart	4"	5/8"	10-1/2"
77700-03373	1-1/2 Quart	4"	5/8"	17"
77700-03374	1-1/2 Quart	4"	1-1/8"	13-1/4"

Standard Screened Funnel

- Ideal for agriculture and industry
- In-spout safety screen reduces contamination
- Outer ribbing design eliminates air lock

Item No.	Capacity	Top ID	Spout ID	Height
77700-03375	1 Pint	4-1/2"	1/2"	6"
77700-03376	2 Quart	6-1/2"	1-1/16"	8-1/2"
77700-03377	6 Quart	8-1/2"	1-5/16"	10-1/2"



3-Quart Drum Funnel

- 77700-08592
- Overall Height: 9-3/16"
 - Top ID: 7-1/2"
 - Spout Length: 1-7/16"
 - Spout OD: 2-1/4"
 - 2" Thread
 - Max Temp: 250° F



18" Long Reach 1 Quart Funnel

- 77700-03378
- 18" spout ideal for hard-to-reach or confined areas
 - Spout ID: 7/16"
 - Top ID: 4-3/4"



1 Pint Funnel with 21" Flex Hose

- 77700-03379
- Spout ID: 1/2"
 - Top ID: 5"
 - Fights contamination and promotes a clean workshop
 - Unique design prevents leftover fluid from dripping out



Universal Pour Spout Funnel

- 77700-01543
- For use with Type 1 safety cans and FM certified
 - Attaches quickly for safe, leak-free pouring
 - The innovative hinged design allows you to fill or pour from the can without removing the funnel and takes up less space during storage



OD: 1/2"

Pour Spouts

- Flexible spout ideal for hard-to-reach areas
- Includes cap to eliminate unwanted drips
- Chemically-resistant clear tube keeps contents visible



Multi-Purpose On/Off Pour Spout

- 77700-03645
- On/off adjustable flow spout
 - Fits quart or gallon containers
 - Reduced tip for transmission filler tubes
 - Flexible, clear tube keeps contents visible
 - Fits in tight places



Item No.	Container/Pail Size
77700-03380	Quart, 1 Gallon & 5 Gallon
77700-03381	2-1/2 Gallon

Citrus Hand Cleaner Lotion

- A. 1 Gallon Smooth 77700-05580
B. 15 oz. Smooth 77700-05579
C. 1 Gallon Pumice 77700-05582
D. 15 oz. Pumice 77700-05581
- Advanced cleaning and skin conditioning
 - Contains premium-grade cleansing agents that quickly dissolve the toughest soils



A B C D E

Heavy-Duty Multi-Purpose Cleaning Wipes

- E. 77700-05578
- 90 count dual-textured wipes
 - Convenient hand cleaner/scrubber wipe combination eliminates the need for water or towels



A B C D E F G

Brake & Parts Cleaner

- A. 77700-05575
- Removes contaminants from metal parts, brake linings and pads, springs, cylinders and fasteners

Glass Cleaner

- E. 77700-05577
- Non-abrasive and contains ammonia and other cleaning power additives

Cleaner/Degreaser

- B. 77700-05576
- Removes oil, printing inks, grease and tape residue (not available for sale in California)

Chain & Cable Lube

- F. 77700-05572
- Penetrates to protect pins, bushings and inner core of wire cable with good rust protection and sprays in any position

Super Strength Penetrating Oil

- C. 77700-05574
- Frees corroded or rusted parts and clings to frozen parts until loosened

White Litho Grease

- G. 77700-06324
- Long lasting lubrication and protection that won't freeze, melt or run

Carb & Choke Cleaner

- D. 77700-05573
- Quick acting—penetrates through oil, dirt, gum, etc. and sprays in any position

Acid-Free Grey Silicone Gasket 07935-60074

- Solvent free and non-acid liquid gasket based on modified silicone with low odor emission
- Within a very short time it forms a rubber-like high elastic gasket completely adapted to the surface structure of the flange faces



Grey Silicone Gasket 70000-73764

- OEM specified, high viscosity silicone grey gasket maker
- Excellent oil resistance (engine oil, gear oil, transmission oil)
- For use with LLC—cures at room temperature and has rubber-like elasticity
- Excellent oil resistance and initial pressure resistance



Semi-Drying Grey Silicone Gasket 70000-74000

- A synthetic rubber, visco-elastic sealer that is semi-drying
- Applications include sealing transmission case covers, motorcycle cases, timing chain cases, side covers, 2-piece cylinders, clutch housing bolts and oil filter mounting surfaces



Liquid Gasket Sealant 77700-01822

- OEM specified, high viscosity silicone aluminum gasket maker
- Non-slumping paste with strong adhesion properties to metals and plastics; effective in vibrating conditions
- Highly resistant to oil, chemicals and coolants
- High temperature applications



Brake Fluid 70000-00304

- Blend of premium grade glycol and glycol ethers with inhibitors for corrosion protection
- Designed for use in braking systems fitted with rubber cups and seals made from natural rubber (NR), styrenebutadiene rubber (SBR), or a terpolymer of ethylene, propylene, and a diene (EPDM)



Diesel Fuel Treatment 70040-0L004

- Helps keep injectors clean and prevents fuel gelling
- Extends filter life
- Improves cold weather starts
- Adds needed lubricity to low-sulfur fuel



Fluid Film

- A. 11 oz. Aerosol 77700-07288
- B. 1 Gallon 77700-07289
- C. 8 oz. Brush Top Can 77700-07290

- Numerous applications including corrosion protection, lubrication and water displacement
- Fluid Film's soft active coating penetrates to the bare metal to form a protective barrier that fights corrosion down at the molecular level
- Does not contain solvents to evaporate and provides a long lasting protective coating while equipment is in use, in transit or in storage
- Non-hazardous, non-toxic product that will not burn crops when used on cutting equipment, will not freeze in harsh climates or conditions and is a great water displacement product in moist conditions



Rowe HighTec Antifreeze 77700-07598

- Premium radiator antifreeze concentrate based on monoethylene glycol and free of nitrite amine and phosphate, providing superior corrosion protection
- OEM Certified for construction units



- Provides reliable protection against deposits and foaming, thus ensuring optimum heat removal

Extended Life Antifreeze/Coolant

- Specially formulated and approved to work with Kubota engines and components
- Provides excellent corrosion protection, preventing corrosion of metal parts in the cooling system



Item No.	Description	Size	Freezing	Boiling
77700-06325	50/50 Premix	1 Gallon	-34° F	265° F
70040-0L014	100% Concentrate	1 Gallon	-34° F	265° F

Premium Tire Sealant

- Kubota Premium Tire Sealant is simply the finest tire sealant in the world. Our high-quality sealant not only seals tread area punctures but also rim and bead leaks, weather cracking and porosity leaks
- Seals hundreds of punctures up to 1/4" diameter
- Up to 3/4" punctures normally seal in heavy ply industrial tires

Item No.	Description
A	77700-06356 Counter Demo Display
B	77700-06355 Floor Demo Display
C	77700-05583 32 oz.
D	77700-05584 1 Gallon
E	77700-05539 5 Gallon
F	77700-05585 Pump for 5 Gallon
G	77700-05586 POP Display



Scan the QR code to view a demo video!



Commando Spill Containment Kit 77700-09774

- Ideal for transportation, pesticide-hauling vehicles, chemical handlers or haulers. Also ideal for mixing and storage areas.
- Absorbs up to 7 times its' own weight in liquid
- Absorbs spills 3 times faster than the leading brand and does not leave residue behind
- Packed in a highly visible yellow, chemical resistant carry bag
- Fluid pickup rating is 5 gallons per kit
- Each kit includes 2 Chemsorb® GA Diking Tubes (3"x48"), 4 Chemsorb® GA Pillows (16"x9"x2"), 2 HazMat disposal bags, 1 pair 15 mil Nitrile gloves, 1 pair safety goggles, 1 pair Tychem SL Saranex boot covers, and an instruction sheet



Minuteman Spill Containment Kit 77700-09775

- Ideal spill response kit for transportation, trucking and general chemical spills
- Absorbs up to 7 times its' own weight in liquid
- Absorbs spills 3 times faster than the leading brand and does not leave residue behind
- Comes in a highly visible orange nylon duffel pack
- Pickup rating is 5-6 gallons of liquid per kit
- Each kit includes: 2 Chemsorb® GA Sorbent Pillows (26"x16"x2"), 3 Chemsorb® GA 48" Diking Tubes, a pair of 15 mil nitrile gloves, a pair of safety goggles, Tychem SL Saranex boot covers and 2 HazMat disposal bags with labels



Shop Service Bay 30 Gallon Kit 77700-09779

- Ideal for manufacturing plants, warehouse, chemical storage, and mixing and loading areas
- Comes in a weatherproof drum
- Absorbs 7 times more liquid than the leading clay brands and does it 3 times faster
- After cleanup, drums can serve as sealed, safe storage and disposal containers for absorbed spill materials
- Each kit includes 15 Chemsorb® GA Diking Tubes, 10 Chemsorb® GA Pillows, 4 HazMat Disposal Bags, 2 Tychem SL Saranex Coveralls, 2 pair Splash Goggles, 2 pair Rubber HazMat Boots, 2 pair 15 mil Nitrile Gloves, 1 Roll Caution Tape, 4 HazMat Labels, 4 non-hazardous waste labels, 1 parts reorder form




General Absorbent Service & Parts Spill Containment NEW

- Chemsorb® GA (General Absorbent) is the leading lightweight, fast acting absorbent formulated to quickly clean up any liquid or semi-solid spill
- Based on all natural perlite, this product is enhanced with a proprietary de-dusting technology which facilitates ease of use and fast absorption
- Absorbs 7 times more liquid than the leading clay brands and does it 3 times faster
- When swept up, the floor is left clean and dry, leaving a cleaner environment
- Meets all OSHA and EPA standards, it is silica-free and USDA approved for use in food processing facilities



Item No.	Description
77700-09776	1 Gallon
77700-09777	5 Gallon
77700-09778	Service & Parts Spill Containment 30 Gal Loose Bulk





Cargo Net
77700-08978

- 34" x 34" — stretches to 60" x 60"
- Heavy duty plastic hooks prevent scratching
- Finger holes in hooks for safety and easy hook up
- Weather resistant
- Secures odd, bulky shapes
- Adjustable hooks
- Fits most UTV/RTV Bed Boxes

D-Rings


- Easy bolt on installation



Item No.	Description	Capacity
77700-08979 (4 pk)	Light Duty Surface Mount	1,200 lbs.
77700-08980	Medium Duty Surface Mount	5,000 lbs.
77700-08981	Weld On	15,000 lbs.
77700-08982	Weld On	20,000 lbs.

Cable Ties

- Superior performance
- Higher tensile strength
- Low insertion force
- Outdoor UV rating
- Made in the USA



Item No.	Length	Rating	Qty/bag	Color
77700-08983	7.6"	50 lb. / 222.5 Newton	100	Black
77700-08984	11.1"	50 lb. / 222.5 Newton	100	Black
77700-08985	14.6"	50 lb. / 222.5 Newton	100	Black
77700-08986	15"	120 lb. / 533.7 Newton	100	Black
77700-08987 (Mount Head)	8"	50 lb. / 222.5 Newton	100	Black
77700-08988	24"	175 lb. / 778.4 Newton	50	Black
77700-08989	7.6"	50 lb. / 222.5 Newton	100	Orange

RTV Tow Strap
77700-08977

- 1-1/4" X 12' tow strap with loops and shackle
- 5,000 lbs. break strength
- Forged shackle
- Reinforced attachment loops



Cargo Straps

- Thermoplastic rubber handles molded onto frames
- Weather resistant and corrosion resistant hardware finished with zinc and nickel plating or powder coating
- Cut and abrasion resistant webbing is woven from high tensile strength polyester that performs better than nylon



Heavy Duty Ratchet Tie Downs

Item No.	L x W	Hook Style	Handle Style	Break Strength	Work Load
77700-03176	27' x 2"	JJ Hook	Bar Handle	10,000 lbs.	3,300 lbs.
77700-03177	27' x 2"	Flat Hook	Bar Handle	10,000 lbs.	3,300 lbs.



Standard Duty Ratchet Tie Downs

Item No.	L x W	Hook Style	Handle Style	Break Strength	Work Load
77700-03169	16' x 1"	S Hook	Small Bar Handle	1,500 lbs.	500 lbs.
77700-03175	16' x 1.5"	JJ Hook	Sure Grip Handle	5,000 lbs.	1,666 lbs.
77700-03178 (2 pk)	6' x 1"	S Hook	Small Bar Handle	1,800 lbs.	600 lbs.

Heavy Duty Tarp Straps

- 24" and 36" tarp straps feature patented molded stirrup holes for adjustable length
- Weather and crack resistant natural rubber
- Versatile strap with high elasticity holding power
- Outlasts standard straps by over 30%

Item No.	Length	Adjustable
77700-03653	9"	
77700-03654	15"	
77700-03655	21"	
77700-03656	24"	✓
77700-03657	31"	
77700-03658	36"	✓
77700-03659	41"	

Heavy Duty-Adjustable



Heavy Duty-Standard

Tarp Strap S-Hooks

77700-03660

- Four pack replacement hooks
- 5 mm S-hooks for tarp straps and adjustable tarp straps
- Strong and durable zinc coated finish



Trailer Safety Chains

- Used as a backup system in the event a trailer separates from the ball or hitch
- Assist in bringing the trailer to a stop
- The Gross Vehicle Weight Rating (GVWR) of the trailer helps determine which chains need to be used
- Two chains are required and each individual chain must meet or exceed the total strength equal to the GVWR of the trailer, not the two chains combined
- These chains give you a wide selection for use with the most popular trailer sizes used by your customers

NEW



Item No.	Description	GVWR
77700-09733	8/0 Straight Cross x 30 in 17/32 Trailer S Hook with Wire Latch one end Bright Zinc 2 pc/Ctn	7,600 lbs.
77700-09734	3/8 G43 x 35 in Clevis Slip Hook with Latch one end Bright Zinc 2 pc/Ctn	16,200 lbs.
77700-09735	3/8 G70 x 36 in Clevis Slip Hook with Latch one end Heat Treated Gold Chromate 2 pc/Ctn	26,400 lbs.



Ag Safety Chains

- With the unique easy latch hook, these safety chains are perfect for the aftermarket
- They replace the OE chain with an easy to use latching mechanism and meet all ASABE standards for towed equipment
- Whether replacing an old chain or attaching on a piece of refurbished equipment, these chains get the job done

Item No.	Description	Safety Rating
77700-09736	10,000 lb Ag Safety Assembly x 61 in Gold Chromart	10,100 lbs.
77700-09737	20,000 lb AG Safety Assembly x 62 in Gold Chromart	20,200 lbs.

Alloy Skid Steer Tire Chains

- Heavy duty tire chains have been engineered specifically for use on Skid Steers in harsh conditions
- Provide excellent traction in both snow and mud and are built for durability
- 8mm square link alloy cross chains
- Box pattern cross chain configuration keeps the cross links on top of the tread
- Wear bars on cross links for added durability and traction
- Alloy cam style side chain and alloy cross chain hooks
- Shipped in pairs

NEW



Item No.	Tire Size	Weight Per Pair	Pair Per Drum/Crate
77700-09739	10-16.5	92 lbs.	1 / Drum
77700-09740	12-16.5	114 lbs. ea	1 / Crate
77700-09741	14-17.5	134 lbs. ea	1 / Crate

RTV/Tractor Turf Tire Chains

Get maximum traction in ice or mud by using Kubota RTV Tire Chains—typically a gauge or two heavier on cross chain wire diameter compared to competing models. Better traction, more durable and lasts longer than the competition tire chains.

- Heavy duty case hardened .234" cross chains
- The .234" wire size is the NACM spec for a lot of light truck sizes, so it's more than adequate for ATV/UTV use
- Cross links that are constructed with reinforced v-bar for extra off-road bite and extended wear
- All sizes feature two link spaced cross chains—twice the amount of cross chains vs. standard tire chain sets
- Provides extra traction and smoother ride
- Shipped in pairs

Kubota RTV	Tire Size	Item No.
RTV400Ci/RTV500	24 x 9-12 ATV, 6-ply	77700-07841
	24 x 9-12 HDWS, 6-ply	77700-07841
	24 x 11-12 HDWS, 6-ply	77700-06317
	24 x 11-12 ATV, 6-ply	77700-06317
RTV900XT	25 x 10-12 ATV, 6-ply	77700-06317
	25 x 10-12 HDWS, 6-ply	77700-06317
	25 x 12-12 TURF, 4-ply	77700-07843
	25 x 11-12 ATV, 6-ply	77700-06317
RTV1140	25 X 10-12 HDWS, 6-ply	77700-06317
	25 X 10-12 ATV, 6-ply	77700-06317
	25 X 12-12 TURF, 4-ply	77700-07843



RTV-All Terrain Tire Chain

- Heavy duty, twist link cross chain built to NACM specifications
- Two link spacing cross chains for additional traction
- Shipped in pairs

Tire Sizes				Weight Per Pair	Import Item No.
24 x 9 x 11	24 x 11 x 9	24 x 11 x 10	24 x 11 x 11	38	77700-06317
24 x 11 x 12	25 x 8 x 12	25 x 10 x 11	25 x 10 x 12		
25 x 11 x 9	25 x 11 x 12	26 x 9 x 12	26 x 9 x 14		
26 x 10 x 12	26 x 10 x 14				

Duo Grip Tractor Chains

- Features H-pattern cross chains which keep the chain on top of the tire
- Heavy duty 3/8" case hardened cross chain
- For off-road use only
- Shipped in pairs



Tire Sizes					Weight Per Pair	Domestic Item No.	Import Item No.
9.5-24	9.5-28	11.2-24			110	77700-99830	77700-99853
9.5-32	11.2-28	230/95R32	355/80R20		124	77700-99831	77700-99854
10.5/80-18	12-16.5	280/70R20	300/70R20	315/75D15	88	77700-99832	77700-99855
12.4-24					130	77700-99833	77700-99856
9.5-36	9.5-38	11.2-32	12.4-28		143	77700-99834	77700-99857
13.9-36	320/85R34				150	77700-99835	77700-99858
13.6-24	13.6-26	14.9-24			141	77700-99836	77700-99859
14.9-26					156	77700-99837	77700-99860
14.9-28	14.9-30				173	77700-99838	77700-99861
13.6-28	16.9-24	320/85R38	340/85R28	380/85R34	160	77700-99839	77700-99862
14.9-38	15.5-38	320/90R46			194	77700-99840	77700-99863
17.5-24	17.5L-24				135	77700-99841	77700-99864
16.9-26	16.9-28	420/85R28			169	77700-99842	77700-99865
16.9-32					184	77700-99843	77700-99866
16.9-34	230/95R44				200	77700-99844	77700-99867
18.4-16.1	21.5L-16.1				132	77700-99845	77700-99868
18.4-24	19.5L-24				171	77700-99846	77700-99869
16.9-30	18.4-26	18.4-28	18.4-30	540/65R30	188	77700-99847	77700-99870
550/65R25	600/65R28						
18.4-34	480/85R34	600/65R25			206	77700-99848	77700-99871
16.9-38	18.4-38	20.8-34	380/90R50	420/80R46	226	77700-99849	77700-99872
460/85R34	480/80R38						
18.4-42	18.4-46	380/90R54	480/80R46		221	77700-99850	77700-99873
20.8-38					259	77700-99851	77700-99874
24.5-32	23.1-34	28.1-34	620/70R42	650/75R32	252	77700-99852	77700-99875

Roadmaster Tractor Chains

- Suitable for off-road or over-the-road use
- Built to NACM specifications
- Shipped in pairs



Tire Sizes					Weight Per Pair	Domestic Item No.	Import Item No.
9.5-16	10-16.5	260/70R16			53	77700-99876	77700-99897
8.3-24	10.5/80-18	12-16.5	280/70R20	300/70R20	62	77700-99877	77700-99898
315/75D15							
7.2-24	9.5-24	12.5/80-18			70	77700-99878	77700-99899
9.5-28	11.2-24	15-19.5	340/80R18	355/80R20	82	77700-99879	77700-99900
360/70R20	380/70R20						
41x14.00-20	320/70R24				91	77700-99880	77700-99901
9.5-32	11.2-28	12.4-24	12.4-28	230/95R32	95	77700-99881	77700-99902
320/85R24							
230/95R36					105	77700-99882	77700-99903
13.6-16	14-17.5				76	77700-99883	77700-99904
13.6-24	13.6-26	380/70R24			106	77700-99884	77700-99905
13.6-28	14.9-24	360/70R28			105	77700-99885	77700-99906
14.9-26	14.9-28				120	77700-99886	77700-99907
16.9-24	17.5-24	17.5L-24	320/85R38		123	77700-99887	77700-99908
14.9-30	16.9-26	16.9-28	420/85R28		130	77700-99888	77700-99909
380/85R34					142	77700-99889	77700-99910
15.5-38	16.9-34				150	77700-99890	77700-99911
18.4-24	18.4-26	19.5L-24			167	77700-99891	77700-99912
18.4-28	540/65R30	550/65R25			181	77700-99892	77700-99913
16.9-30	18.4-30	21L-24			191	77700-99893	77700-99914
18.4-34	600/65R25				205	77700-99894	77700-99915
18.4-38					217	77700-99895	77700-99916
14.9-46	18.4-42	420/80R46			250	77700-99896	77700-99917

Grader & Equipment Chains

- Designed for plows, graders and loaders
- Heavy duty, twist link cross chain built to NACM specifications
- Shipped in pairs



Tire Sizes					Weight Per Pair	Domestic Item No.	Import Item No.
13.00-24	13.00-25	14.00-20	14.00-21	15.5-25	107	77700-99918	77700-99926
14.00-24	14.00-25				123	77700-99919	77700-99927
16.00-20	16.00-21	17.5-25			166	77700-99920	77700-99928
16.00-24	16.00-25				189	77700-99921	77700-99929
20.5-25					202	77700-99922	77700-99930
18.00-24	18.00-25	18.00-26			211	77700-99923	77700-99931
23.5-25					365	77700-99924	77700-99932
26.5-25	30.5R32	710/70R38	755/70R25	800/65R32	447	77700-99925	77700-99933

Lawn Mower Tire Chains

- Shipped in pairs

Kubota	Tire Size	Item No.
T2380 Lawn Tractor	22 x 11 x 10 Turf Tire	77700-07842



Garden Tractor Chains—2 Link Spacing

- Constructed with double the cross chain for extra traction and durability
- Shipped in pairs



Tire Sizes				Weight Per Pair	Import Item No.
10/10.5 X 2.75	10.25 X 3.25	10 X 3.50		3	77700-99934
12 X 3				4	77700-99935
4.10/3.50 X 4	3.40/3.00 X 5			3	77700-99936
4.10/3.50 X 5	4.10/3.50 X 6	12 X 3.50 X 6	12.25 X 3.50 X 6	4	77700-99937
5.30/4.50 X 6				7	77700-99938
13 X 5 X 6				6	77700-99939
4.00/4.80 X 8				11	77700-99940
5.00/5.70 X 8				16	77700-99941
16 X 6.50 X 8	15 X 6.00 X 6			12	77700-99942
18 X 6.50 X 8				14	77700-99943
18 X 8.50 X 8				15	77700-99944
18 X 9.50 X 8				16	77700-99945
20 X 10 X 8	20 X 10 X 10			20	77700-99946
20 X 8.00 X 10	20 X 8 X 8			19	77700-99947
6 X 12	23 X 7.50 X 12			19	77700-99948
8 X 12	23 X 8.50 X 12			22	77700-99949
12 X 12	26 X 12 X 12	27 X 12 X 12		30	77700-99950
23 X 9.50 X 12	23 X 10.50 X 12			25	77700-99951
24 X 12 X 12				25	77700-99952
8 X 15	25 X 8.5 X 14	27 X 8.50 X 15		28	77700-99953
29 X 12 X 15				64	77700-99954
12.4-16	31 X 15.5 X 15	33 X 12.5 X 15		109	77700-99955
8 X 16				33	77700-99956
22 X 11 X 10				20	77700-07842

G70 Transport Tow Chains

- Preferred choice for load binding applications
- Easily recognized gold finish
- DOT approved for most applications
- Never exceed working load limits

Item No.	Chain Size	Length	Working Load Limit	Pieces per Drum
77700-99958	1/4"	14'	3,150 lbs.	10
77700-99959	5/16"	20'	4,700 lbs.	25
77700-99960		20'		10
77700-99961		16'		25
77700-99962		16'		10
77700-99963		14'		25
77700-99964		14'		15
77700-08618		10'		50
77700-99965	3/8"	20'	6,600 lbs.	20
77700-99966		20'		10
77700-99967		16'		25
77700-99968		16'		10
77700-99969		14'		25
77700-99970		14'		10
77700-08619		10'		40



G43 High Test Tow Chains

- Low carbon steel ideal for most tie down applications
- Never exceed working load limits

Item No.	Chain Size	Length	Working Load Limit	Pcs/Drum
77700-99971	3/8"	20'	5,400 lbs.	20
77700-99972		14'		25



1/2" G70 x 20' Tow Chain

- One of our strongest tow chains for use with large and heavy equipment
- Made from high strength steel, heat treated and tempered for load binding applications
- Meets all DOT specifications for Grade 70 tow chains in the USA and Canada

Item No.	Chain Size	Length	Working Load Limit	Pieces per Drum
77700-07846	1/2"	20'	11,300 lbs.	10
77700-07847		20'		5



G70 Bulk Chain & Hooks

- Transport chain with a higher strength to weight ratio
- Electronically welded and heat treated for stronger chain
- Easily recognized gold finish

Item No.	Chain Size	Length	Working Load Limit
77700-99978	1/4"	135'	3,150 lbs.
77700-99979	5/16"	275'	4,700 lbs.
77700-99980	3/8"	200'	6,600 lbs.

G70 T-Grab Hook

- T Hooks are specifically made to be inserted into slots in the trailer or equipment being tied down
- They are rated to match the size tow chain being used as the tie down

NEW



Item No.	Chain Size	Working Load Limit	Pieces per Carton
77700-09738	3/8"	6,600 lbs.	4



G70 Weld-On Grab Hook

- These hooks are rated for Grade 70 Chain, 5/16" or 3/8"
- For use in pulling, towing, or dragging heavy objects, not to exceed the rated capacity of the bucket or equipment being used or the hook
- Designed for use with chain, can also be used with a rope or tow strap
- Not to be used for overhead lifting

Item No.	Chain Size	Working Load Limit	Pieces per Carton
77700-07844	5/16"	4,700 lbs.	4
77700-07845	3/8"	6,600 lbs.	4

G70 Hooks

Item No.	Chain Size	Working Load Limit	Pieces Per Carton	Weight Per Carton
77700-99981	1/4"	3,150 lbs.	10	5 lbs.
77700-99982	5/16"	4,700 lbs.	10	8 lbs.
77700-99983	3/8"	6,600 lbs.	10	14 lbs.



Lever Binders

Item No.	Chain Rating (size/grade)	Working Load Limit	Weight
77700-99973	5/16" (G7)-3/8" (G4)	5,400 lbs.	7.5 lbs.
77700-99974	3/8" (G7)-1/2" (G4)	9,200 lbs.	13 lbs.

1/2" G70-5/8" G43 Ratchet Load Binder

77700-07848

- Works with either 1/2" Grade 70 or 5/8" G43 Tow Chains
- Excellent for use with large and heavy equipment
- Working load limit is 13,000 lbs.



Ratchet Binders

Item No.	Chain Rating (size/grade)	Working Load Limit	Weight
77700-99975	3/8" (G7)-1/2" (G4)	9,200 lbs.	13.5 lbs.
77700-99976	5/16" (G7)-3/8" (G4)	5,400 lbs.	12.5 lbs.
77700-99977	1/4" (G7)	3,150 lbs.	3.5 lbs.



Tow Chain/Load Binder Display and Sign

77700-99957



Bottle Jacks

- Offers the easiest accessible pumping system
- Unique cross-type forged release valve assures positive control
- Patented built-in by-pass device protects hydraulic system from over pumping damage

Item No.	Capacity	Base Size (L x W)	Min. Height	Max. Height
77700-03503	12 Ton	7" x 4-1/2"	9-1/2"	18-5/8"



10 Ton Jack Stand

77700-03506

- Medium lift pin-style jack stand
- Base size: 16" x 16"
- Min. height: 18-5/8" / Max. height: 30-1/2"



Magic Lift Service Jacks

- Offers quicker lift for professional performance
- Heavy gauge, steel construction helps prevent distortion and twisting
- Patented built-in by-pass device protects hydraulic system from over pumping damage

Item No.	Capacity	Jack Size (L x W x H)	Min./Max Height	Saddle Diameter
77700-03505	3-1/2 Ton	30-7/8" x 14-7/8" x 7-1/4"	4" / 21-5/8"	4-3/4"
77700-03671	10 Ton	55-7/8" x 19-5/8" x 9-5/8"	6-7/8" / 27"	6-1/2"



77700-03671

Lawn Mower Lifts

- Easy access to under-deck for cleaning, lubricating, sharpen/remove blades



77700-03670

Item No.	Description
77700-03669	Standard duty manual foot pump
77700-03670	Heavy duty manual foot pump

Heavy Duty LED Magnetic Worklight

77700-09772

- Dual color light - white & amber
- Three LED's of 3 Watts each, total of 500 Lumens
- Strong holding magnetic base
- 5 Volt USB charging cable
- IP 65 Rating

NEW



Dual-Purpose Flashlight/Worklight

77700-08994

- Strong holding magnet and foldable hook for hands free use
- 200 lumen ultra bright COB technology
- Use as a spot light or work floodlight
- Adjustable to 180 degree angle
- Durable molded frame resists shock, water/weather resistant



28 LED Flashlight

77700-04774

- 4 LED spot lights
- 24 LED bright flood lights
- Magnetic back plus a fold out hanging hook
- Ultra bright and compact



5 LED Magnetic Clip Light

77700-05373

- **30% brighter!**
- Ultra bright and compact
- Ideal for small or tight spaces
- Magnetic back and handy clip for hands free use

Camo Heavy Duty LED Magnetic Worklamp

77700-09773

- Five 3-watt LEDs and a high intensity flood beam
- Three operating modes — 100% intensity, 30% intensity & SOS flashing
- Magnetic base
- Long-life, rechargeable lithium battery allows worklamp to be operated continuously for 3-4 hours

NEW



Flex-Light Flashlight/Worklight

77700-08995


- Strong holding magnet and foldable hook for hands free use
- Convenient pocket size
- 200 lumen ultra bright COB technology
- Adjustable to 180 degree angle
- Durable molded frame resists shock, water/weather resistant



LED Pocket Pen Flashlight

77700-06342

- Generates 90 lumens of light
- 1 watt LED bulb
- Convenient pocket clip and durable aluminum chassis
- Includes 2 AAA batteries
- Dimensions: 1/2" diameter, 5.5" length
- Shock proof and drop test resistant



Oil Change Kit

77700-09765

- Convenient kit includes everything you need to change oil or fluids in any engine powered vehicle, maintenance equipment or outdoor power sports machine
- Includes: one 6.5 qt. drain pan, one 1-pint oil funnel, one 15" x 18" absorbent pad, two pairs nitrile gloves, four shop towels

NEW



NEW



36" Heavy Duty Grabber Tool

77700-09780

- Ergonomic handle with safety lock
- Steel frame with ABS reinforced material
- Adjustable jaw width & strong holding ABS teeth
- Removable suction cups allow for use with smooth or hard surface items



Two Position Z Creeper

77700-04748

- Easily transforms from creeper to shop seat in seconds—no tools required!
- Professional grade—rated for 450 lbs. vs. retail grade rated for 300 lbs.
- 3" heavy duty, non-marking, oil-resistant, ball bearing casters
- 41-1/4" x 19-5/8" x 6-1/8"



Tool Box Creeper

77700-04749

- Professional grade—rated at 450 lbs. vs. retail grade rated for 300 lbs.
- 3" heavy duty, non-marking, oil-resistant, ball bearing casters
- Extra thick seat cushion for operator comfort
- Three full suspension drawer slides with one top lock
- Front and back tool trays
- 14" x 14" x 15"



Mountable Shop Towel Bucket

77700-02460

Refill 77700-03672

- All new & exclusive optional dispenser mount
- Easily carried for remote use and can also be placed into the wall mount for both local usage and storage
- 200 count, 10" x 13" each (180 sq. ft. total)
- Refill features water resistant packaging with peel and reseal top and cardboard dispensing disk



Air Comb® Filter and Radiator Cleaners

12" 77700-06205

24" 77700-03394

36" 77700-03395

- Flush 90° multi-port air flow
- Delivers 5X the air volume
- 1/4" NPT air inlet
- Access hard-to-reach areas
- Fits between radiator and condenser
- Safe on all air filters



Five ports deliver efficient air flow



Blow Guns

24" / 609,5 mm 77700-03392


48" / 1 219 mm 77700-03393

- Zinc-alloy body with satin finish
- Aluminum nozzle with durable oxidized finish
- 1/4" NPT air inlet
- 90 PSI working pressure / 150 PSI maximum working pressure
- Convenient angle design for hard-to-reach areas



Power Spray Nozzle

- 77700-09002
- Smooth action lever handle for switching off/on
 - Durable zinc and rubber construction resists corrosion
 - Attaches to any garden hose
 - Spray configurations: mist shower jet



12" Adjustable Wrench

- 77700-09004
- Versatile, large jaw capacity up to 1-11/32" (34mm)
 - Durable chrome molybdenum alloy steel
 - Steel jaws hold their grip
 - Adjustable thumb wheel accommodates standard or metric sizes



Pliers

- Zinc plated construction resists corrosion
- Drop forged and heat treated for strength and durability

Item No.	Description
77700-04741	6-1/2" Slip Joint Pliers
77700-04742	8" Slip Joint Pliers
77700-04743	10" Adjustable Pliers
77700-04744	POP Display Kit
77700-04745	8" Leather Plier Holder



77700-04741 77700-04743 77700-04742 77700-04745

12-in-1 Multi-Purpose Tool

- 77700-02475
- Closed: 4.1" Open: 6.6"
 - Stainless steel blades
 - Includes carrying case
 - Tools: Phillips screwdriver, pliers, wire cutter, knife serrated blade, 2 knives, can opener, 2 sided file, bottle opener and 2 slotted screwdrivers



Heat Shrink Tube Kit

- 77700-09003
- 171 pieces
 - 2:1 shrink ratio
 - UL approved polyefin heat shrink tubes
 - Operating temp.: -67°F to 257°F
 - Shrink temp.: starts at 158°F - ends at 230°F
 - Maximum electrical rating: 600 volts



Dual-Bladed Mower Scraper

- 77700-08990
- Flat and round blade for versatile use
 - Clean mower deck for a better cut and healthier lawn
 - Longer deck life—helps prevent rust
 - Attaches to pole for lawn tractors



Stainless Steel Scraper

- 77700-02478
- Rigid stainless steel go-thru blade with metal capped handle for strength and durability
 - Comfortable TPR handle for maximum grip



Magnetic Parts Tray

- 77700-02476
- 4-1/4" corrosion resistant stainless steel dish
 - Rubber covered magnetic base



1/2" Drive x 30 mm Standard Socket

- 77700-03678
- Meets and exceeds ANSI standards
 - Fits most mower blade bolts
 - Chrome vanadium



1/2" Drive x 30 mm Heavy Duty Impact Socket

- 77700-03679
- Meets and exceeds ANSI standards
 - Fits most mower blade bolts
 - Black chrome molybdenum



Retractable Utility Knife

- 77700-02485
- Quick change blade mechanism
 - Smooth retracting/locking blade advance
 - Includes three replacement blades



25' Dual Rule Tape Measure

- 77700-02481
- Tough, impact resistant plastic case
 - Easy-to-read tape markings in inches and centimeters
 - Hands-free blade lock



Folding Knife

- 77700-02482
- Closed: 3.9" Open: 6.3"
 - Stainless steel blade



14" x 6-1/4" Magnetic Tray

- 77700-03677
- Corrosion resistant stainless steel tray
 - 3 powerful permanent magnets



Telescoping Magnetic Pickup Tool

- 77700-02479
- Telescopes from 6-1/2" to 33"
 - Powerful 5 lb. magnet features shielded sides for targeted pickups



4/5 Pin Harness Checker 77700-02457

- Great for tracking truck and trailer lighting functions
- Each LED light corresponds to the circuit being energized
- Plugs in-line with truck and trailer
- Easy to connect ground terminal for trailer lighting setup



7 Flat Pin Circuit Tester 77700-02458

- Quickly tests and troubleshoots truck and trailer electrical circuits and connectors
- Plugs into truck side trailer harness
- LED lights indicate each circuit is complete and the current is getting to the plug

Towing Kits


- Quickly test, clean and repair truck and trailer connectors
- Extends the life of the harnesses
- Promotes safety and limits road hazards
- Cleaning tools remove corrosion and re-size terminals to proper dimensions
- Includes cleaner/re-sizer, DeoxIT® Restore/Enhance and harness tester



77700-03673



77700-03881



77700-03675



77700-03674

Item No.	Pin Style	Application
77700-03673	6 Round	Light and medium duty truck, RV and trailer
77700-03674	7 Flat (Spade)	Medium duty truck, SUV and trailer
77700-03675	7 Round	Heavy duty tractor and trailer
77700-03881	4/5 Pin	Cars and trucks, agricultural, industrial, landscaping, contracting, sporting, and fleet connections



THE KING PIN™ Quick-Connect Hitch Pin™ 77700-08595

- One handed hitch and release
- Automatically locks when trigger is pulled
- Heavy duty heat treated construction, nickel plating

Heavy Duty Tire Pressure Gauge 77700-08991

- Steel case with polished brass bezel and 2" dial
- Fully geared brass movement
- 0-60 PSI
- 10" extension hose for tough to reach valve stems



Pencil Tire Gauge 77700-02468

- For use with air service only
- Reads from 5 to 45 PSI
- Easy-to-read, four sided nylon scale is in 2 PSI increments



Dial Tire Gauges

- Steel case with polished brass bezel and 2" dial
- Full geared, precision movement with bronze bourdon tube
- Not affected by changes in temperature, humidity or altitude

Item No.	PSI Range
77700-03676	0-30
77700-02469	0-100

Bolt Gauges

Metric 77700-08593
SAE 77700-08594

- Convenient gauges to accurately measure the diameter, length and thread pitch of your fasteners

77700-08593 (Metric)



77700-08594 (SAE)



ABC Fire Extinguishers

- Specially formulated ammonium phosphate-base dry chemical extinguishers may be effectively used to combat Class A and Class B fires as well as having a Class C listing
- Allows use in the presence of energized electrical equipment
- Designed and engineered to the highest-quality standards
- Meets DOT, Coast Guard and OSHA requirements
- Operating temperature: -65° F to 120° F
- Operating range: 2-1/2 lb. (9 to 15 ft.), 5 lb. (12 to 18 ft.), 10 and 20 lb. (15 to 21 ft.) - minimum distance of 8 ft. is most effective and prevents spreading of burning material
- Discharge time (minimums): 2-1/2 lb. size (10 seconds), 5 lb. size (14 seconds), 10 lb. size (20 seconds) and 20 lb. size (30 seconds)

Item No.	Description
77700-10084	2-1/2 lb. capacity - U/L Rating 1A-10B:C - Includes Vehicle Bracket
77700-10085	5 lb. capacity - U/L Rating 2A-10B:C - Includes Vehicle Bracket
77700-10086	10 lb. capacity - U/L Rating 4A-10B:C
77700-10090	20 lb. capacity - U/L Rating 20A-120B:C



NEW



Water Fire Extinguisher 77700-10088

- The cooling, soaking and penetrating 30-45 foot stream and 50-second discharge time make it a very effective and operator-friendly extinguisher for use on Class A fires
- 2-1/2 gallon capacity - U/L Rating 2A
- Stainless steel stored-pressure extinguisher
- Operating temperature: 40° F to 120° F
- Operating range: 45-55 ft.
- Operating time: 50 seconds



NEW

Mounting Brackets

Item No.	Holding Capacity
77700-10087	10 lb.
77700-10089	20 lb. & 2-1/2 gallons

Slow Moving Vehicle Signs

- 14"H x 16"W, made with high-intensity, micro-prismatic reflective and fluorescent materials
- ASAE (S276.6) approved and State of Illinois compliant
- Complete, easy to install hardware kit available for mounting (77700-03391—purchase separately)



Item No.	Material	Thickness
77700-03388	Aluminum	.04"
77700-03389	Plastic	.80"
77700-03390	Adhesive	-
77700-03391	Mounting Kit	-

First Aid Kit 77700-02459

- 65 piece kit
- Rust-proof, durable polypropylene case
- Fits in vehicle glove box or can easily be wall-mounted
- Inner gasket seals out moisture so contents stay dry and ready to use



Kubota Safety Eyewear

- Fog and scratch resistant lenses
- TPR material increases its grip as it becomes moist to keep them on your face
- Tapered lenses eliminate refraction and block 99.9% of UVA/UVB/UVC rays
- Frames consist of a flexible and durable TR90/Nylon compound material and wrap around with no side shield distortion
- Exceeds ANSI Z87.1+2012 safety standards
- 16-Unit Eyewear Display with Mirror (77700-08993)
- Sold in package quantity of 3



Item No.	Lens	Frame	% Light Thru
77700-04461	Clear	Black	85%
77700-04462	Smoke	Black	16%
77700-04463	Clear	Gloss Black Nylon	65%
77700-04464	Aqua Precision Red Mirror	Gloss Black Nylon	13%
77700-04465	Smoke	Gloss Black Nylon	16%
77700-04466	Smoke	Gloss Black Nylon	16%
77700-04467	Polarized Aqua Precision Blue Mirror	Rubberized Matte Black Nylon	10%
77700-04468	Clear	*Polycarbonate Matte Black (Fits over existing eye wear)	85%
77700-04469	Smoke	*Polycarbonate Matte Black (Fits over existing eye wear)	16%
77700-04470	Copper	Camouflage Nylon	8%

* Unbranded



High-Intensity Warning Strobe 77700-05375

- High-intensity flash is visible for over one mile in clear conditions
- Flashes 70 times per minute with 300 candelas of brightness
- Dimensions: 5-1/4" tall, 4" diameter base
- Lanyard allows it to be carried like a lantern
- Two standard D batteries (not included) deliver 48 hours of continuous flashing



Deluxe Wheel Spinner 77700-01540

- For effortless turning of tractors and other off-road equipment
- Clamp securely grips all wheels up to 1-1/4" thick
- Comfortable ergonomic handle with smooth spinning design
- Split base design for easy mounting



16-Unit Eyewear Display with Mirror
77700-08993
Eyewear sold separately

Safety Vest Class 2

- Hi-Vis Lime color, constructed from non-woven material
- Breathable, mesh vest features 2" 3M reflective tape, an inside pocket, 3 front snap closures and adjustable Velcro sides that accommodate changes in outerwear and for more flexible sizing
- Custom imprint available



Item No.	Size
77700-05376	Small/Medium
77700-05377	Large/X-Large
77700-05378	XX-Large/XXX-Large

Hard Hats

- Unique, smooth crown protects from the danger of falling objects
- Convenient rear-located mechanism used to adjust the head size for comfort
- 360° removable, perforated and padded sweatband that keeps you cool
- SEI certified to meet ANSI Z89.1-2003 Type 1, Class E, G or C




Item No.	Description
77700-05367	Orange with CE imprint
77700-05374	Orange with Oval K logo

Winter Lined & Waterproof Touchscreen Gloves

- Waterproof & breathable lining keeps out moisture
- Touchscreen fingertips
- 3M Thinsulate lining keeps hands warm
- Durable palm is protective and long lasting

Item No.	Size
77700-07913	Large
77700-07914	X-Large



Mechanics Gloves

- Durable synthetic leather palm
- Breathable form-fitting spandex back
- Slip-on style cuff for easy on, easy off
- Comfortable shirred elastic on front and back
- Machine wash, air dry



Item No.	Size
77700-03154	Medium
77700-03155	Large
77700-03156	X-Large
77700-03646	Women's Medium (Pink)

Item No.	Description
77700-04747	Orange Lightning - Medium
77700-04771	Orange Lightning - Large
77700-04772	Orange Lightning - X-Large
77700-04773	Orange Lightning - XX-Large
77700-04746	Black Lightning - Medium
77700-04497	Black Lightning - Large
77700-04498	Black Lightning - X-Large
77700-04499	Black Lightning - XX-Large

Heavy Duty Mechanic's Gloves

- Reinforced palm patches for extra protection
- Silicone anti-slip fingertips for extra grip
- TPR back of finger protection against impact & pinches
- Adjustable wrist tab keeps out dirt



Item No.	Size
77700-07910	Medium
77700-07911	Large
77700-07912	X-Large

Suede Lined Work Gloves

- Super comfortable lined suede cowhide leather gloves
- Plush lining keeps your hands warm on cold days
- Self-hemmed with shirred elastic back for fit and great durability



Item No.	Size
77700-02464	Large
77700-02465	X-Large

Touchscreen Mechanic's Gloves

- Touchscreen fingertips
- Durable palm is protective and long lasting
- Padded palm reduces fatigue
- Adjustable wrist tab keeps out dirt



Item No.	Size
77700-07907	Medium
77700-07908	Large
77700-07909	X-Large

Leather Work Gloves

- Comfortable, rugged protection
- Soft-tanned cowhide grain leather
- Tailored keystone thumb for greater flexibility
- Shirred elastic back stitching for best fit



Item No.	Size
77700-02461	Women's Medium
77700-02462	Men's Large
77700-02463	Men's X-Large

Leather/Canvas Gloves

- Suede cowhide leather fingertips, palm and knuckle strap
- Elastic back and rubberized safety cuff
- One size fits all





40 Gallon Trailer Sprayer

77700-08962

- Heavy duty frame
- 5 nozzle boom coverage up to 100"
- Chemically-resistant polyethylene tank
- 2.2 GPM pump
- 60 PSI gauge
- Deluxe 18" sprayer wand
- Heavy duty wand clips
- Adjustable relief with gauge
- 3 piece folding adjustable boom
- Wide tires



25 Gallon Sprayer

77700-08963

- 3 nozzle boomless spray pattern allows for 140" of coverage
- Chemically-resistant polyethylene tank
- 2.2 GPM pump
- 60 PSI gauge
- Deluxe 18" sprayer wand
- Adjustable relief with gauge
- Multi-purpose sprayer fits most RTV's, ATV's and UTV's



40 Gallon All Makes Hitch Mount Sprayer

77700-08964

- Unique 2" receiver mount boom provides 300° of adjustability
- 7 nozzle breakaway boom coverage up to 140"
- Nozzles include check valve
- Chemically-resistant polyethylene tank
- 2.2 GPM pump
- 60 PSI gauge
- Deluxe 18" sprayer wand
- Adjustable relief with gauge

Sprayer Boom

77700-09601

NEW

- Sprayer boom for Kubota 40 gallon sprayer
- Compatible with many other sprayers!



Portable Sprayers

- Handle action piston pump
- Large mouth for easy filling
- Single conical spray tip
- Pressure relief valve
- 8L (77700-03398) features a 23" trigger lance with an ergonomic handle and easy-to-use spot spray wand



77700-03397



77700-03398

Item No.	Capacity	Max. PSI
77700-03397	0.53 Gallons	10
77700-03398	2.1 Gallons	43

Backpack Sprayer

77700-03399

- 4.25 gallons (16 liters)
- Develops 15-90 PSI
- Quick fitting harness and padded straps
- 4 spray tips
- Wide-mouth lid
- Lever action piston pump
- Available spare parts kit
- Quality seals and built-in screens
- Lance clip and carry handle
- Ideal for insecticides, fertilizers, herbicides and disinfectants



60 Gallon 3-Point Sprayer

77700-08965

- 6 roller pumps with torque arm and quick coupler
- 7 nozzle breakaway boom coverage up to 140"
- Nozzles include check valve and quick caps
- Heavy duty frame with skid plates
- Chemically-resistant polyethylene tank
- 100 PSI gauge
- Deluxe 18" sprayer wand
- Adjustable relief with gauge
- Forward mounted on/off valve with protected gauge and plumbing

Spot Sprayer

77700-03500

- 15 gallons (57 liters)
- 12 volt pump spot sprayer
- Polyethylene tank with mold-in drain with cap
- Trigger gun with adjustable nozzle
- 15 feet of 3/8" hose
- 5" screw-on lid with tether
- Adjusts from fine mist to solid stream
- Ideal for insecticides, fertilizers, herbicides and disinfectants
- Applications include ranch/farm, weed and insect control, livestock and trees/shrubs



Kubota Standard & Loaded Rack

- The BIGTOOLRACK® tractor attachment adds valuable cargo space
- Ideal mobile storage system...no more running back to the tool shed
- Haul your tools and supplies safely and secure to your worksite
- Easy and convenient 3 point hitch attachment, and trailer tow feature
- Heavy duty wheels for easy rolling and storing
- Heavy duty steel construction with durable powder coat finish
- Maximum cargo capacity of 600 lbs
- Active tailgate
- Rack Dimensions: L: 54" x W: 35.5" x H: 45.75"

Standard Rack 77700-08996

• Accessories included:

- 1 universal tool holder with a rubber strap
- 1 four hole tool holder
- 2 storage bins
- 2 drop down lumber carriers

Loaded Rack 77700-08997

• Accessories included:

- 3 universal tool holders with rubber straps
- 2 four hole tool holders
- 4 storage bins
- 2 drop down lumber carriers
- 2 drop down universal holders
- 1 rubber cargo liner
- 1 counter weight bracket
- 1 chainsaw holder
- 1 grass trimmer holder



Kubota Poly XPHD

77700-08998

- Bed is constructed of durable rotomolded HDPE double wall plastic - built to last and will never rust
- The body also has drain holes in it so it will not fill with water
- Powder coat finish on upright bar, compatible with many BIGTOOLRACK® accessories
- Maximum cargo capacity of 600 lbs. with 3-point hitch setup
- 3-point hitch connector comes standard with our suitcase weight bracket that holds up to six 30 lb. suitcase weights (weights not included)
- 3-point model comes standard with our convenient tow feature
- Rack dimensions:
L: 48" x W: 46" x H 39"
- **Accessories included:**
 - 1 drop down hook
 - 1-4 hole tool holder
 - 1 universal tool holder with rubber strap
 - 1 counter weight bracket
 - All attaching hardware



NEW

48" Jobsite Box

77700-09782

- 48-1/8"W x 24-1/8"D x 28-3/8"H
- Storage capacity: 27,760 cu. in.
- Heavy duty steel construction with 12 gauge steel legs provide 4-way entry skid
- Reinforced overlapping lid provides protection from weather
- Recessed locking area protects contents
- Heavy duty industrial lid stays open to prevent accidental closure
- Tough industrial powder coated finish
- 4-way legs, predrilled to accommodate casters (casters sold separately)



Deluxe RTV Cargo Box

- 77700-08760
- Requires two pairs of KAS Clamps (K7811-99560) and one Mounting Bracket (77700-V0838) (must be ordered separately)
 - Kubota engineering designed and approved Deluxe RTV Bed Box features 4.5 cu. ft. of cargo capacity
 - Tough and durable polyethylene construction resists corrosion, water and dust
 - Lockable latches to secure your cargo
 - Easy-to-lift covers with lock in detents providing easy access from either side of the box
 - Sliding and removable tool trays for better organization
 - Fits RTV-X900, RTV-X1100, RTV-X1120, RTV-X1140 and RTV-XG850



36" Professional 5 Drawer Extra Capacity Service Box

- 77700-06140
- Outer dimensions: 36"W x 25.5"D x 29"H
 - 16/18 gauge steel construction with specially engineered frame and handles that make it easy to slide and move service box
 - 5 big reinforced drawers with quiet ride foam liners: 2 deep (30.84"W x 20"D x 4.5"H) and 3 standard size drawers (30.84"W x 20"D x 2.125"H)



Tools not included

30" RTV Road Box

- 77700-03643
- 30.75"W x 20"D x 20.5"H—fits all Kubota RTV's
 - Heavy duty 18 gauge steel construction with welded seams
 - Power tool rack with built-in 3 outlet/2 USB power strip
 - Organizes all of your essential tools: 35 combination wrench pegs, 48 screwdriver/nut driver slots/holder, 186 - 1/4", 3/8" & 1/2" deep and standard socket pegs (SAE & metric) with room for some impact sockets
 - Under socket panel: shelf for smaller tools, power tool rack with built-in power strip and 2 USB ports, additional storage space for small tools
 - Lockable lid secures tools in place when closed

26" 7 Drawer Top Chest

77700-07230

26" 5 Drawer Roller Cabinet

77700-07240

- **Top chest now features 7 drawers, instead of 4!**
- Heavy duty steel construction with four **5" x 2" casters** (2 locking swivels & 2 rigid)
- Drawers feature ball bearing glides with a load capacity of **75 lbs. per drawer** and 100 lbs. per drawer with double glides

Item No.	Width	Depth	Height
77700-07230	26"	16"	18"
77700-07240	26-1/2"	18"	37"



41" 8 Drawer Top Chest

77700-03172

41" 11 Drawer Roller Cabinet

77700-03173

- Heavy duty 14 gauge steel frame and 18 gauge steel sides with four 5" x 2" casters (two lockable swivels and two rigid)
- Drawers feature ball bearing glides with a load capacity of 100 lbs. per drawer and 200 lbs. per drawer with double glides

Item No.	Width	Depth	Height
77700-03172	41"	17-3/4"	21-3/8"
77700-03173	41-1/2"	18"	40-1/2"



24" 3 Drawer High-Impact Plastic Hand Box with Steel Drawers

- 77700-03640
- 24"W x 10-1/2"D x 13-1/2"H
 - Rugged high-impact polypropylene will not rust, dent, corrode or mar surfaces
 - Steel drawers with 25 lb. capacity



20" High-Impact Plastic Hand Box with Tray

- 77700-03641
- 20"W x 10.3"D x 9"H
 - Rugged high-impact polypropylene will not rust, dent, corrode or mar surfaces



20" Traditional Steel Hand Box with Tray

- 77700-03642
- 20"W x 8"D x 9"H
 - Durable metal construction with powder coat finish and ergonomic handle

Why Test Hay & Grain Moisture?

According to agricultural nutrition experts, the single most important factor influencing the quality of grain, hay and silage is moisture. Moisture management is a continuous process that requires the appropriate measuring tools. Protect your investment by testing moisture content before, during and after the season accurately and quickly using **Kubota Moisture Testers**.

MT-PRO Grain Moisture Tester

- 77700-06330**
- Direct readout for 40 different grain scales
 - Tests high moisture grain up to 40 percent
 - Single-point or precision multi-point calibration to match local elevator
 - Built-in average button displays the average of saved test results
 - Higher-frequency, capacitive circuit for greater accuracy
 - Includes protective carrying case with shoulder strap



DHT-1 Hay Moisture Tester with 18" Probe

- 77700-06328**
- Direct readout for moisture % and temperature (°F and °C)
 - Extra-rugged probe shaft made from aircraft aluminum
 - Accurate throughout the normal range of stored, baled hay
 - Moisture range: 14% - 44% depending on hay tested
 - 9V battery required

HT-PRO Hay Moisture Tester with 20" Probe

- 77700-06327**
- Includes calibration clip—less than 20 seconds to calibrate
 - Above and below moisture limit indication
 - Illuminated LCD display
 - Moisture range: 8% - 44% depending on hay tested
 - 9V battery required
 - The first and only portable hay moisture tester with a calibration clip



Construction Grade Jumper Cables

- 77700-09781**
- 25 ft x 1 GA
 - Includes a **FREE 28 LED Flashlight (77700-04774)**
 - Heavy duty, tangle-free booster cables
 - Extra flexible for easy use
 - Resists oil, gas & acid
 - Fits top & side mount batteries
 - 900 AMP CCA



6/12 Volt Battery Charger

- 77700-02136**
- Slide switch for 6 volt or 12 volt battery
 - Fully automatic, portable and lightweight
 - Reverse polarity and short circuit protection
 - Recovers weak batteries
 - Extends battery life

Multi-Purpose Power Pack

- 77700-08992**
- Has a 400/700 peak amp range
 - 20 jump starts in one charge
 - Built-in high power LED flashlight with 3 functions
 - Charges up to 4 electronic devices at the same time including 12V & 19V electronics
 - Jump start most tractors, RTV's, trucks and more
 - Includes: 1 home charger, 1 car charger, 1 jumper cable with clamps, 1 21mm charging cable & 1 carrying case





Don't settle for less.
KEEP IT KUBOTA!



www.KubotaUSA.com

© 2018 Kubota Tractor Corporation.
Printed in the USA.
77700-03852

Kubota Tractor Corporation reserves the right to change the stated specifications without notice. The catalog is for descriptive purposes only and does not provide any express or implied warranty of any nature, including any warranty of merchantability or for a particular purpose. For complete operational information, the operator's manual should be consulted. Kubota Tractor Corporation supplies products and services to United States residents only. For information regarding Kubota products or services outside the United States, see Kubota Corporation's global web site.