

For Earth, For Life





The ultimate residential zero turn mower combining style, comfort and performance.



SIMPLY BRILLIANT Take Command of Your Lawn

Kubota's residential innovation turns mowing into a power trip and manages to keep your budget trim, too. The Kommander Z100 Series maneuvers through landscapes with comfort and ease. Have it all - style, comfort and performance, matched with Kubota's excellence in quality and durability. Engineered especially for the homeowners with exclusive, easy-to-use features.

The **4 Year / 300 Hou** warranty* covers powertrain too!

KUBOTA

E-model Z122E & Z125E

S-model Z121S & Z125S Equipped with LED Headlights and Full Seat Suspension

Mow Your lawn like a pro, with the smooth, effortless performance of the Kommander.

KUBOT/

*For Z122R's engine, please refer to an engine manufacturer's warranty policy. For cases beyond the engine manufacturer's warranty during the period mentioned above, please contact your authorized Kubota dealer.



Z122R

KUBOTA



Introducing the ALL-NEW Kommander with 42" deck.





Introducing the all-new Kommander Z122R with 42" deck. Maneuver in and out of intricate spaces smoothly and with ease while delivering the power you need to get the job done quickly. Like the rest of the Kommander lineup, the Z122R offers unmatched ergonomics and comfort to keep you working efficiently all day long at a powerfully affordable price.





Z122R/Z122E/Z125E/Z121S/Z125S

COMFORT & STYLE, PLUS ÉASY OPERATION

There's a lot to like about Kommander. From their comfortable ergonomic design to their style and convenience, these attractive, hardworking mowers are designed to make mowing as easy as possible.

SMOOTH OPERATION LEVERS

Dual operation levers provide the smooth, precise control you'll need for delicate trimming and work around trees and flowerbeds.

6"(4") SLIDE SEAT

The seat slides a full 6"(4": Z122R) forward and back, letting you find just the right position for maximum personal comfort.

STANDARD ROPS

For safety and peace of mind, all Kommander mowers are equipped with a full-height ROPS.

STORAGE BOXES

For your tools, lunch, and anything else too big or heavy for your pockets.

KUBOTA

K-LIFT (Mechanical One Push Deck Lift Pedal) (E/S model only)

The K-Lift pedal makes adjusting the cutting height simple.



Push and release the pedal to raise the deck



2 Use the dial to adjust the cutting height



Push and release the pedal again to lower the deck



COMFORT / CONVENIENCE / STYLE



HIGH BACK SEAT Soft and roomy, the high back seat will keep you comfortable even on those extra-long mowing jobs.



WIDE FOOT PAN

There's plenty of legroom up front, thanks to a wide foot pan. It also makes entry and exit a snap.



CUP HOLDERS Keep your drink cup or tumbler always handy in the integrated cup holders.



LED HEADLIGHTS

Standard on the S-model and option on the E/R-model, the bright LED headlight lets you continue mowing in low light conditions.

EASY OPERATION



1/4" INCREMENT CUTTING HEIGHT ADJUSTMENT

A simple twist of a dial lets you adjust the cutting height in precise 1/4" increments.



ERGONOMIC CONTROL LAYOUT

All controls and indicators are neatly placed for quick, easy, user-friendly access.



Z122R/Z122E/Z125E/Z121S/Z125S

WHEN PERFORMANCE COUNTS...

Kubota Kommander delivers. Their powerful engines, rugged transmissions and strong frames let you take on the toughest jobs with confidence and ease. They are covered under Kubota's 4year/300 hour warranty* too!

POWERFUL ENGINES

Power defines the Kommander's hardworking engines. Whatever the mowing job, you can count on the Kommander to deliver power when you need it.

KUBOTA



RUGGED TRANSMISSION

The low-maintenance, integrated design delivers outstanding power and operational efficiency to the wheels and mower deck.



Ultrascaper Z Rear Tires Big tires mean a softer ride.

The support of the second s

KUBOTA

WIDE TREAD Wide-tread tires provide better traction and weight distribution to help protect your lawn.

DEEP WELDED MOWER DECK

This 10 gauge steel, welded mower deck provides outstanding, professionallevel cutting performance. If you're a homeowner who wants the best-this mower deck is for you.





*For Z122R's engine, please refer to an engine manufacturer's warranty policy. For cases beyond the engine manufacturer's warranty during the period mentioned above, please contact your authorized Kubota dealer.

Specifications

Model		R-model	E-model		S-model			
			Z122RKW-42	Z122EBR-48	Z125EBR-54	Z121SKH-48	Z125SKH-54	
Engine	Туре			Gasoline, air-cooled V-Twin				
	Max. horsepower (Gross)	HP	21.5*	22**	25**	21**	25**	
	Total displacement	cu.in. (cc)	44.3 (726)	44.2 (724) 45.6 (747)		(747)		
	Starting system			Key switch				
Dimensions	Overall length	in. (mm)	74.4 (1890)	76.4 (1940)				
	Overall width (w/ mower)	in. (mm)	55.1 (1400)	61.1 (1552)	67.3 (1710)	61.1 (1552)	67.3 (1710)	
	(w/o mower)	in. (mm)	42.4 (1076)		47.5 (1207)		
	Overall height (w/ ROPS upright	in. (mm)	65.3 (1659)	65 (1652)				
Wheel base in. (mm)			48.5 (1233.5)	.5) 45.5 (1155)				
Tread	Front	in. (mm)	24.3(616)	31.3 (796)				
	Rear	in. (mm)	34.8 (885)	37.6 (954)				
Tire size	Front			11 × 4 – 5 pneumatic				
	Rear		18 × 7.5 – 14		22 × 10 – 14			
Weight (w/ mower) lbs. (kg)		621 (281.6)	737 (335)	749	(340)	771 (350)		
Transmission		ZT2200	ZT3100					
Transmission system			2-HST w/ Gear reduction					
Speed control			2-hand lever					
		mph (km/h)	0-6.5 (0-10.5)	0-8.0 (0-12.9)				
range	Reverse	mph (km/h)		0-4 (0-6.4)				
Brake type			Cog style parking lock / lever					
РТО	Туре		Belt drive					
	Clutch type			Electric clutch				
	PTO brake		Dry disc					
Mower deck	Model		RCK42P-122Z	RCK48P-124Z	RCK54P-127ZA	RCK48P-124Z	RCK54P-127Z	
	Mower lift system		Mechanical					
	Mower deck type		Pro commercial fabricated deck					
	Deck depth	in. (mm)	4.5 (114)	l.5 (114) 5.0 (127)				
	Belt type		Single belt					
	Deck steel thickness	in. (mm)	0.13 (3.4)					
	Anti-scalp roller		Rigid					
	Cutting width of mower	in.	42	48	54	48	54	
	Number of blades		2 blades		3 blades			
	Cutting height		1.5 in 4.25 in. 1/4" in. increments	1.5 in 4.5 in. 1/4" in. increments				
	Mower mounting system			Parallel linkage				
	Blade tip speed (max.)	FPM	17700	18100				
Engine stop system		Key stop						
Fuel tank capacity gals. (ltrs.)		3.6 (13.6)	4.3 (16)					
Battery			U1 (12V, RC: 45min, CCA: 300, CA: 410)					
Generator capacity Amp		15	1	16	1	5		
Hour meter		Standard						
Fuel gauge		Sight window						

*These Kawasaki engines have been tested in accordance with SAE J1995, verified by TÜV Rheinland Group, and certified by SAE International. The gross power ratings of these engines were determined by using measurements according to SAE J1995 which were witnessed by SAE-approved witnesses from TÜV Rheinland Group. Torque ratings of these engines were not certified by SAE. Actual power and torque output will vary depending on numerous factors, including, but not limited to, the operating speed of the engine in application, environmental conditions, maintenance, and other variables.

**Power (hp) specifications for individual gasoline engine models are rated pursuant to Society of Automotive Engineers (SAE) J1940 based on gross output testing performed in accordance with SAE J1995 without the air cleaner and muffler. Gross engine hp will be higher than actual engine power which is affected by accessories, application, engine speed, ambient operating conditions and other factors. The gross engine horsepower information is for comparison purposes only.

The company reserves the right to change the above specifications without notice. Please contact your local Kubota dealer for warranty information.

For your safety, Kubota strongly recommends the use of a roll over protective structure (ROPS) and seatbelt in almost all applications.

Attachment & Option Kit



Grass catcher Easily attach or detach the

grass catcher in minutes without the use of tools.



Mulching kit

Reduce yard waste and help nourish your lawn. Each mulching blade is surrounded by baffles creating more lift, cutting grass into tiny clippings that help nourish lawns.

- LED headlights*1
- Mower lift assist kit*2
- Seat suspension*³
- Hitch kit*4
- *1 E/R-models only (Standard on S-model)
- *2 E/S-models only (Standard on S-models) *3 E-models only(Standard on S-models) *4 R-model only (Standard on E/S-models).

©2014 Kubota Corporation



KUBOTA TRACTOR CORPORATION

Kubota Tractor Corporation, 3401 Del Amo Boulevard, Torrance CA 90503 Western Division: 1175 S. Guild Ave., Lodi, CA 95240 Tel (209) 334-9910 Central Division: 14855 FAA Boulevard, Fort Worth, TX 76155 Tel (817) 571-0900 Northern Division: 6300 at One Kubota Way, Groveport, OH 43125 Tel (614) 835-1100 Southeast Division: 1025 Northbrook Parkway, Suwanee, GA 30024 Tel (770) 995-8855

Visit our web site at: www.kubota.com

