

Specifications

Model			Z231KW-42	Z231BR-48	Z251BR-54	Z231KH-48	Z251KH-54
Engine	Type	Gasoline, air-cooled V-Twin					
	Max. horsepower (Gross)	HP	21.5*	22**	25**	21**	25**
	Total displacement	cu.in. (cc)	44.3 (726)	44.2 (724)		45.6 (747)	
	Starting system	Key switch					
Dimensions	Overall length	in. (mm)	74.4 (1890)		76.4 (1940)		
	Overall width (w/ mower)	in. (mm)	55.1 (1400)	61.1 (1552)	67.3 (1710)	61.1 (1552)	67.3 (1710)
	(w/o mower)	in. (mm)	42.4 (1076)		47.5 (1207)		
	Overall height (w/ ROPS upright)	in. (mm)	65.3 (1659)		65 (1652)		
Wheel base			48.5 (1233.5)		45.5 (1155)		
Tread	Front	in. (mm)	24.3(616)		31.3 (796)		
	Rear	in. (mm)	34.8 (885)		37.6 (954)		
Tire size	Front	11 x 4 - 5 pneumatic					
	Rear		18 x 7.5 - 14		22 x 10 - 14		
Weight (w/ mower)	lbs. (kg)	621 (281.6)	737 (335)	749 (340)		771 (350)	
Transmission	ZT2200						
Transmission system	2-HST w/ Gear reduction						
Speed control	2-hand lever						
Travel speed range	Forward	mph (km/h)	0-6.5 (0-10.5)		0-8.0 (0-12.9)		
	Reverse	mph (km/h)			0-4 (0-6.4)		
Brake type	Cog style parking lock / lever						
PTO	Type	Belt drive					
	Clutch type	Electric clutch					
	PTO brake	Dry disc					
Mower deck	Model		RCK42P-122Z	RCK48P-124Z	RCK54P-127ZA	RCK48P-124Z	RCK54P-127ZA
	Mower lift system	Mechanical					
	Mower deck type	Pro commercial fabricated deck					
	Deck depth	in. (mm)	4.5 (114)		5.0 (127)		
	Belt type	Single belt					
	Deck steel thickness	in. (mm)			0.13 (3.4)		
	Anti-scalp roller	Rigid					
	Cutting width of mower	in.	42	48	54	48	54
	Number of blades		2 blades		3 blades		
	Cutting height		1.5 in. - 4.25 in. 1/4" in. increments		1.5 in. - 4.5 in. 1/4" in. increments		
	Mower mounting system	Parallel linkage					
Blade tip speed (max.)	FPM	17700		18100			
Engine stop system	Key stop						
Fuel tank capacity	gals. (ltrs.)	3.6 (13.6)		4.3 (16)			
Battery	U1 (12V, RC: 45min, CCA: 300, CA: 410)						
Generator capacity	Amp	15		16		15	
Hour meter	Standard						
Fuel gauge	Sight window						

*These Kawasaki engines have been tested in accordance with SAE J1995, verified by TÜV Rheinland Group, and certified by SAE International. The gross power ratings of these engines were determined by using measurements according to SAE J1995 which were witnessed by SAE-approved witnesses from TÜV Rheinland Group. Torque ratings of these engines were not certified by SAE. Actual power and torque output will vary depending on numerous factors, including, but not limited to, the operating speed of the engine in application, environmental conditions, maintenance, and other variables.

**Power (hp) specifications for individual gasoline engine models are rated pursuant to Society of Automotive Engineers (SAE) J1940 based on gross output testing performed in accordance with SAE J1995 without the air cleaner and muffler. Gross engine hp will be higher than actual engine power which is affected by accessories, application, engine speed, ambient operating conditions and other factors. The gross engine horsepower information is for comparison purposes only.

Kubota Tractor Corporation reserves the right to change the stated specifications without notice. This brochure is for descriptive purposes only and reasonable efforts were used to set forth the contained information; some items shown may be optional and some products shown may not be available at all dealerships. Kubota disclaims all representations and warranties, express or implied, or any liability from the use of this brochure. For complete warranty, safety and product information, consult your local Kubota dealer and the operator's manual. Power (HP/KW) and other specifications are based on various standards or recommended practices. For your safety, Kubota strongly recommends the use of a Rollover Protective Structure (ROPS) and seat belt in almost all applications. This brochure is intended for the United States and US territories only. For information regarding Kubota products or services outside these areas, see Kubota Corporation's global web site. Kubota does not provide parts, warranty or service for any Product which is re-sold or retailed in any country other than the country for which the Product(s) were designed or manufactured.

Attachment & Option Kit



- **Grass catcher**
Easily attach or detach the grass catcher in minutes without the use of tools.



- **Mulching kit**
Reduce yard waste and help nourish your lawn. Each mulching blade is surrounded by baffles creating more lift, cutting grass into tiny clippings that help nourish lawns.

- **LED headlights*1**
- **Mower lift assist kit*2**
- **Seat suspension*3**
- **Hitch kit*4**

*1 Z231KW, Z231BR, Z251BR only (Standard on Z231KH, Z251KH)

*2 Z231BR, Z251BR, Z231KH, Z251KH only

*3 Z231BR, Z251BR only (Standard on Z231KH, Z251KH)

*4 Z231KW only (Standard on Z231BR, Z251BR, Z231KH, Z251KH)



KUBOTA TRACTOR CORPORATION

1000 Kubota Drive, Grapevine, TX 76051 Tel 888-4 KUBOTA

Visit our web site at: kubotaUSA.com

©2019 Kubota Corporation



Cat.No.2336-01-US Printed in Japan.D.REX.'19-AUG.



For Earth, For Life
Kubota



KUBOTA ZERO-TURN MOWER Z200 Series Z231/Z251

The ultimate residential zero turn mower combining style, comfort and performance.



Simply brilliant take command of your lawn with the Z200 Series.

Kubota's residential innovation turns mowing into a power trip and manages to keep your budget trim, too. The Z200 Series maneuvers through landscapes with comfort and ease. Have it all - style, comfort and performance, matched with Kubota's excellence in quality and durability. Engineered especially for the homeowners with exclusive, easy-to-use features.

Warranty*
4 Year / 300 Hour



Z231KH/Z251KH
with 48", 54" decks

Equipped with LED Headlights and Full Seat Suspension



Z231BR/Z251BR
with 48", 54" decks



Z231KW
with 42" deck

Mow Your lawn like a pro, with the smooth, effortless performance of the Z200 Series.

*Engine warranty is covered by engine manufacturer.
*Please see the Kubota Owner's warranty information guide for full details.

COMFORT & STYLE, PLUS EASY OPERATION

There's a lot to like about Z200 Series. From their comfortable ergonomic design to their style and convenience, these attractive, hardworking mowers are designed to make mowing as easy as possible.

STANDARD ROPS

For safety and peace of mind, all Z200 Series mowers are equipped with a full-height ROPS.

STORAGE BOXES

For your tools, lunch, and anything else too big or heavy for your pockets.

COMFORT / CONVENIENCE / STYLE



HIGH BACK SEAT

Soft and roomy, the high back seat will keep you comfortable even on those extra-long mowing jobs.



WIDE FOOT PAN

There's plenty of legroom up front, thanks to a wide foot pan. It also makes entry and exit a snap.



CUP HOLDERS

Keep your drink cup or tumbler always handy in the integrated cup holders.



LED HEADLIGHTS

Standard on the S-model and option on the E/R-model, the bright LED headlight lets you continue mowing in low light conditions.

STANDARD ROPS

For safety and peace of mind, all Z200 Series mowers are equipped with a full-height ROPS.

STORAGE BOXES

For your tools, lunch, and anything else too big or heavy for your pockets.

SMOOTH OPERATION LEVERS

Dual operation levers provide the smooth, precise control you'll need for delicate trimming and work around trees and flowerbeds.

6"(4") SLIDE SEAT

The seat slides a full 6"(4"): Z231KW) forward and back, letting you find just the right position for maximum personal comfort.

EASY OPERATION



1/4" INCREMENT CUTTING HEIGHT ADJUSTMENT

A simple twist of a dial lets you adjust the cutting height in precise 1/4" increments.



ERGONOMIC CONTROL LAYOUT

All controls and indicators are neatly placed for quick, easy, user-friendly access.



K-LIFT (Mechanical One Push Deck Lift Pedal)

The K-Lift pedal makes adjusting the cutting height simple.


(Z231KH/BR, Z251KH/BR only)



1 Push and release the pedal to raise the deck



2 Use the dial to adjust the cutting height



3 Push and release the pedal again to lower the deck

WHEN PERFORMANCE COUNTS...

Kubota Z200 Series delivers. Their powerful engines, rugged transmissions and strong frames let you take on the toughest jobs with confidence and ease.

POWERFUL ENGINES

Power defines the Z200 Series hardworking engines. Whatever the mowing job, you can count on the Z200 Series to deliver power when you need it.



RUGGED TRANSMISSION

The low-maintenance, integrated design delivers outstanding power and operational efficiency to the wheels and mower deck.



DEEP WELDED MOWER DECK

This steel, welded mower deck provides outstanding, professional-level cutting performance. If you're a homeowner who wants the best-this mower deck is for you.



Support added for better durability

Wide and deep groove pulley



Warranty*
4 Year / 300 Hour

Ultrascraper Z
Rear Tires
Big tires mean a softer ride.



WIDE TREAD

Wide-tread tires provide better traction and weight distribution to help protect your lawn.

Engine warranty is covered by engine manufacturer.
*Please see the Kubota Owner's warranty information guide for full details.

