

Kubota SVL97-3 Product Comparisons



SVL97-3 Specs

Engine	SVL97-3
Horsepower (SAE J1995 gross)	96.4 HP
Dimensions	
L/W/H (in.) With Bucket	153.6 / 81.0 / 83.1
Ground Clearance (in)	10.9
Track Width (Standard/Wide) (in)	17.7
Height to Hinge Pin (in)	128.5
Operating Weight (lbs)	11,929
Performance	
ROC (35% Tipping Load) (lbs)	3,511
Traveling Speed (Low / High) (mph)	5.5 / 8.4
Auxiliary Hydraulic Pressure (psi)	3,459
Auxiliary Hydraulics Flow Rate (gpm)	24 / 40
Ground Pressure (psi)	4.6

Kubota SVL97-3 Product Comparisons

SVL97-3 Features

1-piece sealed cab for a quieter work environment
7" Color LCD Touch screen with integrated keyless start, Bluetooth, and standard rear-view camera
Adjustable track response to tailor machine to operator preference
Auto Downshift in turns and when going into a pile of material
Swing-out radiator for easy maintenance and serviceability
Optional 300 lbs of counterweight for additional Rated Operating Capacity (ROC)

Competitive Comparison

SPEC	SVL97-3	Bobcat T770	Deere 333 P-Tier	CAT 299D3
Gross Horsepower (SAE J1995)	96.4 HP	92 HP	108.5 HP	98 HP
Engine Manufacturer	Kubota	Bobcat	Yanmar	CAT
Dimensions				
L/W/H (in.) With Bucket	153.6 / 81.0 / 83.1	141.6 / 80 / 81.3	151.2 / 80.7 / 87.4	154.7 / 76 / 83.6
Ground Clearance (in)	10.9	8.1	9.8	9.6
Track Width (Standard) (in)	17.7	17.7	17.7	15.7
Height to Hinge Pin (in)	128.5	131.4	132	126.3
Operating Weight (Cab) (lbs)	11,929	10,515	12,183	11,464
Performance				
ROC (35% Tipping Load) (lbs)	3,459	3,475	3,850	3,480
Traveling Speed (Low / High) (mph)	5.5 / 8.4	6.6 / 10.7	5.5 / 8.5	5.2 / 8.4
Auxiliary Hydraulic Pressure (psi)	3,553	3,500	3,500	4,061
Auxiliary Hydraulics Flow Rate (Standard Flow / High Flow) (gpm)	24 / 40	23 / 36.6	25 / 44	23 / 32
Ground Pressure (psi)	4.6	4.2	4.8	5.3

The comparison specs are for comparably-equipped competitive models to the Kubota model shown, and include cab and standard tracks. The competitive information is sourced from the competitor's website as of March 28, 2025 for the 2025 model year of the competitive model used. Some competitive information may vary regionally. Kubota Tractor Corporation reserves the right to change the stated specifications of its products without notice. Kubota disclaims all representations and warranties, express or implied, or any liability from the use of these product comparisons.