Land Pride

## Performance Matched Attachments/Implements

B Series

🖉 Kubota

	Implement		Weight	Working							
Implement Type	Model	Mounting Type	(lb)	Width (in)	B2301 HSD	B2601 HSD	B2320 DT	B2320 DTN-1	B2650 HSD-HSDC	B3350 HSD-HSDC	B3350 SUHSD
	CA1548**	3-Point: Cat. 0,1	156	41	$\checkmark$	~	~	~	~	✓	$\checkmark$
	CA1556**	<b>3-Point:</b> Cat. 0,1	170	50	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	~	$\checkmark$	$\checkmark$
Aerators	CA1564**	<b>3-Point:</b> Cat. 0,1	184	58	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$
Aerators	CA1572**	<b>3-Point:</b> Cat. 0,1	208	66	$\checkmark$	$\checkmark$	~	~	$\checkmark$	$\checkmark$	$\checkmark$
	CA2560**	3-Point: Cat. 1	464	60					~	√	$\checkmark$
	CA2572**	3-Point: Cat. 1	480	72					~	√	$\checkmark$
All Flex Mowers	AFM4211	Pull-Type	2040	133						√	$\checkmark$
	BS10	Loader: Universal QA	168	46	$\checkmark$	~			~	$\checkmark$	$\checkmark$
	BS20	Loader: Universal QA	208	46	$\checkmark$	~			~	~	$\checkmark$
Dala Casara	BS30	Loader: Universal QA	228	54	$\checkmark$	~			~	~	$\checkmark$
Bale Spears	BS40	Loader: Universal QA	242	54	$\checkmark$	~			~	~	$\checkmark$
	BS50	Loader: Universal QA	286	66.75					~	$\checkmark$	$\checkmark$
	BSR10	<b>3-Point:</b> Cat. 1,2	112	N/A	$\checkmark$	$\checkmark$	$\checkmark$	~	$\checkmark$	$\checkmark$	$\checkmark$
	BB0548	<b>3-Point:</b> Cat. 0,1	277	48	$\checkmark$		~	~			
	BB0554	<b>3-Point:</b> Cat. 0,1	298	54	$\checkmark$		$\checkmark$	$\checkmark$			
	BB1248	3-Point: Cat. 1	316	48	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$		
	BB1254	3-Point: Cat. 1,2	325	54	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	~		
Box Blades	BB1260	3-Point: Cat. 1	346	60	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	~		
DOX Diades	BB1266	3-Point: Cat. 1	370	66	$\checkmark$	$\checkmark$	~	~	$\checkmark$		
	BB1560	3-Point: Cat. 1	428	60	$\checkmark$	~			~	✓	$\checkmark$
	BB1566	3-Point: Cat. 1	450	66	$\checkmark$	~			~	✓	$\checkmark$
	BB2560	3-Point: Cat. 1	471	60		$\checkmark$			~	$\checkmark$	$\checkmark$
	BB2566	3-Point: Cat. 1	500	66		$\checkmark$			~	$\checkmark$	$\checkmark$
Disc	DH1048	3-Point: Cat. 1	420	48	$\checkmark$	$\checkmark$	$\checkmark$	~	$\checkmark$	$\checkmark$	$\checkmark$
Disc Harrows	DH1060	3-Point: Cat. 1	549	60					~	√	$\checkmark$
	DT35	3-Point:	390	18						✓	$\checkmark$

	DRG04	Pull-Type	89	48	$\checkmark$						
Drag Harrows	DRG06	Pull-Type	138	72	$\checkmark$						
	DRG08	Pull-Type	185	96	$\checkmark$						
	FC10	3-Point: Cat. 1	135	57	$\checkmark$						
Field Cultivators	FC15	3-Point: Cat. 1	289	72					$\checkmark$	$\checkmark$	$\checkmark$
Food Plot Seeders	FPS48**	Pull-Type	370	54	$\checkmark$						
	GS0548	<b>3-Point:</b> Cat. 1	310	48	$\checkmark$						
Grading Scrapers	GS0560	3-Point: Cat. 1	350	60	$\checkmark$						
	GS1548	3-Point: Cat. 1	437	48	$\checkmark$	$\checkmark$			$\checkmark$	$\checkmark$	$\checkmark$
Grapples	SGC0660	Loader: B Pin-On Universal QA	247	62	$\checkmark$	$\checkmark$			$\checkmark$		
Grooming Mowers	FDR1648	<b>3-Point:</b> Cat. 1	486	48	$\checkmark$						
	LR0548	3-Point: Cat. 1	98	48	$\checkmark$		$\checkmark$	$\checkmark$			
	LR0560	3-Point: Cat. 1	113	60	$\checkmark$		$\checkmark$	$\checkmark$			
	LR1660	3-Point: Cat. 1	241	60	$\checkmark$						
Landscape	LR1672	3-Point: Cat. 1	270	72	$\checkmark$						
Rakes	LR1684	3-Point: Cat. 1	291	84	$\checkmark$	$\checkmark$			$\checkmark$	$\checkmark$	$\checkmark$
	LR1696	3-Point: Cat. 1	316	96		$\checkmark$			$\checkmark$	$\checkmark$	$\checkmark$
	LR2684	3-Point: Cat. 1	330	84					$\checkmark$	$\checkmark$	$\checkmark$
	LR2696	3-Point: Cat. 1	348	96					$\checkmark$	$\checkmark$	$\checkmark$
Moldboard	MP10	3-Point: Cat. 1	294	14	$\checkmark$						
Plows	MP20	3-Point: Cat. 1	513	27.5						$\checkmark$	$\checkmark$
	PF10	Loader: Bucket	90	N/A	$\checkmark$	$\checkmark$	$\checkmark$		$\checkmark$	$\checkmark$	$\checkmark$
Pallet Forks	PF20	Loader: Bucket	110	N/A	$\checkmark$	$\checkmark$	$\checkmark$		$\checkmark$	$\checkmark$	$\checkmark$
	PFL2042	Loader: Universal QA	330	46					$\checkmark$	$\checkmark$	$\checkmark$

	PD10**	3-Point: Cat. 1	120	N/A	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$		
	PD15**	3-Point: Cat. 1	161	N/A	~	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	~	~
Post Hole	PD25**	<b>3-Point:</b> Cat. 1,2	186	N/A		~			$\checkmark$	~	$\checkmark$
Diggers	PD35**	<b>3-Point:</b> Cat. 1,2	233	N/A						~	$\checkmark$
	HD25** (3PT)	<b>3-Point:</b> Cat. 1,2	235	N/A					$\checkmark$	$\checkmark$	$\checkmark$
	HD25**	Loader: Universal QA	268	N/A					$\checkmark$	$\checkmark$	$\checkmark$
Quick litteber	QH10	3-Point: Cat. 1	68	N/A	$\checkmark$						
Quick Hitches	QH15	3-Point: Cat. 1	70	N/A	$\checkmark$	$\checkmark$	√	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$
	RB0548	3-Point: Cat. 1	128	48	$\checkmark$		$\checkmark$	$\checkmark$			
	RB0560	3-Point: Cat. 1	143	60	$\checkmark$		$\checkmark$	$\checkmark$			
	RB1560	3-Point: Cat. 1	248	60	$\checkmark$						
	RB1572	3-Point: Cat. 1	269	72	$\checkmark$						
Rear Blades	RB1584	3-Point: Cat. 1	289	84	$\checkmark$	$\checkmark$			$\checkmark$	$\checkmark$	$\checkmark$
Real Diades	RB1660	3-Point: Cat. 1	283	60	$\checkmark$						
	RB1672	3-Point: Cat. 1	297	72	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	~	$\checkmark$
	RB1684	3-Point: Cat. 1	319	84					$\checkmark$	$\checkmark$	$\checkmark$
	RB2672	3-Point: Cat. 1	369	72					$\checkmark$	~	$\checkmark$
	RB2684	3-Point: Cat. 1	396	84					$\checkmark$	~	$\checkmark$
	RCR1242	3-Point: Cat. 1	383	42	~	~	$\checkmark$	$\checkmark$	$\checkmark$	~	$\checkmark$
Rotary Cutters	RCR1248	3-Point: Cat. 1	400	48	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	~	$\checkmark$
(Single Spindle)	RCR1260	<b>3-Point:</b> Cat. 1	478	60					$\checkmark$	$\checkmark$	$\checkmark$
	RCR1548	3-Point: Cat. 1	424	45.5		$\checkmark$			$\checkmark$	$\checkmark$	$\checkmark$

					1						
	RTA1242	3-Point: Cat. 1	391	42	$\checkmark$						
	RTA1250	3-Point: Cat. 1	421	50	$\checkmark$						
	RTA1258	3-Point: Cat. 1	448	58	$\checkmark$	$\checkmark$			$\checkmark$	$\checkmark$	$\checkmark$
	RTA1266	3-Point: Cat. 1	476	66					$\checkmark$	$\checkmark$	$\checkmark$
	RTA1558	3-Point: Cat. 1	444	58	$\checkmark$	$\checkmark$			$\checkmark$	$\checkmark$	$\checkmark$
	RTA1566	3-Point: Cat. 1	476	66					$\checkmark$	$\checkmark$	$\checkmark$
	RTR0542	3-Point: Cat. 1	268	42	$\checkmark$	$\checkmark$	~	$\checkmark$	$\checkmark$		
	RTR0550	3-Point: Cat. 1	298	50	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$		
	RTR1242	3-Point: Cat. 1	404	42	$\checkmark$						
Poton, Tilloro	RTR1250	3-Point: Cat. 1	435	50	$\checkmark$	$\checkmark$			$\checkmark$	$\checkmark$	$\checkmark$
Rotary Tillers	RTR1258	3-Point: Cat. 1	463	58	$\checkmark$	$\checkmark$			$\checkmark$	$\checkmark$	$\checkmark$
	RTR1266	3-Point: Cat. 1	493	66					$\checkmark$	$\checkmark$	$\checkmark$
	RTR1558	3-Point: Cat. 1	444	58	$\checkmark$	$\checkmark$			$\checkmark$	$\checkmark$	$\checkmark$
	RTR1566	3-Point: Cat. 1	476	66					$\checkmark$	$\checkmark$	$\checkmark$
	RGA1242	3-Point: Cat. 1	458	42	$\checkmark$	$\checkmark$			$\checkmark$	$\checkmark$	$\checkmark$
	RGA1250	3-Point: Cat. 1	493	50					$\checkmark$	$\checkmark$	$\checkmark$
	RGA1258	3-Point: Cat. 1	526	58					$\checkmark$	$\checkmark$	$\checkmark$
	RGR1242	3-Point: Cat. 1	462	42	$\checkmark$	$\checkmark$			$\checkmark$	$\checkmark$	$\checkmark$
	RGR1250	3-Point: Cat. 1	497	50					$\checkmark$	$\checkmark$	$\checkmark$
	RGR1258	3-Point: Cat. 1	530	58					$\checkmark$	$\checkmark$	$\checkmark$
Scarificro	SF2566	3-Point: Cat. 1	208	60		~			$\checkmark$	$\checkmark$	$\checkmark$
Scarifiers	SF2577	3-Point: Cat. 1	235	72		~			$\checkmark$	$\checkmark$	$\checkmark$
Seed Bed	SBR72 (3PT)	3-Point: Cat. 1	442	69					$\checkmark$	$\checkmark$	$\checkmark$
Rollers	SBR72 (P-T)	Pull-Type	478	69	$\checkmark$	$\checkmark$	~	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$
	SPL1060	Loader: Universal QA	346	60	$\checkmark$	$\checkmark$			$\checkmark$	$\checkmark$	$\checkmark$
Snow Pushers	SPL1072	Loader: Universal QA	377	72	$\checkmark$	$\checkmark$			$\checkmark$	$\checkmark$	$\checkmark$
	SPL1086	Loader: Universal QA	410	84					$\checkmark$	$\checkmark$	$\checkmark$

Snow Trip	STB1060	Loader: Universal QA	379	60	$\checkmark$	$\checkmark$			$\checkmark$	$\checkmark$	$\checkmark$
Blades	STB1072	Loader: Universal QA	403	72					$\checkmark$	$\checkmark$	$\checkmark$
	SB1051	3-Point: Cat. 1	400	51	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$		
Snowblowers	SB1064	3-Point: Cat. 1	494	64					$\checkmark$	~	√
Soil Pulverizers	SP2060**	3-Point: Cat. 1	491	60					$\checkmark$	$\checkmark$	√
Spike Tooth Harrows	STH1590	3-Point: Cat. 1	237	90	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	√
	FSP500**	3-Point: Cat. 1	119	37.2	$\checkmark$						
	FSP700**	3-Point: Cat. 1	128	44	$\checkmark$						
	FSP1000**	3-Point: Cat. 1	139	46.8	$\checkmark$						
Spreaders	PFS4000**	3-Point: Cat. 1	196	46	$\checkmark$						
	PFS5060**	<b>3-Point:</b> Cat. 1,2	302	55.1	$\checkmark$	$\checkmark$	√	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$
	PTS500**	Pull-Type	165	41	$\checkmark$						
	PTS700**	Pull-Type	176	41	$\checkmark$						
Straw Crimpers	CR2572**	3-Point: Cat. 1	475	69					$\checkmark$	$\checkmark$	$\checkmark$
	WC1503	3-Point: Cat. 1	369	N/A	$\checkmark$	$\checkmark$	√	$\checkmark$	$\checkmark$		
Wood Chippers	WC1504	3-Point: Cat. 1	450	N/A	$\checkmark$						
Number of	Performance N	latched Attachme	nts/Impleme	ents:	76	77	56	54	105	99	99

Notice: - Check with the tractor manual to verify for proper ballasting when using an implement or attachment on the machine. - Additional kits (Rear Remotes, Third Function valves, etc.) may be required in order to use any of the above implements. Check with your local dealer to determine what is needed for proper fitment and operation. - (\*\*) This implement/attachment is approved for the base weight, but allows for additional ballasting (concrete blocks, seed, water tanks). Verify with the tractor manual and ensure proper ballasting before adding any additional weight to the implement/attachment.

Kubota Corporation notes that specifications and technical information are subject to changes without notice and Kubota does not represent or warrant that the information in this publication is completely accurate or current; however, Kubota used reasonable efforts to set forth and include accurate and up to date information in this publication. Kubota disclaims all representations and warranties, whether express or implied, including, but not limited to, warranties of merchantability and fitness for a particular purpose and Kubota shall not be liable for any damages, whether compensatory, direct, inclinent, indirect, inclidental, special, or consequential, arising out of or in connection with the use of this publication therein.