



Performance Matched Attachments/Implements

Standard L Series



The below identified implements are either manufactured by Kubota or have received an Engineering Release approving use by Kubota, and thus meet the performance matching requirements for the specified power machines for normally anticipated operating conditions.

The specifications below are intended for general application; unusual soil, terrain, or severe operating conditions may not allow for the use of a specific implement under those operating conditions. The use of implements which are neither manufactured or approved by Kubota for use with the specified power machines and which do not meet the below specifications may result in malfunctions or damage to the power machine, damage to other property and/or injury to the operator or to others. Any such malfunctions or damages are not covered by the Kubota express limited warranty.

The power machine, implement, and operating conditions need to be evaluated and monitored by the operator to be sure that the conditions are within a safe operating envelope for general use.

Implement Type	Implement Model	Mounting Type	Weight (lb)	Working Width (in)	L2501 F-DT-HST	L3301 F-DT-HST	L3901 F-DT-HST	L4701 F-DT-HST
Aerators	AR2510**	Pull-Type	2200	116				✓
	AR2596**	Pull-Type	1700	86				✓
	CA1548**	3-Point: Cat. 0,1	156	41	✓	✓	✓	✓
	CA1556**	3-Point: Cat. 0,1	170	50	✓	✓	✓	✓
	CA1564**	3-Point: Cat. 0,1	184	58	✓	✓	✓	✓
	CA1572**	3-Point: Cat. 0,1	208	66	✓	✓	✓	✓
	CA2560**	3-Point: Cat. 1	464	60		✓	✓	✓
	CA2572**	3-Point: Cat. 1	480	72		✓	✓	✓
All Flex Mowers	AFM4211	Pull-Type	2040	133		✓	✓	✓
	AFM4214	Pull-Type	3000	168				✓
	AFM4216	Pull-Type	3315	202				✓
All Purpose Seeders	APS1548**	3-Point: Cat. 1	700	52				✓
Bale Spears	BS10	Loader: Universal QA	168	46	✓	✓	✓	✓
	BS20	Loader: Universal QA	208	46	✓	✓	✓	✓
	BS30	Loader: Universal QA	228	54	✓	✓	✓	✓
	BS40	Loader: Universal QA	242	54	✓	✓	✓	✓
	BS50	Loader: Universal QA	286	66.75	✓	✓	✓	✓
	BSR10	3-Point: Cat. 1,2	112	N/A	✓	✓	✓	

Box Blades	BB0548	3-Point: Cat. 0,1	277	48	✓			
	BB0554	3-Point: Cat. 0,1	298	54	✓			
	BB1248	3-Point: Cat. 1	316	48	✓			
	BB1254	3-Point: Cat. 1,2	325	54	✓			
	BB1260	3-Point: Cat. 1	346	60	✓			
	BB1266	3-Point: Cat. 1	370	66	✓			
	BB1560	3-Point: Cat. 1	428	60	✓	✓	✓	
	BB1566	3-Point: Cat. 1	450	66	✓	✓	✓	
	BB2560	3-Point: Cat. 1	471	60		✓	✓	✓
	BB2566	3-Point: Cat. 1	500	66		✓	✓	✓
	BB2572	3-Point: Cat. 1	549	72		✓	✓	✓
	BB2584	3-Point: Cat. 1	593	84				✓
	HR2572	3-Point: Cat. 1	851	72				✓
	MR1572	3-Point: Cat. 1	615	72		✓	✓	
Buckets	SRB1566	Loader: Universal QA	509	66.75				✓
	SRB1572	Loader: Universal QA	551	72.75				✓
	SSB1566	Loader: Universal QA	390	66.75				✓
	SSB1578	Loader: Universal QA	442	78.75				✓
Compact Drills (No Till)	606NT**	Pull-Type	2700	67.5				✓
Disc Harrows	DH1048	3-Point: Cat. 1	420	48	✓	✓	✓	
	DH1060	3-Point: Cat. 1	549	60	✓	✓	✓	
	DH1560	3-Point: Cat. 1	628	60	✓	✓	✓	✓
	DH1572	3-Point: Cat. 1	714	72				✓
	DH1590	3-Point: Cat. 1	865	90				✓
Ditchers	DT35	3-Point: Cat. 1,2	390	18		✓	✓	✓

Drag Harrows	DRG04	Pull-Type	89	48	✓	✓	✓	✓
	DRG06	Pull-Type	138	72	✓	✓	✓	✓
	DRG08	Pull-Type	185	96	✓	✓	✓	✓
Field Cultivators	FC10	3-Point: Cat. 1	135	57	✓	✓	✓	✓
	FC15	3-Point: Cat. 1	289	72	✓	✓	✓	✓
Flail Mowers	FM2548	3-Point: Cat. 1	780	48				✓
Food Plot Seeders	FPS48**	Pull-Type	370	54	✓	✓	✓	✓
Grading Scrapers	GS0548	3-Point: Cat. 1	310	48	✓	✓		
	GS0560	3-Point: Cat. 1	350	60	✓	✓		
	GS1548	3-Point: Cat. 1	437	48	✓	✓	✓	✓
	GS1560	3-Point: Cat. 1	511	60		✓	✓	✓
	GS1572	3-Point: Cat. 1	594	72		✓	✓	✓
	GS2572	3-Point: Cat. 1,2	728	72				✓
Grapples	SGC0660	Loader: B Pin-On Universal QA	247	62	✓	✓	✓	
	SGC1060	Loader: Universal QA	356	62		✓	✓	✓
	SGC1072	Loader: Universal QA	414	75				✓
Grooming Mowers	FDR1648	3-Point: Cat. 1	486	48	✓	✓	✓	
	FDR1660	3-Point: Cat. 1	577	60	✓	✓	✓	
	FDR1672	3-Point: Cat. 1	619	72		✓	✓	
	FDR2572	3-Point: Cat. 1	718	72				✓
	FDR2584	3-Point: Cat. 1	812	84				✓

Landscape Rakes	LR1660	3-Point: Cat. 1	241	60	✓	✓	✓	
	LR1672	3-Point: Cat. 1	270	72	✓	✓	✓	
	LR1684	3-Point: Cat. 1	291	84	✓	✓	✓	
	LR1696	3-Point: Cat. 1	316	96	✓	✓	✓	
	LR2684	3-Point: Cat. 1	330	84		✓	✓	✓
	LR2696	3-Point: Cat. 1	348	96		✓	✓	✓
	LR3784	3-Point: Cat. 1,2	460	84		✓	✓	✓
	LR3796	3-Point: Cat. 1,2	483	96		✓	✓	✓
Moldboard Plows	MP10	3-Point: Cat. 1	294	14	✓	✓	✓	✓
	MP20	3-Point: Cat. 1	513	27.5		✓	✓	✓
Pallet Forks	PF20	Loader: Bucket	110	N/A	✓	✓	✓	✓
	PFL2042	Loader: Universal QA	330	46	✓	✓	✓	✓
	PFL3042	Loader: Universal QA	340	46	✓	✓	✓	✓
	PFL3048	Loader: Universal QA	358	46	✓	✓	✓	✓
	PFL4548	Loader: Universal QA	422	46				✓
	PFL5548	Loader: Universal QA	436	46				✓
	PFL5560	Loader: Universal QA	482	46				✓
Post Hole Diggers	PD15**	3-Point: Cat. 1	161	N/A	✓	✓	✓	
	PD25**	3-Point: Cat. 1,2	186	N/A		✓	✓	✓
	PD35**	3-Point: Cat. 1,2	233	N/A		✓	✓	✓
	HD25** (3PT)	3-Point: Cat. 1,2	235	N/A	✓	✓	✓	✓
	HD25**	Loader: Universal QA	268	N/A	✓	✓	✓	✓
	SA20**	Loader: Universal QA Bucket	173	N/A		✓	✓	✓

Powered Rakes	PR1660	3-Point: Cat. 1	980	60		✓	✓	✓
	PR1672	3-Point: Cat. 1	1000	72		✓	✓	✓
	PR1690	3-Point: Cat. 1,2	1150	90				✓
Quick Hitches	QH10	3-Point: Cat. 1	68	N/A	✓	✓	✓	✓
	QH15	3-Point: Cat. 1	70	N/A	✓	✓	✓	✓
Rear Blades	RB1560	3-Point: Cat. 1	248	60	✓	✓	✓	
	RB1572	3-Point: Cat. 1	269	72	✓	✓	✓	
	RB1584	3-Point: Cat. 1	289	84	✓	✓	✓	
	RB1660	3-Point: Cat. 1	283	60	✓	✓	✓	
	RB1672	3-Point: Cat. 1	297	72	✓	✓	✓	
	RB1684	3-Point: Cat. 1	319	84	✓	✓	✓	
	RB2672	3-Point: Cat. 1	369	72	✓	✓	✓	✓
	RB2684	3-Point: Cat. 1	396	84	✓	✓	✓	✓
	RB2696	3-Point: Cat. 1	425	96		✓	✓	✓
	RB3772	3-Point: Cat. 1,2	595	72			✓	✓
	RB3784	3-Point: Cat. 1,2	630	84			✓	✓
	RB3796	3-Point: Cat. 1,2	665	96				✓
	RBT3584	3-Point: Cat. 1,2	709	84			✓	✓
RBT3596	3-Point: Cat. 1,2	745	96				✓	
Ripper Shanks	RS15	3-Point: Cat. 1,2	210	40.625			✓	✓
Rotary Cutters (Offset)	RCD1884 (3PT)	3-Point: Cat. 1	905	84				✓

Rotary Cutters (Single Spindle)	RCR1242	3-Point: Cat. 1	383	42	✓	✓	✓	
	RCR1248	3-Point: Cat. 1	400	48	✓	✓	✓	✓
	RCR1260	3-Point: Cat. 1	478	60	✓	✓	✓	✓
	RCR1272	3-Point: Cat. 1	564	72		✓	✓	✓
	RCR1548	3-Point: Cat. 1	424	45.5		✓	✓	✓
	RCR1860	3-Point: Cat. 1	599	57		✓	✓	✓
	RCR1872	3-Point: Cat. 1	737	69		✓	✓	✓
	RCF2060	3-Point: Cat. 1	620	60		✓	✓	✓
	RCF2072	3-Point: Cat. 1	745	72		✓	✓	✓
Rotary Tillers	RTA1242	3-Point: Cat. 1	391	42	✓	✓	✓	
	RTA1250	3-Point: Cat. 1	421	50	✓	✓	✓	
	RTA1258	3-Point: Cat. 1	448	58	✓	✓	✓	✓
	RTA1266	3-Point: Cat. 1	476	66	✓	✓	✓	✓
	RTA1274	3-Point: Cat. 1	503	74		✓	✓	✓
	RTA1282	3-Point: Cat. 1	552	82				✓
	RTA1558	3-Point: Cat. 1	444	58	✓	✓	✓	✓
	RTA1566	3-Point: Cat. 1	476	66	✓	✓	✓	✓
	RTA1574	3-Point: Cat. 1	508	74		✓	✓	✓
	RTA2064	3-Point: Cat. 1	689	64	✓	✓	✓	✓
	RTA2072	3-Point: Cat. 1	734	72		✓	✓	✓
	RTA2562	3-Point: Cat. 1	649	64		✓	✓	✓
	RTA2570	3-Point: Cat. 1	663	70		✓	✓	✓
	RTA3576	3-Point: Cat. 1,2	856	76				✓
	RTR0542	3-Point: Cat. 1	268	42	✓			
RTR0550	3-Point: Cat. 1	298	50	✓				

Rotary Tillers (cont.)	RTR1242	3-Point: Cat. 1	404	42	✓	✓	✓	
	RTR1250	3-Point: Cat. 1	435	50	✓	✓	✓	
	RTR1258	3-Point: Cat. 1	463	58	✓	✓	✓	✓
	RTR1266	3-Point: Cat. 1	493	66	✓	✓	✓	✓
	RTR1274	3-Point: Cat. 1	521	74		✓	✓	✓
	RTR1282	3-Point: Cat. 1	581	82				✓
	RTR1558	3-Point: Cat. 1	444	58	✓	✓	✓	✓
	RTR1566	3-Point: Cat. 1	476	66	✓	✓	✓	✓
	RTR1574	3-Point: Cat. 1	508	74		✓	✓	✓
	RTR2064	3-Point: Cat. 1	748	64	✓	✓	✓	✓
	RTR2072	3-Point: Cat. 1	795	72		✓	✓	✓
	RTR2570	3-Point: Cat. 1	868	70		✓	✓	✓
	RGA1242	3-Point: Cat. 1	458	42	✓	✓	✓	✓
	RGA1250	3-Point: Cat. 1	493	50	✓	✓	✓	✓
	RGA1258	3-Point: Cat. 1	526	58	✓	✓	✓	✓
	RGA1266	3-Point: Cat. 1	562	66	✓	✓	✓	✓
	RGA1274	3-Point: Cat. 1	596	74		✓	✓	✓
	RGA1282	3-Point: Cat. 1	647	82				✓
	RGR1242	3-Point: Cat. 1	462	42	✓	✓	✓	✓
	RGR1250	3-Point: Cat. 1	497	50	✓	✓	✓	✓
	RGR1258	3-Point: Cat. 1	530	58	✓	✓	✓	✓
	RGR1266	3-Point: Cat. 1	567	66	✓	✓	✓	✓
	RGR1274	3-Point: Cat. 1	601	74		✓	✓	✓
	RGR1282	3-Point: Cat. 1	653	82				✓

Scarifiers	SF2566	3-Point: Cat. 1	208	60		✓	✓	✓
	SF2577	3-Point: Cat. 1	235	72		✓	✓	✓
Seed Bed Rollers	SBR72 (3PT)	3-Point: Cat. 1	442	69	✓	✓	✓	✓
	SBR72 (P-T)	Pull-Type	478	69	✓	✓	✓	✓
Snow Pushers	SPL1060	Loader: Universal QA	346	60	✓	✓	✓	✓
	SPL1072	Loader: Universal QA	377	72	✓	✓	✓	✓
	SPL1086	Loader: Universal QA	410	84	✓	✓	✓	✓
	SSP1572	Loader: Universal QA	685	72				✓
	SSP1584	Loader: Universal QA	638	84				✓
	SSP1596	Loader: Universal QA	688	96				✓
Snow Trip Blades	STB1060	Loader: Universal QA	379	60	✓	✓	✓	
	STB1072	Loader: Universal QA	403	72	✓	✓	✓	
	STB1572	Loader: Universal QA	629	72				✓
	STB1584	Loader: Universal QA	664	84				✓
	STB1596	Loader: Universal QA	698	96				✓
	TB2596	Loader: Universal QA	634	96				✓
Snowblowers	SB1051	3-Point: Cat. 1	400	51	✓			
	SB1064	3-Point: Cat. 1	494	64	✓	✓	✓	✓
Soil Pulverizers	SP2060**	3-Point: Cat. 1	491	60		✓	✓	✓
	SP2072**	3-Point: Cat. 1	561	72		✓	✓	✓
	SP3072**	3-Point: Cat. 1	671	72				✓
	SP3084**	3-Point: Cat. 1	721	84				✓
Spike Tooth Harrows	STH1590	3-Point: Cat. 1	237	90	✓	✓	✓	✓

Spreaders	FSP500**	3-Point: Cat. 1	119	37.2	✓	✓	✓	✓
	FSP700**	3-Point: Cat. 1	128	44	✓	✓	✓	✓
	FSP1000**	3-Point: Cat. 1	139	46.8	✓	✓	✓	✓
	PFS4000**	3-Point: Cat. 1	196	46	✓	✓	✓	✓
	PFS5060**	3-Point: Cat. 1,2	302	55.1	✓	✓	✓	✓
	PTS500**	Pull-Type	165	41	✓	✓	✓	✓
	PTS700**	Pull-Type	176	41	✓	✓	✓	✓
Straw Crimpers	CR2572**	3-Point: Cat. 1	475	69	✓	✓	✓	✓
Wood Chippers	WC1503	3-Point: Cat. 1	369	N/A	✓			
	WC1504	3-Point: Cat. 1	450	N/A	✓	✓	✓	✓
Number of Performance Matched Attachments/Implements:					102	136	138	150

Notice:
- Check with the tractor manual to verify for proper ballasting when using an implement or attachment on the machine.
- Additional kits (Rear Remotes, Third Function valves, etc.) may be required in order to use any of the above implements. Check with your local dealer to determine what is needed for proper fitment and operation.
- (**) This implement/attachment is approved for the base weight, but allows for additional ballasting (concrete blocks, seed, water tanks). Verify with the tractor manual and ensure proper ballasting before adding any additional weight to the implement/attachment.

Kubota Corporation notes that specifications and technical information are subject to changes without notice and Kubota does not represent or warrant that the information in this publication is completely accurate or current; however, Kubota used reasonable efforts to set forth and include accurate and up to date information in this publication. Kubota disclaims all representations and warranties, whether express or implied, including, but not limited to, warranties of merchantability and fitness for a particular purpose and Kubota shall not be liable for any damages, whether compensatory, direct, indirect, incidental, special, or consequential, arising out of or in connection with the use of this publication, or in the information therein.