



Performance Matched Attachments/Implements

Grand L Series



The below identified implements are either manufactured by Kubota or have received an Engineering Release approving use by Kubota, and thus meet the performance matching requirements for the specified power machines for normally anticipated operating conditions.

The specifications below are intended for general application; unusual soil, terrain, or severe operating conditions may not allow for the use of a specific implement under those operating conditions. The use of implements which are neither manufactured or approved by Kubota for use with the specified power machines and which do not meet the below specifications may result in malfunctions or damage to the power machine, damage to other property and/or injury to the operator or to others. Any such malfunctions or damages are not covered by the Kubota express limited warranty.

The power machine, implement, and operating conditions need to be evaluated and monitored by the operator to be sure that the conditions are within a safe operating envelope for general use.

| Implement Type | Implement Model | Mounting Type | Weight (lb) | Working Width (in) | L3560 DT-GST-HST-HSTC | L4060 DT-GST-HST-HSTC | L4760 GST-HST-HSTC | L5060 GST | L5460 HST-HSTC | L6060 HST-HSTC |
|---------------------|-----------------|-------------------------|-------------|--------------------|-----------------------|-----------------------|--------------------|-----------|----------------|----------------|
| Aerators | AR2510** | Pull-Type | 2200 | 116 | | ✓ | ✓ | ✓ | ✓ | ✓ |
| | AR2596** | Pull-Type | 1700 | 86 | | ✓ | ✓ | ✓ | ✓ | ✓ |
| | CA1548** | 3-Point 0,1 | 156 | 41 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| | CA1556** | 3-Point 0,1 | 170 | 50 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| | CA1564** | 3-Point 0,1 | 184 | 58 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| | CA1572** | 3-Point 0,1 | 208 | 66 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| | CA2560** | 3-Point 1 | 464 | 60 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| | CA2572** | 3-Point 1 | 480 | 72 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| All Flex Mowers | AFM4211 | Pull-Type | 2040 | 133 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| | AFM4214 | Pull-Type | 3000 | 168 | | ✓ | ✓ | ✓ | ✓ | ✓ |
| | AFM4216 | Pull-Type | 3315 | 202 | | ✓ | ✓ | ✓ | ✓ | ✓ |
| All Purpose Seeders | APS1548** | 3-Point 1 | 700 | 52 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Bale Spears | BS10 | Loader: Universal QA | 168 | 46 | ✓ | ✓ | | | | |
| | BS20 | Loader: Universal QA | 208 | 46 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| | BS30 | Loader: Universal QA | 228 | 54 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| | BS40 | Loader: Universal QA | 242 | 54 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| | BS50 | Loader: Universal QA | 286 | 66.75 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| | BSR20 | 3-Point 2,3 | 152 | N/A | | | | ✓ | ✓ | ✓ |
| | BSR30 | 3-Point 2,3 | 165 | N/A | | | | ✓ | ✓ | ✓ |
| | BSR40 | 3-Point 2,3 | 252 | N/A | | | | ✓ | ✓ | ✓ |

| | | | | | | | | | | |
|-----------------------------|--------------|-------------------------|------|-------|---|---|---|---|---|---|
| Box Blades | BB1560 | 3-Point: 1 | 428 | 60 | ✓ | ✓ | | | | |
| | BB1566 | 3-Point: 1 | 450 | 66 | ✓ | ✓ | | | | |
| | BB1572 | 3-Point: 1 | 504 | 72 | ✓ | ✓ | | | | |
| | BB2560 | 3-Point: 1 | 471 | 60 | ✓ | ✓ | ✓ | ✓ | ✓ | |
| | BB2566 | 3-Point: 1 | 500 | 66 | ✓ | ✓ | ✓ | ✓ | ✓ | |
| | BB2572 | 3-Point: 1 | 549 | 72 | ✓ | ✓ | ✓ | ✓ | ✓ | |
| | BB2584 | 3-Point: 1 | 593 | 84 | | | ✓ | ✓ | ✓ | |
| | BB3578 | 3-Point: 1,2 | 825 | 78 | | | ✓ | ✓ | ✓ | ✓ |
| | BB3584 | 3-Point: 1,2 | 855 | 84 | | | ✓ | ✓ | ✓ | ✓ |
| | HR2572 | 3-Point: 1 | 851 | 72 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| | HRL3578 | 3-Point: 1,2 | 981 | 78 | | | ✓ | ✓ | ✓ | ✓ |
| | MR1572 | 3-Point: 1 | 615 | 72 | ✓ | ✓ | | | | |
| Buckets | SRB1566 | Loader: Universal QA | 509 | 66.75 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| | SRB1572 | Loader: Universal QA | 551 | 72.75 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| | SRB1578 | Loader: Universal QA | 592 | 78.75 | | | ✓ | ✓ | ✓ | ✓ |
| | SSB1566 | Loader: Universal QA | 390 | 66.75 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| | SSB1578 | Loader: Universal QA | 442 | 78.75 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Compact Drills (No Till) | 606NT** | Pull-Type | 2700 | 67.5 | | ✓ | ✓ | ✓ | ✓ | ✓ |
| | 706NT** | Pull-Type | 3900 | 84 | | | | | | ✓ |
| | 800 Series** | Pull-Type | 2579 | 90 | | | ✓ | ✓ | ✓ | ✓ |
| Disc Harrows | DH1048 | 3-Point: 1 | 420 | 48 | ✓ | ✓ | | | | |
| | DH1060 | 3-Point: 1 | 549 | 60 | ✓ | ✓ | | | | |
| | DH1560 | 3-Point: 1 | 628 | 60 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| | DH1572 | 3-Point: 1 | 714 | 72 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| | DH1590 | 3-Point: 1 | 865 | 90 | | | ✓ | ✓ | ✓ | ✓ |
| | DH3510 | Pull-Type | 2491 | 126 | | | ✓ | ✓ | ✓ | ✓ |
| | DH3512 | Pull-Type | 2747 | 144 | | | | | | ✓ |

| | | | | | | | | | | |
|-------------------|---------|-------------------------|------|----|---|---|---|---|---|---|
| Ditchers | DT35 | 3-Point: 1,2 | 390 | 18 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| | DT55 | 3-Point: 2,3 | 900 | 20 | | | | | | ✓ |
| Drag Harrows | DRG04 | Pull-Type | 89 | 48 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| | DRG06 | Pull-Type | 138 | 72 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| | DRG08 | Pull-Type | 185 | 96 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Field Cultivators | FC10 | 3-Point: 1 | 135 | 57 | ✓ | ✓ | | | | |
| | FC15 | 3-Point: 1 | 289 | 72 | ✓ | ✓ | ✓ | ✓ | | |
| Flail Mowers | FM2548 | 3-Point: 1 | 780 | 48 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| | FM2560 | 3-Point: 1 | 929 | 60 | | | | ✓ | ✓ | ✓ |
| | FM2572 | 3-Point: 1,2 | 1040 | 72 | | | | ✓ | ✓ | ✓ |
| Food Plot Seeders | FPS48** | Pull-Type | 370 | 54 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Grading Scrapers | GS1548 | 3-Point: 1 | 437 | 48 | ✓ | ✓ | ✓ | ✓ | | |
| | GS1560 | 3-Point: 1 | 511 | 60 | ✓ | ✓ | ✓ | ✓ | | |
| | GS1572 | 3-Point: 1 | 594 | 72 | ✓ | ✓ | ✓ | ✓ | | |
| | GS2572 | 3-Point: 1,2 | 728 | 72 | | ✓ | ✓ | ✓ | ✓ | ✓ |
| | GS2584 | 3-Point: 1,2 | 796 | 84 | | | ✓ | ✓ | ✓ | ✓ |
| Grapples | SGC1060 | Loader: Universal QA | 356 | 62 | ✓ | ✓ | ✓ | ✓ | ✓ | |
| | SGC1072 | Loader: Universal QA | 414 | 75 | ✓ | ✓ | ✓ | ✓ | ✓ | |
| | SGM1566 | Loader: Universal QA | 596 | 66 | | | | ✓ | ✓ | ✓ |
| | SGM1572 | Loader: Universal QA | 620 | 72 | | | | ✓ | ✓ | ✓ |
| | SGM1578 | Loader: Universal QA | 648 | 78 | | | | ✓ | ✓ | ✓ |
| Grooming Mowers | FDR1648 | 3-Point: 1 | 486 | 48 | ✓ | ✓ | | | | |
| | FDR1660 | 3-Point: 1 | 577 | 60 | ✓ | ✓ | | | | |
| | FDR1672 | 3-Point: 1 | 619 | 72 | ✓ | ✓ | | | | |
| | FDR2572 | 3-Point: 1 | 718 | 72 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| | FDR2584 | 3-Point: 1 | 812 | 84 | | | ✓ | ✓ | ✓ | ✓ |
| | FDR3690 | 3-Point: 1 | 930 | 90 | | | | ✓ | ✓ | ✓ |

| | | | | | | | | | | |
|---------------------|--------------|-----------------------------|------|------|---|---|---|---|---|---|
| Hydraulic Reservoir | HRS30 | 3-Point: 1,2 | 612 | N/A | | | | | ✓ | ✓ |
| Landscape Rakes | LR1660 | 3-Point: 1 | 241 | 60 | ✓ | ✓ | | | | |
| | LR1672 | 3-Point: 1 | 270 | 72 | ✓ | ✓ | | | | |
| | LR1684 | 3-Point: 1 | 291 | 84 | ✓ | ✓ | | | | |
| | LR1696 | 3-Point: 1 | 316 | 96 | ✓ | ✓ | | | | |
| | LR2684 | 3-Point: 1 | 330 | 84 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| | LR2696 | 3-Point: 1 | 348 | 96 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| | LR3784 | 3-Point: 1,2 | 460 | 84 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| | LR3796 | 3-Point: 1,2 | 483 | 96 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Moldboard Plows | MP10 | 3-Point: 1 | 294 | 14 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| | MP20 | 3-Point: 1 | 513 | 27.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| No-Till Seeders | NTS2507** | Pull-Type | 2425 | 86 | | | | | | ✓ |
| Pallet Forks | PF20 | Loader: Bucket | 110 | N/A | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| | PFL2042 | Loader: Universal QA | 330 | 46 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| | PFL3042 | Loader: Universal QA | 340 | 46 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| | PFL3048 | Loader: Universal QA | 358 | 46 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| | PFL4548 | Loader: Universal QA | 422 | 46 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| | PFL5548 | Loader: Universal QA | 436 | 46 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| | PFL5560 | Loader: Universal QA | 482 | 46 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Post Hole Diggers | PD15** | 3-Point: 1 | 161 | N/A | ✓ | ✓ | | | | |
| | PD25** | 3-Point: 1,2 | 186 | N/A | ✓ | ✓ | ✓ | ✓ | ✓ | |
| | PD35** | 3-Point: 1,2 | 233 | N/A | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| | HD25** (3PT) | 3-Point: 1,2 | 235 | N/A | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| | HD25** | Loader: Universal QA Bucket | 268 | N/A | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| | SA20** | Loader: Universal QA Bucket | 173 | N/A | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |

| | | | | | | | | | | |
|-------------------------------|---------------|--------------|------|--------|---|---|---|---|---|---|
| Powered Rakes | PR1660 | 3-Point: 1 | 980 | 60 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| | PR1672 | 3-Point: 1 | 1000 | 72 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| | PR1690 | 3-Point: 1,2 | 1150 | 90 | | | ✓ | ✓ | ✓ | ✓ |
| Quick Hitches | QH10 | 3-Point: 1 | 68 | N/A | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| | QH15 | 3-Point: 1 | 70 | N/A | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| | QH20 | 3-Point: 2 | 120 | N/A | | | | ✓ | ✓ | ✓ |
| Rear Blades | RB1560 | 3-Point: 1 | 248 | 60 | ✓ | ✓ | | | | |
| | RB1572 | 3-Point: 1 | 269 | 72 | ✓ | ✓ | | | | |
| | RB1584 | 3-Point: 1 | 289 | 84 | ✓ | ✓ | | | | |
| | RB1660 | 3-Point: 1 | 283 | 60 | ✓ | ✓ | | | | |
| | RB1672 | 3-Point: 1 | 297 | 72 | ✓ | ✓ | | | | |
| | RB1684 | 3-Point: 1 | 319 | 84 | ✓ | ✓ | | | | |
| | RB2672 | 3-Point: 1 | 369 | 72 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| | RB2684 | 3-Point: 1 | 396 | 84 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| | RB2696 | 3-Point: 1 | 425 | 96 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| | RB3772 | 3-Point: 1,2 | 595 | 72 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| | RB3784 | 3-Point: 1,2 | 630 | 84 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| | RB3796 | 3-Point: 1,2 | 665 | 96 | | | ✓ | ✓ | ✓ | ✓ |
| | RBT3584 | 3-Point: 1,2 | 709 | 84 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| | RBT3596 | 3-Point: 1,2 | 745 | 96 | | | ✓ | ✓ | ✓ | ✓ |
| Ripper Shanks | RS15 | 3-Point: 1,2 | 210 | 40.625 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Rotary Cutters (Dual Spindle) | RCF3010 (P-T) | Pull-Type | 2214 | 120 | | | | | | ✓ |
| | RCF3096 (P-T) | Pull-Type | 1976 | 96 | | | ✓ | ✓ | | ✓ |
| | RCF3610 (P-T) | Pull-Type | 2430 | 120 | | | | | | ✓ |
| | RCF3696 (P-T) | Pull-Type | 2090 | 96 | | | | | | ✓ |
| | RCR2510 (P-T) | Pull-Type | 2035 | 118 | | | | | | ✓ |
| | RCR2596 (P-T) | Pull-Type | 1665 | 94 | | | ✓ | ✓ | | ✓ |
| | RCF3096 (3PT) | 3-Point: 1,2 | 1587 | 96 | | | | | | ✓ |
| | RCR2596 (3PT) | 3-Point: 1,2 | 1380 | 94 | | | | | | ✓ |

| | | | | | | | | | | |
|------------------------------------|------------------|-----------------|------|------|----|---|---|---|---|---|
| Rotary Cutters (Folding) | RC2512 | Pull-Type | 2540 | 144 | | | | ✓ | ✓ | ✓ |
| | RC2515 | Pull-Type | 3255 | 180 | | | | | | ✓ |
| | RC3615 | Pull-Type | 3730 | 180 | | | | | | ✓ |
| | RC4015 | Pull-Type | 3930 | 180 | | | | | | ✓ |
| | RC3712 | Pull-Type | 3800 | 144 | | | | | | ✓ |
| | RCD1884 (3PT) | 3-Point: 1 | | 905 | 84 | | | ✓ | ✓ | ✓ |
| Rotary Cutters (Single Spindle) | RCR1242 | 3-Point: 1 | 383 | 42 | ✓ | ✓ | | | | |
| | RCR1248 | 3-Point: 1 | 400 | 48 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| | RCR1260 | 3-Point: 1 | 478 | 60 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| | RCR1272 | 3-Point: 1 | 564 | 72 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| | RCR1548 | 3-Point: 1 | 424 | 45.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| | RCR1860 | 3-Point: 1 | 599 | 57 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| | RCR1872 | 3-Point: 1 | 737 | 69 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| | RCR1884 | 3-Point: 1 | 851 | 84 | | | | | ✓ | ✓ |
| | RCR2660 | 3-Point: 1,2 | 1002 | 60 | | | | ✓ | ✓ | ✓ |
| | RCR2672 | 3-Point: 1,2 | 1046 | 72 | | | | ✓ | ✓ | ✓ |
| | RCF2060 | 3-Point: 1 | 620 | 60 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| | RCF2072 | 3-Point: 1 | 745 | 72 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| | RCF2760 | 3-Point: 1,2 | 955 | 60 | | | | ✓ | ✓ | ✓ |
| Rotary Tillers | RTA1242 | 3-Point: 1 | 391 | 42 | ✓ | ✓ | | | | |
| | RTA1250 | 3-Point: 1 | 421 | 50 | ✓ | ✓ | | | | |
| | RTA1258 | 3-Point: 1 | 448 | 58 | ✓ | ✓ | ✓ | ✓ | | |
| | RTA1266 | 3-Point: 1 | 476 | 66 | ✓ | ✓ | ✓ | ✓ | | |
| | RTA1274 | 3-Point: 1 | 503 | 74 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| | RTA1282 | 3-Point: 1 | 552 | 82 | | | ✓ | ✓ | ✓ | ✓ |
| | RTA1558 | 3-Point: 1 | 444 | 58 | ✓ | ✓ | ✓ | ✓ | | |
| | RTA1566 | 3-Point: 1 | 476 | 66 | ✓ | ✓ | ✓ | ✓ | | |
| | RTA1574 | 3-Point: 1 | 508 | 74 | ✓ | ✓ | ✓ | ✓ | | |
| | RTA2064 | 3-Point: 1 | 689 | 64 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |

| | | | | | | | | | | |
|----------------|---------|-----------------|-----|----|---|---|---|---|---|---|
| Rotary Tillers | RTA2072 | 3-Point: 1 | 734 | 72 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| | RTA2562 | 3-Point: 1 | 649 | 64 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| | RTA2570 | 3-Point: 1 | 663 | 70 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| | RTA3576 | 3-Point: 1,2 | 856 | 76 | | | ✓ | ✓ | ✓ | ✓ |
| | RTR1242 | 3-Point: 1 | 404 | 42 | ✓ | ✓ | | | | |
| | RTR1250 | 3-Point: 1 | 435 | 50 | ✓ | ✓ | | | | |
| | RTR1258 | 3-Point: 1 | 463 | 58 | ✓ | ✓ | ✓ | ✓ | | |
| | RTR1266 | 3-Point: 1 | 493 | 66 | ✓ | ✓ | ✓ | ✓ | | |
| | RTR1274 | 3-Point: 1 | 521 | 74 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| | RTR1282 | 3-Point: 1 | 581 | 82 | | | ✓ | ✓ | ✓ | ✓ |
| | RTR1558 | 3-Point: 1 | 444 | 58 | ✓ | ✓ | ✓ | ✓ | | |
| | RTR1566 | 3-Point: 1 | 476 | 66 | ✓ | ✓ | ✓ | ✓ | | |
| | RTR1574 | 3-Point: 1 | 508 | 74 | ✓ | ✓ | ✓ | ✓ | | |
| | RTR2064 | 3-Point: 1 | 748 | 64 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| | RTR2072 | 3-Point: 1 | 795 | 72 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| | RTR2570 | 3-Point: 1 | 868 | 70 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| | RGA1242 | 3-Point: 1 | 458 | 42 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| | RGA1250 | 3-Point: 1 | 493 | 50 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| | RGA1258 | 3-Point: 1 | 526 | 58 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| | RGA1266 | 3-Point: 1 | 562 | 66 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| | RGA1274 | 3-Point: 1 | 596 | 74 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| | RGA1282 | 3-Point: 1 | 647 | 82 | | | ✓ | ✓ | ✓ | ✓ |
| | RGR1242 | 3-Point: 1 | 462 | 42 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| | RGR1250 | 3-Point: 1 | 497 | 50 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| | RGR1258 | 3-Point: 1 | 530 | 58 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| | RGR1266 | 3-Point: 1 | 567 | 66 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| | RGR1274 | 3-Point: 1 | 601 | 74 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| | RGR1282 | 3-Point: 1 | 653 | 82 | | | ✓ | ✓ | ✓ | ✓ |

| | | | | | | | | | | |
|---------------------|-------------|-------------------------|------|-----|---|---|---|---|---|---|
| Scarifiers | SF2566 | 3-Point: 1 | 208 | 60 | ✓ | ✓ | ✓ | ✓ | | |
| | SF2577 | 3-Point: 1 | 235 | 72 | ✓ | ✓ | ✓ | ✓ | | |
| Seed Bed Rollers | SBR72 (3PT) | 3-Point: 1 | 442 | 69 | ✓ | ✓ | ✓ | ✓ | | |
| | SBR72 (P-T) | Pull-Type | 478 | 69 | ✓ | ✓ | ✓ | ✓ | | |
| Snow Pushers | SPL1060 | Loader: Universal QA | 346 | 60 | ✓ | ✓ | | | | |
| | SPL1072 | Loader: Universal QA | 377 | 72 | ✓ | ✓ | | | | |
| | SPL1086 | Loader: Universal QA | 410 | 84 | ✓ | ✓ | | | | |
| | SSP1572 | Loader: Universal QA | 685 | 72 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| | SSP1584 | Loader: Universal QA | 638 | 84 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| | SSP1596 | Loader: Universal QA | 688 | 96 | | | ✓ | ✓ | ✓ | ✓ |
| | SSP2596 | Loader: Universal QA | 844 | 96 | | | ✓ | ✓ | ✓ | ✓ |
| Snow Trip Blades | STB1060 | Loader: Universal QA | 379 | 60 | ✓ | ✓ | | | | |
| | STB1072 | Loader: Universal QA | 403 | 72 | ✓ | ✓ | | | | |
| | STB1572 | Loader: Universal QA | 629 | 72 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| | STB1584 | Loader: Universal QA | 664 | 84 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| | STB1596 | Loader: Universal QA | 698 | 96 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| | TB2596 | Loader: Universal QA | 634 | 96 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| | TB25108 | Loader: Universal QA | 653 | 108 | | | | ✓ | ✓ | ✓ |
| Snowblowers | SB1064 | 3-Point: 1 | 494 | 64 | ✓ | ✓ | ✓ | ✓ | ✓ | |
| | SB1574 | 3-Point: 1 | 640 | 74 | | | ✓ | ✓ | ✓ | |
| Soil Pulverizers | SP2060** | 3-Point: 1 | 491 | 60 | ✓ | ✓ | ✓ | ✓ | ✓ | |
| | SP2072** | 3-Point: 1 | 561 | 72 | ✓ | ✓ | ✓ | ✓ | ✓ | |
| | SP3072** | 3-Point: 1 | 671 | 72 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| | SP3084** | 3-Point: 1 | 721 | 84 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Spike Tooth Harrows | STH1590 | 3-Point: 1 | 237 | 90 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| | STH2024 | Pull-Type | 2100 | 283 | | | ✓ | ✓ | ✓ | ✓ |

| | | | | | | | | | | |
|--|-----------|-----------------|-----|------|------------|------------|------------|------------|------------|------------|
| Spreaders | FSP500** | 3-Point: 1 | 119 | 37.2 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| | FSP700** | 3-Point: 1 | 128 | 44 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| | FSP1000** | 3-Point: 1 | 139 | 46.8 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| | PFS4000** | 3-Point: 1 | 196 | 46 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| | PFS5060** | 3-Point: 1,2 | 302 | 55.1 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| | PFS8010** | 3-Point: 2 | 425 | 75 | | | | ✓ | ✓ | ✓ |
| | PTS500** | Pull-Type | 165 | 41 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| | PTS700** | Pull-Type | 176 | 41 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Straw Crimpers | CR2572** | 3-Point: 1 | 475 | 69 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Wood Chippers | WC1504 | 3-Point: 1 | 450 | N/A | ✓ | ✓ | ✓ | ✓ | | |
| Number of Performance Matched Attachments/Implements: | | | | | 158 | 164 | 155 | 173 | 156 | 159 |

Notice:

- Check with the tractor manual to verify for proper ballasting when using an implement or attachment on the machine.
- Additional kits (Rear Remotes, Third Function valves, etc.) may be required in order to use any of the above implements. Check with your local dealer to determine what is needed for proper fitment and operation.
- (**) This implement/attachment is approved for the base weight, but allows for additional ballasting (concrete blocks, seed, water tanks). Verify with the tractor manual and ensure proper ballasting before adding any additional weight to the implement/attachment.

Kubota Corporation notes that specifications and technical information are subject to changes without notice and Kubota does not represent or warrant that the information in this publication is completely accurate or current; however, Kubota used reasonable efforts to set forth and include accurate and up to date information in this publication. Kubota disclaims all representations and warranties, whether express or implied, including, but not limited to, warranties of merchantability and fitness for a particular purpose and Kubota shall not be liable for any damages, whether compensatory, direct, indirect, incidental, special, or consequential, arising out of or in connection with the use of this publication, or in the information therein.