



Performance Matched Attachments/Implements

M60 Series



The below identified implements are either manufactured by Kubota or have received an Engineering Release approving use by Kubota, and thus meet the performance matching requirements for the specified power machines for normally anticipated operating conditions.

The specifications below are intended for general application; unusual soil, terrain, or severe operating conditions may not allow for the use of a specific implement under those operating conditions. The use of implements which are neither manufactured or approved by Kubota for use with the specified power machines and which do not meet the below specifications may result in malfunctions or damage to the power machine, damage to other property and/or injury to the operator or to others. Any such malfunctions or damages are not covered by the Kubota express limited warranty.

The power machine, implement, and operating conditions need to be evaluated and monitored by the operator to be sure that the conditions are within a safe operating envelope for general use.

Implement Type	Implement Model	Mounting Type	Weight (lb)	Working Width (in)	M5660 SUH	M5660 SUHD	M6060 HFC	M6060 HD-HDC	M7060 HFC	M7060 HD-HDC	M7060 HD12-HDC12
Aerators	AR2510**	Pull-Type	2200	116	✓	✓	✓	✓	✓	✓	✓
	AR2596**	Pull-Type	1700	86	✓	✓	✓	✓	✓	✓	✓
	CA2560**	3-Point ₁	464	60	✓	✓	✓	✓			
	CA2572**	3-Point ₁	480	72	✓	✓	✓	✓			
All Flex Mowers	AFM4211	Pull-Type	2040	133	✓	✓	✓	✓			
	AFM4214	Pull-Type	3000	168	✓	✓	✓	✓			
	AFM4216	Pull-Type	3315	202	✓	✓	✓	✓			
	AFM4522	Pull-Type	4150	261					✓	✓	✓
All Purpose Seeders	APS1548**	3-Point ₁	700	52	✓	✓	✓	✓	✓	✓	✓
	APS1560**	3-Point ₁	884	61	✓	✓	✓	✓	✓	✓	✓
	APS1572**	3-Point ₁	1046	73					✓	✓	✓
Bale Spears	BS30	Loader: Universal QA	228	54	✓	✓	✓	✓	✓	✓	✓
	BS40	Loader: Universal QA	242	54	✓	✓	✓	✓	✓	✓	✓
	BS50	Loader: Universal QA	286	66.75	✓	✓	✓	✓	✓	✓	✓
	BSR20	3-Point _{2,3}	152	N/A	✓	✓	✓	✓	✓	✓	✓
	BSR30	3-Point _{2,3}	165	N/A	✓	✓	✓	✓	✓	✓	✓
	BSR40	3-Point _{2,3}	252	N/A	✓	✓	✓	✓	✓	✓	✓
Box Blades	BB3578	3-Point _{1,2}	825	78	✓	✓	✓	✓	✓	✓	✓
	BB3584	3-Point _{1,2}	855	84	✓	✓	✓	✓	✓	✓	✓
	BB3596	3-Point _{1,2}	935	96						✓	✓
	HR2572	3-Point ₁	851	72	✓	✓					
	HRL3578	3-Point _{1,2}	981	78	✓	✓	✓	✓	✓	✓	✓
	HR3584	3-Point _{1,2}	1119	84					✓	✓	✓

Buckets	LM25108	Loader: Universal QA	869	108	✓	✓	✓	✓	✓	✓	✓
	LM2584	Loader: Universal QA	719	84	✓	✓	✓	✓	✓	✓	✓
	LM2596	Loader: Universal QA	803	96	✓	✓	✓	✓	✓	✓	✓
	SRB1566	Loader: Universal QA	509	66.75	✓	✓	✓	✓	✓	✓	✓
	SRB1572	Loader: Universal QA	551	72.75	✓	✓	✓	✓	✓	✓	✓
	SRB1578	Loader: Universal QA	592	78.75	✓	✓	✓	✓	✓	✓	✓
	SSB1566	Loader: Universal QA	390	66.75	✓	✓	✓	✓	✓	✓	✓
	SSB1578	Loader: Universal QA	442	78.75	✓	✓	✓	✓	✓	✓	✓
Compact Drills (No Till)	606NT**	Pull-Type	2700	67.5	✓	✓	✓	✓	✓	✓	✓
	706NT**	Pull-Type	3900	84	✓	✓	✓	✓	✓	✓	✓
Compact Drills (Min Till)	3P500**	3-Point: 1,2	1170	52.5					✓	✓	✓
	800 Series**	Pull-Type	2579	90	✓	✓	✓	✓	✓	✓	✓
Disc Harrows	DH1560	3-Point: 1	628	60	✓	✓	✓	✓			
	DH1572	3-Point: 1	714	72	✓	✓	✓	✓			
	DH1590	3-Point: 1	865	90	✓	✓	✓	✓			
	DH2572	3-Point: 1,2	947	72	✓	✓	✓	✓	✓	✓	✓
	DH2596	3-Point: 1,2	1143	96					✓	✓	✓
	DH3510	Pull-Type	2491	126	✓	✓	✓	✓	✓	✓	✓
	DH3512	Pull-Type	2747	144	✓	✓	✓	✓	✓	✓	✓
Ditchers	DT35	3-Point: 1,2	390	18	✓	✓					
	DT55	3-Point: 2,3	900	20			✓	✓	✓	✓	✓
Drag Harrows	DRG04	Pull-Type	89	48	✓	✓	✓	✓	✓	✓	✓
	DRG06	Pull-Type	138	72	✓	✓	✓	✓	✓	✓	✓
	DRG08	Pull-Type	185	96	✓	✓	✓	✓	✓	✓	✓
Drag Scrapers	BB4510**	Pull-Type	1645	120					✓	✓	✓
	BB4512**	Pull-Type	1700	144					✓	✓	✓
	BB4596**	Pull-Type	1525	95.125					✓	✓	✓

Flail Mowers	FM2548	3-Point: 1	780	48	✓	✓	✓	✓	✓	✓	✓
	FM2560	3-Point: 1	929	60	✓	✓	✓	✓	✓	✓	✓
	FM2572	3-Point: 1,2	1040	72	✓	✓	✓	✓	✓	✓	✓
	FM2584	3-Point: 1,2	1168	84	✓	✓	✓	✓	✓	✓	✓
Food Plot Seeders	FPS48**	Pull-Type	370	54	✓	✓	✓	✓			
Grading Scrapers	GS2572	3-Point: 1,2	728	72	✓	✓	✓	✓	✓	✓	✓
	GS2584	3-Point: 1,2	796	84	✓	✓	✓	✓	✓	✓	✓
	GS2596	3-Point: 1,2	864	96			✓	✓	✓	✓	✓
Grapples	SGC1560	Loader: Universal QA	784	63	✓	✓	✓	✓	✓	✓	✓
	SGC1572	Loader: Universal QA	882	74	✓	✓	✓	✓	✓	✓	✓
	SGC2072	Loader: Universal QA	895	74.5	✓	✓	✓	✓	✓	✓	✓
	SGM1566	Loader: Universal QA	596	66	✓	✓	✓	✓	✓	✓	✓
	SGM1572	Loader: Universal QA	620	72	✓	✓	✓	✓	✓	✓	✓
	SGM1578	Loader: Universal QA	648	78	✓	✓	✓	✓	✓	✓	✓
	SGR1566	Loader: Universal QA	889	66	✓	✓	✓	✓	✓	✓	✓
	SGS1566	Loader: Universal QA	680	66	✓	✓	✓	✓	✓	✓	✓
	SGS1578	Loader: Universal QA	732	78	✓	✓	✓	✓	✓	✓	✓
Grooming Mowers	FDR2572	3-Point: 1	718	72	✓	✓					
	FDR2584	3-Point: 1	812	84	✓	✓					
	FDR3690	3-Point: 1	930	90	✓	✓	✓	✓			
Hydraulic Reservoir	HRS30	3-Point: 1,2	612	N/A	✓	✓	✓	✓	✓	✓	✓
Landscape Rakes	LR2684	3-Point: 1	330	84	✓	✓					
	LR2696	3-Point: 1	348	96	✓	✓					
	LR3784	3-Point: 1,2	460	84	✓	✓	✓	✓	✓	✓	✓
	LR3796	3-Point: 1,2	483	96	✓	✓	✓	✓	✓	✓	✓
Moldboard Plows	MP10	3-Point: 1	294	14	✓	✓					
	MP20	3-Point: 1	513	27.5	✓	✓					
No-Till Seeders	NTS2507**	Pull-Type	2425	86			✓	✓	✓	✓	✓

Rear Blades (cont.)	RBT3596	3-Point: 1,2	745	96	✓	✓	✓	✓	✓	✓	✓
	RBT4096	3-Point: 1,2	848	96					✓	✓	✓
	RBT40108	3-Point: 1,2	898	108					✓	✓	✓
	RBT4596	3-Point: 2,3	1130	96					✓	✓	✓
	RBT45108	3-Point: 2,3	1166	108					✓	✓	✓
Ripper Shanks	RS15	3-Point: 1,2	210	40.625	✓	✓	✓	✓	✓	✓	✓
	RS20	3-Point: 1,2	332	49					✓	✓	✓
Rotary Brooms	AB72	Loader: Universal QA	865	72							✓
	AB84	Loader: Universal QA	884	84							✓
Rotary Cutters (Dual Spindle)	RCF3010 (P-T)	Pull-Type	2214	120	✓	✓	✓	✓	✓	✓	✓
	RCF3096 (P-T)	Pull-Type	1976	96	✓	✓	✓	✓	✓	✓	✓
	RCF3610 (P-T)	Pull-Type	2430	120	✓	✓	✓	✓	✓	✓	✓
	RCF3696 (P-T)	Pull-Type	2090	96	✓	✓	✓	✓	✓	✓	✓
	RCR2510 (P-T)	Pull-Type	2035	118	✓	✓	✓	✓	✓	✓	✓
	RCR2596 (P-T)	Pull-Type	1665	94	✓	✓	✓	✓	✓	✓	✓
	RCF3096 (3PT)	3-Point: 1,2	1587	96	✓	✓	✓	✓	✓	✓	✓
	RCR2510 (3PT)	3-Point: 2,3	1750	118					✓	✓	✓
	RCR2596 (3PT)	3-Point: 1,2	1380	94	✓	✓	✓	✓	✓	✓	✓
Rotary Cutters (Folding)	RC2512	Pull-Type	2540	144	✓	✓	✓	✓	✓	✓	✓
	RC2515	Pull-Type	3255	180	✓	✓	✓	✓	✓	✓	✓
	RC3615	Pull-Type	3730	180	✓	✓	✓	✓	✓	✓	✓
	RC4015	Pull-Type	3930	180	✓	✓	✓	✓	✓	✓	✓
	RC4615	Pull-Type	4550	180	✓	✓	✓	✓	✓	✓	✓
	RC5615	Pull-Type	5446	180	✓	✓	✓	✓	✓	✓	✓
	RC6615	Pull-Type	5660	180	✓	✓	✓	✓	✓	✓	✓
	RCB6615	Pull-Type	5738	180	✓	✓	✓	✓	✓	✓	✓
	RC3712	Pull-Type	3800	144	✓	✓	✓	✓	✓	✓	✓
	RC3715	Pull-Type	4340	180	✓	✓	✓	✓	✓	✓	✓

Rotary Cutters (Offset)	RC4610	Pull-Type	4240	126	✓	✓	✓	✓	✓	✓	✓
	RC5610	Pull-Type	5277	126	✓	✓	✓	✓	✓	✓	✓
	RC6610	Pull-Type	5292	126	✓	✓	✓	✓	✓	✓	✓
	RCB6610	Pull-Type	6060	126	✓	✓	✓	✓	✓	✓	✓
	RCD1884 (3PT)	3-Point: 1	905	84	✓	✓	✓	✓			
Rotary Cutters (Single Spindle)	RCR1248	3-Point: 1	400	48	✓	✓					
	RCR1260	3-Point: 1	478	60	✓	✓					
	RCR1272	3-Point: 1	564	72	✓	✓					
	RCR1548	3-Point: 1	424	45.5	✓	✓					
	RCR1860	3-Point: 1	599	57	✓	✓	✓	✓	✓	✓	✓
	RCR1872	3-Point: 1	737	69	✓	✓	✓	✓	✓	✓	✓
	RCR1884	3-Point: 1	851	84	✓	✓	✓	✓	✓	✓	✓
	RCR2660	3-Point: 1,2	1002	60	✓	✓	✓	✓	✓	✓	✓
	RCR2672	3-Point: 1,2	1046	72	✓	✓	✓	✓	✓	✓	✓
	RCF2060	3-Point: 1	620	60	✓	✓	✓	✓	✓	✓	✓
	RCF2072	3-Point: 1	745	72	✓	✓	✓	✓	✓	✓	✓
	RCF2084	3-Point: 1,2	1155	84	✓	✓	✓	✓	✓	✓	✓
	RCF2760	3-Point: 1,2	955	60	✓	✓	✓	✓	✓	✓	✓
	RCF2772	3-Point: 1,2	1072	72	✓	✓	✓	✓	✓	✓	✓
	RCF2784 (P-T)	Pull-Type	1632	84					✓	✓	✓

Rotary Tillers	RTA2064	3-Point: 1	689	64	✓	✓	✓	✓	✓	✓	✓
	RTA2072	3-Point: 1	734	72	✓	✓	✓	✓	✓	✓	✓
	RTA2562	3-Point: 1	649	64	✓	✓	✓	✓	✓	✓	✓
	RTA2570	3-Point: 1	663	70	✓	✓	✓	✓	✓	✓	✓
	RTA3576	3-Point: 1,2	856	76	✓	✓	✓	✓	✓	✓	✓
	RTR2064	3-Point: 1	748	64	✓	✓	✓	✓	✓	✓	✓
	RTR2072	3-Point: 1	795	72	✓	✓	✓	✓	✓	✓	✓
	RTR2570	3-Point: 1	868	70	✓	✓	✓	✓	✓	✓	✓
Snow Pushers	SSP1572	Loader: Universal QA	685	72	✓	✓	✓	✓	✓	✓	✓
	SSP1584	Loader: Universal QA	638	84	✓	✓	✓	✓	✓	✓	✓
	SSP1596	Loader: Universal QA	688	96	✓	✓	✓	✓	✓	✓	✓
	SSP2510	Loader: Universal QA	954	144	✓	✓	✓	✓	✓	✓	✓
	SSP2512	Loader: Universal QA	1064	120	✓	✓	✓	✓	✓	✓	✓
	SSP2596	Loader: Universal QA	844	96	✓	✓	✓	✓	✓	✓	✓
Snow Trip Blades	STB1572	Loader: Universal QA	629	72	✓	✓	✓	✓	✓	✓	✓
	STB1584	Loader: Universal QA	664	84	✓	✓	✓	✓	✓	✓	✓
	STB1596	Loader: Universal QA	698	96	✓	✓	✓	✓	✓	✓	✓
	TB2596	Loader: Universal QA	634	96	✓	✓	✓	✓	✓	✓	✓
	TB25108	Loader: Universal QA	653	108	✓	✓	✓	✓	✓	✓	✓
Snowblowers	SB1064	3-Point: 1	494	64	✓	✓					
	SB1574	3-Point: 1	640	74	✓	✓					
	SB2584	3-Point: 1,2	762	84	✓	✓	✓	✓	✓	✓	✓
Soil Pulverizers	SP3072**	3-Point: 1	671	72	✓	✓	✓	✓	✓	✓	✓
	SP3084**	3-Point: 1	721	84	✓	✓	✓	✓	✓	✓	✓

Spike Tooth Harrows	STH1590	3-Point: 1	237	90	✓	✓	✓	✓	✓	✓	✓
	STH2024	Pull-Type	2100	283	✓	✓	✓	✓	✓	✓	✓
Spreaders	FSP500**	3-Point: 1	119	37.2	✓	✓	✓	✓	✓	✓	✓
	FSP700**	3-Point: 1	128	44	✓	✓	✓	✓	✓	✓	✓
	FSP1000**	3-Point: 1	139	46.8	✓	✓	✓	✓	✓	✓	✓
	PFS4000**	3-Point: 1	196	46	✓	✓	✓	✓	✓	✓	✓
	PFS5060**	3-Point: 1,2	302	55.1	✓	✓	✓	✓	✓	✓	✓
	PFS8010**	3-Point: 2	425	75	✓	✓	✓	✓	✓	✓	✓
	PTS500**	Pull-Type	165	41	✓	✓	✓	✓			
	PTS700**	Pull-Type	176	41	✓	✓	✓	✓			
Straw Crimpers	CR2572**	3-Point: 1	475	69	✓	✓	✓	✓	✓	✓	✓
Number of Performance Matched Attachments/Implements:					165	165	150	150	152	153	153

Notice:
- Check with the tractor manual to verify for proper ballasting when using an implement or attachment on the machine.
- Additional kits (Rear Remotes, Third Function valves, etc.) may be required in order to use any of the above implements. Check with your local dealer to determine what is needed for proper fitment and operation.
- (**) This implement/attachment is approved for the base weight, but allows for additional ballasting (concrete blocks, seed, water tanks). Verify with the tractor manual and ensure proper ballasting before adding any additional weight to the implement/attachment.

Kubota Corporation notes that specifications and technical information are subject to changes without notice and Kubota does not represent or warrant that the information in this publication is completely accurate or current; however, Kubota used reasonable efforts to set forth and include accurate and up to date information in this publication. Kubota disclaims all representations and warranties, whether express or implied, including, but not limited to, warranties of merchantability and fitness for a particular purpose and Kubota shall not be liable for any damages, whether compensatory, direct, indirect, incidental, special, or consequential, arising out of or in connection with the use of this publication, or in the information therein.