



Performance Matched Attachments/Implements

TLB Tractors



The below identified implements are either manufactured by Kubota or have received an Engineering Release approving use by Kubota, and thus meet the performance matching requirements for the specified power machines for normally anticipated operating conditions.

The specifications below are intended for general application; unusual soil, terrain, or severe operating conditions may not allow for the use of a specific implement under those operating conditions. The use of implements which are neither manufactured or approved by Kubota for use with the specified power machines and which do not meet the below specifications may result in malfunctions or damage to the power machine, damage to other property and/or injury to the operator or to others. Any such malfunctions or damages are not covered by the Kubota express limited warranty.

The power machine, implement, and operating conditions need to be evaluated and monitored by the operator to be sure that the conditions are within a safe operating envelope for general use.

Implement Type	Implement Model	Mounting Type	Base Weight (lb)	Working Width (in)	B26	L47	M62
Aerators	AR2510**	Pull-Type	2200	116		✓	✓
	AR2596**	Pull-Type	1700	86		✓	✓
	CA1548**	3-Point: 0,1	156	41	✓	✓	✓
	CA1556**	3-Point: 0,1	170	50	✓	✓	✓
	CA1564**	3-Point: 0,1	184	58	✓	✓	✓
	CA1572**	3-Point: 0,1	208	66	✓	✓	✓
	CA2560**	3-Point: 1	464	60	✓	✓	✓
	CA2572**	3-Point: 1	480	72	✓	✓	✓
All Flex Mowers	AFM4211	Pull-Type	2040	133		✓	✓
	AFM4214	Pull-Type	3000	168		✓	✓
	AFM4216	Pull-Type	3315	202		✓	✓
All Purpose Seeders	APS1548**	3-Point: 1	700	52		✓	✓
Bale Spears	BS10	Loader: Universal QA	168	46	✓		
	BS20	Loader: Universal QA	208	46	✓	✓	
	BS30	Loader: Universal QA	228	54	✓	✓	✓
	BS40	Loader: Universal QA	242	54	✓	✓	✓
	BS50	Loader: Universal QA	286	66.75	✓	✓	✓
	BSR10	3-Point: 1,2	112	N/A	✓		
	BSR20	3-Point: 2,3	152	N/A			✓
	BSR30	3-Point: 2,3	165	N/A			✓
	BSR40	3-Point: 2,3	252	N/A			✓

Box Blades	BB1248	3-Point: 1	316	48	✓		
	BB1254	3-Point: 1,2	325	54	✓		
	BB1260	3-Point: 1	346	60	✓		
	BB1266	3-Point: 1	370	66	✓		
	BB1560	3-Point: 1	428	60	✓		
	BB1566	3-Point: 1	450	66	✓		
	BB2560	3-Point: 1	471	60	✓	✓	
	BB2566	3-Point: 1	500	66	✓	✓	
	BB2572	3-Point: 1	549	72		✓	
	BB2584	3-Point: 1	593	84		✓	
	BB3578	3-Point: 1,2	825	78		✓	✓
	BB3584	3-Point: 1,2	855	84		✓	✓
	BB3596	3-Point: 1,2	935	96			✓
	HR2572	3-Point: 1	851	72		✓	
	HRL3578	3-Point: 1,2	981	78		✓	✓
	HR3584	3-Point: 1,2	1119	84			✓
Buckets	LM25108	Loader: Universal QA	869	108			✓
	LM2584	Loader: Universal QA	719	84		✓	✓
	LM2596	Loader: Universal QA	803	96			✓
	SRB1566	Loader: Universal QA	509	66.75		✓	✓
	SRB1572	Loader: Universal QA	551	72.75		✓	✓
	SRB1578	Loader: Universal QA	592	78.75		✓	✓
	SSB1566	Loader: Universal QA	390	66.75	✓	✓	✓
	SSB1578	Loader: Universal QA	442	78.75		✓	✓

Compact Drills (No Till)	606NT**	Pull-Type	2700	67.5		✓	✓
	706NT**	Pull-Type	3900	84			✓
Compact Drills (Min Till)	800 Series**	Pull-Type	2579	90		✓	✓
Disc Harrows	DH1048	3-Point: 1	420	48	✓		
	DH1060	3-Point: 1	549	60	✓		
	DH1560	3-Point: 1	628	60		✓	✓
	DH1572	3-Point: 1	714	72		✓	✓
	DH1590	3-Point: 1	865	90		✓	✓
	DH3510	Pull-Type	2491	126		✓	✓
	DH3512	Pull-Type	2747	144			✓
Ditchers	DT35	3-Point: 1,2	390	18		✓	
	DT55	3-Point: 2,3	900	20			✓
Dozer Blades	DZ3084	Loader: Universal QA	1345	84			✓
	DZ3096	Loader: Universal QA	1440	96			✓
Drag Harrows	DRG04	Pull-Type	89	48	✓	✓	✓
	DRG06	Pull-Type	138	72	✓	✓	✓
	DRG08	Pull-Type	185	96	✓	✓	✓
Field Cultivators	FC10	3-Point: 1	135	57	✓		
	FC15	3-Point: 1	289	72	✓	✓	
Flail Mowers	FM2548	3-Point: 1	780	48		✓	✓
Food Plot Seeders	FPS48**	Pull-Type	370	54	✓	✓	✓

Grading Scrapers	GS0548	3-Point: 1	310	48	✓		
	GS0560	3-Point: 1	350	60	✓		
	GS1548	3-Point: 1	437	48	✓	✓	
	GS1560	3-Point: 1	511	60		✓	
	GS1572	3-Point: 1	594	72		✓	
	GS2572	3-Point: 1,2	728	72		✓	✓
	GS2584	3-Point: 1,2	796	84		✓	✓
	GS2596	3-Point: 1,2	864	96			✓
Grapples	SGC0660	Loader: B Pin-On Universal QA	247	62	✓		
	SGC1060	Loader: Universal QA	356	62		✓	
	SGC1072	Loader: Universal QA	414	75		✓	
	SGC1560	Loader: Universal QA	784	63			✓
	SGC1572	Loader: Universal QA	882	74			✓
	SGC1584	Loader: Universal QA	987	86			✓
	SGC2072	Loader: Universal QA	895	74.5			✓
	SGC2084	Loader: Universal QA	999	86.5			✓
	SGM1566	Loader: Universal QA	596	66			✓
	SGM1572	Loader: Universal QA	620	72			✓
	SGM1578	Loader: Universal QA	648	78			✓
	SGR1566	Loader: Universal QA	889	66			✓
	SGR1572	Loader: Universal QA	938	72			✓
	SGR1578	Loader: Universal QA	972	78			✓
	SGS1566	Loader: Universal QA	680	66			✓
SGS1578	Loader: Universal QA	732	78			✓	

Grooming Mowers	FDR1648	3-Point: 1	486	48	✓		
	FDR2572	3-Point: 1	718	72		✓	
	FDR2584	3-Point: 1	812	84		✓	
	FDR3690	3-Point: 1	930	90		✓	✓
Hydraulic Reservoir	HRS30	3-Point: 1,2	612	N/A			✓
Landscape Rakes	LR0548	3-Point: 1	98	48	✓		
	LR0560	3-Point: 1	113	60	✓		
	LR1660	3-Point: 1	241	60	✓		
	LR1672	3-Point: 1	270	72	✓		
	LR2684	3-Point: 1	330	84		✓	
	LR2696	3-Point: 1	348	96		✓	
	LR3784	3-Point: 1,2	460	84		✓	✓
	LR3796	3-Point: 1,2	483	96		✓	✓
Moldboard Plows	MP10	3-Point: 1	294	14	✓	✓	
	MP20	3-Point: 1	513	27.5		✓	
No-Till Seeders	NTS2507**	Pull-Type	2425	86			✓
Pallet Forks	PF20	Loader: Bucket	110	N/A	✓	✓	✓
	PFL2042	Loader: Universal QA	330	46	✓		
	PFL3042	Loader: Universal QA	340	46	✓	✓	✓
	PFL3048	Loader: Universal QA	358	46	✓	✓	✓
	PFL4548	Loader: Universal QA	422	46		✓	✓
	PFL5548	Loader: Universal QA	436	46		✓	✓
	PFL5560	Loader: Universal QA	482	46		✓	✓
	PFL6448	Loader: Universal QA	686	60.5		✓	✓
	PFL6460	Loader: Universal QA	744	60.5		✓	✓

Post Hole Diggers	PD10**	3-Point: 1	120	N/A	✓		
	PD15**	3-Point: 1	161	N/A	✓		
	PD25**	3-Point: 1,2	186	N/A	✓	✓	
	PD35**	3-Point: 1,2	233	N/A		✓	✓
	HD25** (3PT)	3-Point: 1,2	235	N/A	✓	✓	
	HD35** (3PT)	3-Point: 1,2	235	N/A		✓	✓
	HD25**	Loader: Universal QA Bucket	268	N/A	✓	✓	
	HD35**	Loader: Universal QA Bucket	268	N/A		✓	✓
	SA20**	Loader: Universal QA Bucket	173	N/A	✓	✓	✓
	SA35**	Loader: Universal QA Bucket	435	N/A		✓	✓
Powered Rakes	PR1660	3-Point: 1	980	60		✓	
	PR1672	3-Point: 1	1000	72		✓	
	PR1690	3-Point: 1,2	1150	90		✓	✓
Quick Hitches	QH10	3-Point: 1	68	N/A	✓	✓	
	QH15	3-Point: 1	70	N/A	✓	✓	
	QH20	3-Point: 2	120	N/A			✓

Rear Blades	RB1560	3-Point: 1	248	60	✓		
	RB1572	3-Point: 1	269	72	✓		
	RB1584	3-Point: 1	289	84	✓		
	RB1660	3-Point: 1	283	60	✓		
	RB1672	3-Point: 1	297	72	✓		
	RB1684	3-Point: 1	319	84	✓		
	RB2672	3-Point: 1	369	72	✓	✓	
	RB2684	3-Point: 1	396	84	✓	✓	
	RB2696	3-Point: 1	425	96		✓	
	RB3772	3-Point: 1,2	595	72		✓	✓
	RB3784	3-Point: 1,2	630	84		✓	✓
	RB3796	3-Point: 1,2	665	96		✓	✓
	RBT3584	3-Point: 1,2	709	84		✓	✓
	RBT3596	3-Point: 1,2	745	96		✓	✓
	Ripper Shanks	RS15	3-Point: 1,2	210	40.625		✓
Rotary Brooms	AB72	Loader: Universal QA	865	72			✓
	AB84	Loader: Universal QA	884	84			✓
Rotary Cutters (Dual Spindle)	RCF3096 (P-T)	Pull-Type	1976	96			✓
	RCR2596 (P-T)	Pull-Type	1665	94			✓
Rotary Cutters (Folding)	RC2512	Pull-Type	2540	144			✓
Rotary Cutters (Offset)	RCD1884 (3PT)	3-Point: 1	905	84			✓

Rotary Cutters (Single Spindle)	RCR1242	3-Point: 1	383	42	✓		
	RCR1248	3-Point: 1	400	48	✓	✓	
	RCR1260	3-Point: 1	478	60	✓	✓	
	RCR1272	3-Point: 1	564	72		✓	
	RCR1548	3-Point: 1	424	45.5	✓	✓	
	RCR1860	3-Point: 1	599	57		✓	✓
	RCR1872	3-Point: 1	737	69		✓	✓
	RCR1884	3-Point: 1	851	84			✓
	RCF2060	3-Point: 1	620	60		✓	✓
	RCF2072	3-Point: 1	745	72		✓	✓
Rotary Tillers	RTA1242	3-Point: 1	391	42	✓		
	RTA1250	3-Point: 1	421	50	✓		
	RTA1258	3-Point: 1	448	58	✓	✓	
	RTA1266	3-Point: 1	476	66	✓	✓	
	RTA1274	3-Point: 1	503	74		✓	
	RTA1282	3-Point: 1	552	82		✓	
	RTA1558	3-Point: 1	444	58	✓	✓	
	RTA1566	3-Point: 1	476	66	✓	✓	
	RTA1574	3-Point: 1	508	74		✓	
	RTA2064	3-Point: 1	689	64		✓	✓
	RTA2072	3-Point: 1	734	72		✓	✓
	RTA2562	3-Point: 1	649	64		✓	✓
	RTA2570	3-Point: 1	663	70		✓	✓
	RTA3576	3-Point: 1,2	856	76		✓	✓
RTR0542	3-Point: 1	268	42	✓			

Rotary Tillers (cont.)	RTR0550	3-Point: 1	298	50	✓		
	RTR1242	3-Point: 1	404	42	✓		
	RTR1250	3-Point: 1	435	50	✓		
	RTR1258	3-Point: 1	463	58	✓	✓	
	RTR1266	3-Point: 1	493	66	✓	✓	
	RTR1274	3-Point: 1	521	74		✓	
	RTR1282	3-Point: 1	581	82		✓	
	RTR1558	3-Point: 1	444	58	✓	✓	
	RTR1566	3-Point: 1	476	66	✓	✓	
	RTR1574	3-Point: 1	508	74		✓	
	RTR2064	3-Point: 1	748	64		✓	✓
	RTR2072	3-Point: 1	795	72		✓	✓
	RTR2570	3-Point: 1	868	70		✓	✓
	RGA1242	3-Point: 1	458	42	✓	✓	
	RGA1250	3-Point: 1	493	50	✓	✓	
	RGA1258	3-Point: 1	526	58	✓	✓	
	RGA1266	3-Point: 1	562	66		✓	
	RGA1274	3-Point: 1	596	74		✓	
	RGA1282	3-Point: 1	647	82		✓	
	RGR1242	3-Point: 1	462	42	✓	✓	
	RGR1250	3-Point: 1	497	50	✓	✓	
	RGR1258	3-Point: 1	530	58	✓	✓	
	RGR1266	3-Point: 1	567	66		✓	
	RGR1274	3-Point: 1	601	74		✓	
RGR1282	3-Point: 1	653	82		✓		

Scarifiers	SF2566	3-Point: 1	208	60	✓	✓	
	SF2577	3-Point: 1	235	72	✓	✓	
Seed Bed Rollers	SBR72 (3PT)	3-Point: 1	442	69	✓	✓	
	SBR72 (P-T)	Pull-Type	478	69	✓	✓	
Snow Pushers	SPL1060	Loader: Universal QA	346	60	✓		
	SPL1072	Loader: Universal QA	377	72	✓		
	SPL1086	Loader: Universal QA	410	84	✓		
	SSP1572	Loader: Universal QA	685	72		✓	✓
	SSP1584	Loader: Universal QA	638	84		✓	✓
	SSP1596	Loader: Universal QA	688	96		✓	✓
	SSP2510	Loader: Universal QA	954	144			✓
	SSP2512	Loader: Universal QA	1064	120			✓
	SSP2596	Loader: Universal QA	844	96		✓	✓
Snow Trip Blades	STB1060	Loader: Universal QA	379	60	✓		
	STB1072	Loader: Universal QA	403	72	✓		
	STB1572	Loader: Universal QA	629	72		✓	✓
	STB1584	Loader: Universal QA	664	84		✓	✓
	STB1596	Loader: Universal QA	698	96		✓	✓
	TB2596	Loader: Universal QA	634	96		✓	✓
	TB25108	Loader: Universal QA	653	108			✓
Snowblowers	SB1051	3-Point: 1	400	51	✓		
	SB1064	3-Point: 1	494	64	✓	✓	
	SB1574	3-Point: 1	640	74		✓	
	SB2584	3-Point: 1,2	762	84		✓	✓

Soil Pulverizers	SP2060**	3-Point: 1	491	60	✓	✓	
	SP2072**	3-Point: 1	561	72		✓	
	SP3072**	3-Point: 1	671	72		✓	✓
	SP3084**	3-Point: 1	721	84		✓	✓
Spike Tooth Harrows	STH1590	3-Point: 1	237	90	✓	✓	✓
	STH2024	Pull-Type	2100	283		✓	✓
Spreaders	FSP500**	3-Point: 1	119	37.2	✓	✓	✓
	FSP700**	3-Point: 1	128	44	✓	✓	✓
	FSP1000**	3-Point: 1	139	46.8	✓	✓	✓
	PFS4000**	3-Point: 1	196	46	✓	✓	✓
	PFS5060**	3-Point: 1,2	302	55.1	✓	✓	✓
	PFS8010**	3-Point: 2	425	75			✓
	PTS500**	Pull-Type	165	41	✓	✓	✓
	PTS700**	Pull-Type	176	41	✓	✓	✓
Straw Crimpers	CR2572**	3-Point: 1	475	69	✓	✓	✓
Wood Chippers	WC1503	3-Point: 1	369	N/A	✓		
	WC1504	3-Point: 1	450	N/A	✓	✓	
Number of Performance Matched Attachments/Implements:					106	161	133

Notice:

- Check with the tractor manual to verify for proper ballasting when using an implement or attachment on the machine.
- Additional kits (Rear Remotes, Third Function valves, etc.) may be required in order to use any of the above implements. Check with your local dealer to determine what is needed for proper fitment and operation.
- (***) This implement/attachment is approved for the base weight, but allows for additional ballasting (concrete blocks, seed, water tanks). Verify with the tractor manual and ensure proper ballasting before adding any additional weight to the implement/attachment.

Kubota Corporation notes that specifications and technical information are subject to changes without notice and Kubota does not represent or warrant that the information in this publication is completely accurate or current; however, Kubota used reasonable efforts to set forth and include accurate and up to date information in this publication. Kubota disclaims all representations and warranties, whether express or implied, including, but not limited to, warranties of merchantability and fitness for a particular purpose and Kubota shall not be liable for any damages, whether compensatory, direct, indirect, incidental, special, or consequential, arising out of or in connection with the use of this publication, or in the information therein.