

Product Name:

SAFETY DATA SHEET

PPE

| Kubota Excavator Hydraulic Oil 46, 5 Gallon Pail | |
|--|--|
| Revision Date: 03-Apr-2015 | Revision Number: 5 |
| 1. IDENTIFICATION OF THE SUBSTANCE/PREP COMPANY/UNDERTAKING | PARATION AND OF THE |
| 1.1 Product Identifier | |
| Product Name: | Kubota Excavator Hydraulic Oil 46, 5 Gallon Pail |
| Other means of identification | |
| Product Code: | 2600-031 |
| Synonyms | Not available |
| 1.2 Recommended use of the chemical and restrictions on t | ISE |
| Recommended Use | Hydraulic Oil |
| Uses advised against | No information available |
| 1.3. Details of the supplier of the safety data sheet | |
| Manufactured by | Idemitsu Lubricants America Corporation 701 Port Rd. Jeffersonville, IN. 47130 Telephone: 812-285-8234 Fax: 812-285-8243 Contact Name: Robin Hutchens Email: sds@ilacorp.com |
| Distributed by | Kubota Tractor Corporation 3401 Del Amo Blvd Torrance, CA 90503 Telephone: 310-370-3370 |
| 24 Hour Emergency Phone Number | Within USA and Canada: 1-800-424-9300 Outside USA and Canada: + 1 703-741-5970 (collect calls accepted) |

2. HAZARDS IDENTIFICATION

2.1 Classification

This material is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200) and **WHMIS 2015**

| Acute toxicity - Oral | Not classified |
|--|----------------|
| Acute toxicity - Dermal | Not classified |
| Acute toxicity - Inhalation (Gases) | Not classified |
| Acute toxicity - Inhalation (Vapors) | Not classified |
| Acute toxicity - Inhalation (Dusts/Mists) | Not classified |
| Skin corrosion/irritation | Not classified |
| Serious eye damage/eye irritation | Not classified |
| Respiratory sensitization | Not classified |
| Skin sensitization | Not classified |
| Germ cell mutagenicity | Not classified |
| Carcinogenicity | Not classified |
| Reproductive toxicity | Not classified |
| Specific target organ toxicity (single exposure) | Not classified |
| Specific target organ toxicity (repeated exposure) | Not classified |
| Aspiration toxicity | Not classified |
| GHS Physical Hazard Category Number | None |

2.2. Label elements

Not a dangerous substance or mixture according to the Globally Harmonized System (GHS)

Hazards not otherwise classified (HNOC)

2.3 Other information

Other hazards

Unknown acute toxicity

- Not applicable
- · No information available

0.281% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances Not applicable

3.2 Mixtures

Non-Hazardous Components

| Chemical Name | CAS-No | Weight % |
|--------------------|---------|----------|
| Mineral Base Stock | MIXTURE | 95-100 |

| | 4. FIRST AID MEASURES | | |
|--|-----------------------|--|--|
|--|-----------------------|--|--|

4.1 First Aid Measures

| General Advice | If symptoms persist, call attendance. | a physician. Show this safety data sheet to the doctor in | | | |
|---|---|--|--|--|--|
| Eye Contact | Immediately flush with plenty of water. After initial flushing, remove any contact lenses an continue flushing for at least 15 minutes. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist. | | | | |
| Skin Contact | | Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If skin irritation persists, call a physician. | | | |
| Inhalation | | Move to fresh air in case of accidental inhalation of vapors. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. Call a physician immediately. | | | |
| Ingestion | | vithout medical advice. If vomiting occurs naturally, have casualty ne risk of aspiration. Call a physician or Poison Control Center | | | |
| Protection of First-aiders | Use personal protective | equipment. Avoid contact with skin, eyes and clothing. | | | |
| 4.2 Most important symptoms and | effects, both acute and o | lelayed_ | | | |
| Symptoms | No information available. | | | | |
| 4.3 Indication of any immediate m | edical attention and spec | ial treatment needed | | | |
| Notes to Physician Treat symptomatically. | | | | | |
| Notes to Physician Treat symptomatically. | | | | | |
| 5. FIRE-FIGHTING MEASURES | | | | | |
| Flammable Properties | | NFPA: Class IIIB Combustible Liquid | | | |
| 5.1 Suitable Extinguishing Media | | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment | | | |
| Unsuitable Extinguishing Medi | a | Do not use a solid water stream as it may scatter and spread fire. | | | |
| 5.2 Specific Hazards Arising from the Chemical | | Keep product and empty container away from heat and sources of ignition. | | | |
| Hazardous combustion products: | | | | | |
| Hazardous combustion produc | ts: | During a fire, smoke may contain the original material in addition to combustion products of varying composition which may be toxic and / or irritating. Combustion products may include and are not limited to, Carbon oxides, Hydrogen Sulfide, Oxides of Phosphorus, Sulphur oxides, Zinc oxides. | | | |
| Hazardous combustion production 5.3 Protective Equipment and Prec | | to combustion products of varying composition which may be toxic and / or irritating. Combustion products may include and are not limited to, Carbon oxides, Hydrogen Sulfide, Oxides of | | | |

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with the skin and the eyes. Use personal protective equipment. Remove all sources of ignition. Avoid breathing vapors or mists. Ensure adequate ventilation.

6.2 Environmental Precautions

| Environmental Precautions | Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Do not allow material to contaminate ground water system. Do not flush into surface water or sanitary sewer system. Large Spills: Dike far ahead of liquid spill for later recovery and disposal. Prevent entry into waterways, sewers, basements or confined areas. |
|------------------------------------|--|
| 6.3 Methods and material for conta | ainment and cleaning up |
| Methods for Clean-up | Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceus earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). |
| Spill Management | |
| LARGE SPILLS | Eliminate sources of ignition. Prevent additional discharge of material if possible to do so without hazard. For small spills implement cleanup procedures; for large spills implement cleanup procedures and, if in public area, keep public away and advise authorities. Also, if this product is subject to CERCLA reporting (see Section 15 Regulatory Information) notify the National Response Center. |
| WATER SPILLS | Prevent liquid entering sewers, watercourses, or low areas. Contain spilled liquid with sand or earth. Recover by pumping or with suitable absorbent. If liquid is too viscous for pumping, scrape up. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations. |

7. HANDLING AND STORAGE 7.1. Precautions for safe handling

| Handling | Wear personal protective equipment. Do not breathe vapors or spray mist. Remove and wash contaminated clothing before re-use. Keep away from open flames, hot surfaces and sources of ignition. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). |
|--|---|
| Safe Handling Advice | Handle in accordance with good industrial hygiene and safety practices. |
| 7.2. Conditions for safe storage, including any incompatibilities | |
| Storage | Keep in properly labeled containers. Keep container tightly closed in a dry and well-ventilated place. |
| Incompatible Materials and/or Coatings | No information available |

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Exposure Guidelines

This product does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Other Exposure Guidelines (If Generated)

| Chemical Name | OSHA PEL | ACGIH TLV | ACGIH OEL | NIOSHT REL | ILA IHG | ILA ROEG | ILA Internal |
|---------------|----------|-----------|-----------|-------------------|---------|----------|--------------|
| | | | (STEL) | TWA | | | Exposure |
| | | | | | | | Limit |

| Oil | mist, mineral | TWA: 5 mg/m ³ | TWA: 5 mg/m³ | | TWA 5 mg/m ³ ST 10 mg/m ³ | | |
|-----|---------------|-----------------------------|------------------------------|-------|--|--|--|
| Hyd | rogen sulfide | Ceiling: 20 ppm | TWA: 1 ppm STEL: 5 ppm | 5 ppm | | | |

8.2. Exposure controls

| Appropriate engineering controls | Ensure adequate ventilation, especially in confined areas. Consider the potential hazards of this material (see Section 2), applicable exposure limits, job activities, and other substances in the work place when designing engineering controls and selecting personal protective equipment. If engineering controls or work practices are not adequate to prevent exposure to harmful levels of this material, the personal protective equipment listed below is recommended. The user should read and understand all instructions and limitations supplied with the equipment since protection is usually provided for a limited time or under certain circumstances. |
|----------------------------------|--|
| Personal Protective Equipment | |
| Eye/face protection | Safety glasses equipped with side shields are recommended as minimum protection in industrial settings. If splashes are likely to occur wear tight fitting safety goggles and/or face-shield. |
| Skin protection | Wear protective gloves/clothing. Choose the appropriate protective clothing / gloves based on the tasks being performed to avoid exposed skin surfaces. Glove Type: Neoprene, Nitriles. |
| Respiratory protection | If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations. |
| General Hygiene Considerations | When using, do not eat, drink or smoke. Clean equipment, work area and clothing regularly. |

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

| Appearance Physical State Odor Odor Threshold pH Melting point / melting range Boiling point / boiling range Flash Point Evaporation Rate Flammability Limit in Air Explosion Limits | Clear Liquid Mild No information available Not applicable No information available > 200 °C / 392 °F COC ASTM D92 No information available No information available No information available |
|--|---|
| Evaporation Rate | No information available |
| Flammability Limit in Air | No information available |
| • | No information available |
| Vapor Pressure | No information available |
| Vapor Density (Air) | No information available |
| Density | 0.87 g/cm ³ @15°C |
| Solubility | No information available |
| Partition Coefficient (n-octanol/water) | No information available |
| Autoignition Temperature | No information available |
| Decomposing Temperature | No information available |
| Viscosity | @40C = 45.3 cSt; @100C = 6.775 cSt |
| | |

Other Information

10. STABILITY AND REACTIVITY

| 10.1 Reactivity | |
|---|---|
| Reactivity | The product is chemically stable |
| 10.2 Chemical stability | |
| Chemical Stability | Hazardous polymerization does not occur. Stable under normal conditions. |
| 10.3 Possibility of Hazardous Reactions | |
| Possibility of Hazardous Reactions | None under normal processing. |
| 10.4 Conditions to Avoid | |
| Conditions to Avoid | Heat, flames and sparks. |
| 10.5 Incompatible Materials | |
| Incompatible Materials | Strong oxidizing agents. |
| 10.6 Hazardous Decomposition Products | |
| Hazardous decomposition products | Thermal decomposition may produce hydrogen sulfide and other sulfur-containing gases at temperatures greater than 150F. |

11. TOXICOLOGICAL INFORMATION

11.1 Information on likely routes of exposure

| Inhalation | May cause irritation of respiratory tract. | |
|--------------|--|--|
| Eye contact | May cause slight irritation. | |
| Skin Contact | May be harmful in contact with skin. | |
| Ingestion | May be harmful if swallowed. | |

11.2 Information on toxicological effects

| Symptoms | No information available. | |
|---|---------------------------|--|
| 11.3 Delayed and immediate effects as well as chronic effects from short and long-term exposure | | |
| Skin corrosion/irritation | No information available. | |
| Serious eye damage/eye irritation | No information available. | |
| Sensitization | No information available. | |
| Mutagenic effects | No information available. | |
| 11.4 Carcinogenicity | | |

| Carcinogenicity | No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP, IARC, OSHA, or ACGIH. The petroleum base oils contained in this product have been highly refined by a variety of processes including solvent extraction, hydrotreating, and dewaxing to remove aromatics and improve performance characteristics. All of the oils meet the IP-346 criteria of less than 3 percent PAH's and therefore none are listed as a carcinogen by NTP, IARC, or OSHA |
|---|--|
| | , ACGIH: (American Conference of Governmental Industrial Hygienists), IARC: h on Cancer), OSHA: (Occupational Safety & Health Administration) |
| Reproductive Effects | Not available. |
| STOT - single exposure | None known. |
| STOT - repeated exposure | None known. |
| Chronic Toxicity | Avoid repeated exposure. |
| Aspiration hazard | No information available. |
| 11.5 Acute Toxicity | |
| Unknown acute toxicity | 0.281% of the mixture consists of ingredient(s) of unknown toxicity |
| The following values are calculated | based on chapter 3.1 of the GHS document . |
| Product Information (Estimated | <u>I):</u> |
| ATEmix (oral) ATEmix (dermal) ATEmix (inhalation-dust/mist) | 5048 mg/kg 2117 mg/kg 5.2 mg/l |
| 12. ECOLOGICAL INFORMA | TION |
| 12.1 Ecotoxicity Ecotoxicity effects | Plants and animals may experience harmful or fatal effects when coated with petroleum products. Petroleum-based (mineral) lubricating oils normally will float on water. In stagnam or slow-flowing waterways, an oil layer can cover a large surface area. As a result, this oil layer might limit or eliminate natural atmospheric oxygen transport into the water. With time if not removed, oxygen depletion in the waterway may be sufficient to cause a fish kill or create an anaerobic environment |

| Unknown | aquatic | toxicity |
|---------|---------|----------|
| | | |

- 12.2 Persistence and degradability No information available.
- 12.3 Bioaccumulation/Accumulation No information available
- 12.4. Mobility in soil No information available PBT and vPvB assessment
- No information available 12.5 Other adverse effects:

13. DISPOSAL CONSIDERATIONS

create an anaerobic environment.

environment

No information available

0.246% of the mixture consists of components(s) of unknown hazards to the aquatic

Hazard characteristic and regulatory waste stream classification can change with product use. Accordingly, it is the responsibility of the user to determine the proper storage, transportation, treatment and/or disposal methodologies for spent materials and residues at the time of disposition.

To minimize exposure, see Section 8 (Exposure Controls/Personal Protection) of the SDS.

| Waste Disposal Method | This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements. | |
|---------------------------|---|--|
| Contaminated packaging | Dispose of in accordance with local regulations. | |
| 14. TRANSPORT INFORMATION | | |
| DOT | Not regulated | |
| IATA | Not regulated | |
| IMDG/IMO | Not regulated | |

15. REGULATORY INFORMATION

International Inventories

| TSCA | All ingredients are on the inventory or exempt from listing | |
|---------------|---|--|
| DSL | All ingredients are on the inventory or exempt from listing | |
| NDSL | Not Listed | |
| EINECS | Does not comply | |
| ELINCS | Not Listed | |
| ENCS | All ingredients are on the inventory or exempt from listing | |
| CHINA | All ingredients are on the inventory or exempt from listing | |
| KECL | All ingredients are on the inventory or exempt from listing | |
| PICCS | All ingredients are on the inventory or exempt from listing | |
| AICS | All ingredients are on the inventory or exempt from listing | |
| NZIoC | All ingredients are on the inventory or exempt from listing | |
| Mexico (INSQ) | Does not comply | |

USA

Federal Regulations

<u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

| SARA 311/312 Hazardous Categorization | |
|---------------------------------------|----|
| Acute Health Hazard | No |
| Chronic Health Hazard | No |
| Fire Hazard | No |
| Sudden Release of Pressure Hazard | No |

Reactive Hazard

No

CERCLA/SARA 302 & 304

Section 302 & 304 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 355.

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product does not contain any HAPs.

State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

State Right-to-Know

| Chemical Name | CAS-No | New Jersey |
|---|------------|------------|
| Petroleum distillates, hydrotreated heavy | 64742-54-7 | Х |
| paraffinic | | |

New Jersey Worker and Community Right-to-Know Act:

Under the New Jersey Right-to-Know Act L. 1983 Chapter 315 N.J.S.A. 34:5A-1 et. seq., the product is to be identified as follows: PETROLEUM OIL (Hydraulic Oil)

Canada

This material has been classified in accordance with the WHMIS 2015 regulation

| Chemical Name | CAS-No | Weight % | NPRI |
|-------------------|-----------|----------|--------|
| White mineral oil | 8042-47-5 | 2-7 | Listed |

Legend

NPRI - National Pollutant Release Inventory

16. OTHER INFORMATION

NFPAHealth: 1Flammability: 1Instability 010000010000001000000Prepared By
Revision Date:Robin Hutchens
03-Apr-2015000Revision Summary:GHS SDS format000

Disclaimer:

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet