# IDEMITSU

### SAFETY DATA SHEET

Product Name:

Kubota Excavator Gear Oil 90, 12 x 1 Quart Case

Revision Date: 13-Apr-2015 Revision Number: 1

## IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

#### 1.1 Product Identifier

Product Name: Kubota Excavator Gear Oil 90, 12 x 1 Quart Case

Other means of identification

Product Code: 2602-042

Synonyms Not available

1.2 Recommended use of the chemical and restrictions on use

Recommended Use Gear Lube

Uses advised against No information available

1.3. Details of the supplier of the safety data sheet

Manufactured by Idemitsu Lubricants America Corporation

701 Port Rd.

Jeffersonville, IN. 47130 Telephone: 812-285-8234 Fax: 812-285-8243

Contact Name: Robin Hutchens

Email: sds@ilacorp.com

**24 Hour Emergency Phone Number** Within USA and Canada: 1-800-424-9300

Outside USA and Canada: + 1 703-741-5970 (collect calls

accepted)

#### 2. HAZARDS IDENTIFICATION

#### 2.1 Classification

This material is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200) and WHMIS 2015

Acute toxicity - Oral	Not classified
Acute toxicity - Dermal	Not classified
Acute toxicity - Inhalation (Gases)	Not classified
Acute toxicity - Inhalation (Vapors)	Not classified
Acute toxicity - Inhalation (Dusts/Mists)	Not classified
Skin corrosion/irritation	Not classified
Serious eye damage/eye irritation	Not classified
Respiratory sensitization	Not classified
Skin sensitization	Category 1
Germ cell mutagenicity	Not classified
Carcinogenicity	Not classified
Reproductive toxicity	Not classified
Specific target organ toxicity (single exposure)	Not classified
Specific target organ toxicity (repeated exposure)	Not classified
Aspiration toxicity	Not classified
Physical hazards	None

#### 2.2. Label elements



Signal word	Warning
-------------	---------

Hazard statements H317 - May cause an allergic skin reaction

Precautionary Statements - Prevention: P261 - Avoid breathing dust/fume/gas/mist/vapors/spray

P280 - Wear protective gloves

P272 - Contaminated work clothing should not be allowed out of

Revision Date: 13-Apr-2015

the workplace

**Precautionary Statements - Response:** P321 - Specific treatment (see supplemental first aid instructions

on this label)

P362 + P364 - Take off all contaminated clothing and wash it

before reuse

Skin P302 + 352 - IF ON SKIN: Wash with plenty of soap and water

P363 - Wash contaminated clothing before reuse

P333 + P313 - If skin irritation or rash occurs: Get medical

advice/attention

Precautionary Statements - Disposal: P501 - Dispose of contents/ container to an approved waste

disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

2.3 Other information

Other hazards • May be harmful in contact with skin

• Harmful to aquatic life with long lasting effects

Revision Date: 13-Apr-2015

Unknown acute toxicity 1.5154545% of the mixture consists of ingredient(s) of unknown

toxicity

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substances

Not applicable

#### 3.2 Mixtures

**Hazardous components** 

Chemical Name	CAS-No	Weight %
Oleylamine	112-90-3	<1

**Non-Hazardous Components** 

Chemical Name	CAS-No	Weight %
Lubricating Base Stocks	Mixture	>95

#### 4. FIRST AID MEASURES

#### 4.1 First Aid Measures

General Advice If symptoms persist, call a physician. Take a copy of the Safety Data Sheet when going for

medical treatment.

Eye Contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes. Keep eye wide open while rinsing. If eye irritation

persists, consult a specialist.

Skin Contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. If skin irritation persists, call a physician.

**Inhalation** Move to fresh air in case of accidental inhalation of vapors. If breathing is difficult, give

oxygen. If not breathing, give artificial respiration. Call a physician immediately.

**Ingestion** Do not induce vomiting without medical advice. If vomiting occurs naturally, have casualty

lean forward to reduce the risk of aspiration. Call a physician or Poison Control Center

immediately.

**Protection of First-aiders**Use personal protective equipment. Avoid contact with skin, eyes and clothing.

#### 4.2 Most important symptoms and effects, both acute and delayed

**Symptoms** No information available.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

#### FIRE-FIGHTING MEASURES

Flammable Properties NFPA: Class IIIB Combustible Liquid

5.1 Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment

Unsuitable Extinguishing Media Do not use a solid water stream as it may scatter and spread fire.

5.2 Specific Hazards Arising from the Chemical Keep product and empty container away from heat and sources

of ignition.

Hazardous combustion products: During a fire, smoke may contain the original material in addition

to combustion products of varying composition which may be toxic and / or irritating. Combustion products may include and are not limited to, Carbon oxides, Nitrogen oxides (NOx), Oxides

Revision Date: 13-Apr-2015

of Phosphorus, Sulphur oxides.

**5.3 Protective Equipment and Precautions for Firefighters** As in any fire, wear self-contained breathing apparatus

pressure-demand, MSHA/NIOSH (approved or equivalent) and

full protective gear.

#### 6. ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with the skin and the eyes. Use personal protective equipment. Remove all

sources of ignition. Avoid breathing vapors or mists. Ensure adequate ventilation.

**6.2 Environmental Precautions** 

**Environmental Precautions** Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Do

not allow material to contaminate ground water system. Do not flush into surface water or sanitary sewer system. Large Spills: Dike far ahead of liquid spill for later recovery and disposal. Prevent entry into waterways, sewers, basements or confined areas.

6.3 Methods and material for containment and cleaning up

Methods for Clean-up Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth,

diatomaceus earth, vermiculite) and place in container for disposal according to local /

national regulations (see section 13).

Spill Management

LARGE SPILLS Eliminate sources of ignition. Prevent additional discharge of material if possible to do so

without hazard. For small spills implement cleanup procedures; for large spills implement cleanup procedures and, if in public area, keep public away and advise authorities. Also, if this product is subject to CERCLA reporting (see Section 15 Regulatory Information) notify

the National Response Center.

WATER SPILLS Prevent liquid entering sewers, watercourses, or low areas. Contain spilled liquid with sand

or earth. Recover by pumping or with suitable absorbent. If liquid is too viscous for pumping, scrape up. Consult an expert on disposal of recovered material and ensure

conformity to local disposal regulations.

#### 7. HANDLING AND STORAGE

#### 7.1. Precautions for safe handling

**Handling** Wear personal protective equipment. Do not breathe vapors or

spray mist. Remove and wash contaminated clothing before re-use. Keep away from open flames, hot surfaces and sources of ignition. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors).

Revision Date: 13-Apr-2015

Safe Handling Advice Handle in accordance with good industrial hygiene and safety

practices.

7.2. Conditions for safe storage, including any

incompatibilities

Storage Keep in properly labeled containers. Keep container tightly closed

in a dry and well-ventilated place.

Incompatible Materials and/or Coatings

No information available

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters

<u>Exposure Guidelines</u>

This product does not contain any hazardous materials with occupational exposure limits

established by the region specific regulatory bodies.

Other Exposure Guidelines (If Generated)

Chemical Name	OSHA PEL	ACGIH TLV	ACGIH OEL (STEL)	NIOSHT REL TWA	ILA IHG	ILA ROEG	ILA Internal Exposure Limit
Oil mist, mineral	TWA: 5 mg/m³	TWA: 5 mg/m <sup>3</sup>		TWA 5 mg/m <sup>3</sup> ST 10 mg/m <sup>3</sup>			

#### 8.2. Exposure controls

Appropriate engineering controls

Ensure adequate ventilation, especially in confined areas. Consider the potential hazards of this material (see Section 2), applicable exposure limits, job activities, and other substances in the work place when designing engineering controls and selecting personal protective equipment. If engineering controls or work practices are not adequate to prevent exposure to harmful levels of this material, the personal protective equipment listed below is recommended. The user should read and understand all instructions and limitations supplied with the equipment since protection is usually provided for a limited time or under certain circumstances.

#### Personal Protective Equipment

**Eye/face protection** Safety glasses equipped with side shields are recommended as minimum protection in

industrial settings. If splashes are likely to occur wear tight fitting safety goggles and/or

face-shield.

**Skin protection** Wear protective gloves/clothing. Choose the appropriate protective clothing / gloves based

on the tasks being performed to avoid exposed skin surfaces. Glove Type: Neoprene,

Nitriles.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

Revision Date: 13-Apr-2015

General Hygiene Considerations When using, do not eat, drink or smoke. Clean equipment, work area and clothing regularly.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1. Information on basic physical and chemical properties

Appearance Amber / Clear Physical State Liquid

Odor Mild

Odor Threshold
pH

No information available
Not applicable

Melting point / melting range Not applicable

Boiling point / boiling range No information available

Flash Point > 200 °C / 392 °F COC ASTM D92

**Evaporation Rate** No information available Flammability Limit in Air No information available **Explosion Limits** No information available **Vapor Pressure** No information available Vapor Density (Air) No information available **Density** 0.88 g/cm3 @15°C Solubility No information available Partition Coefficient (n-octanol/water) No information available

Autoignition Temperature

No information available

No information available

No information available

No information available

© 40C = 199.1 cSt; @ 100C = 18.06 cSt

Other Information

#### 10. STABILITY AND REACTIVITY

10.1 Reactivity

Reactivity The product is chemically stable

10.2 Chemical stability

Chemical Stability Stable under normal conditions.

10.3 Possibility of Hazardous Reactions

Possibility of Hazardous Reactions None under normal processing.

Hazardous Polymerization Hazardous polymerisation does not occur.

10.4 Conditions to Avoid

Conditions to Avoid Heat, flames and sparks.

10.5 Incompatible Materials

Incompatible Materials Strong oxidizing agents.

10.6 Hazardous Decomposition Products

Hazardous decomposition products

Thermal decomposition can lead to release of irritating gases and

vapors.

#### 11. TOXICOLOGICAL INFORMATION

Revision Date: 13-Apr-2015

#### 11.1 Information on likely routes of exposure

**Inhalation** May cause irritation of respiratory tract.

**Eye contact** May cause slight irritation.

**Skin Contact** May cause an allergic skin reaction. May be harmful in contact with skin.

**Ingestion** May be harmful if swallowed.

#### 11.2 Information on toxicological effects

Symptoms No information available

#### 11.3 Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Not classified.

Serious eye damage/eye Not classified.

irritation

**Sensitization** May cause an allergic skin reaction.

Mutagenic effects Not classified.

11.4 Carcinogenicity

**Carcinogenicity**No component of this product present at levels greater than or equal to 0.1% is identified as

a known or anticipated carcinogen by NTP, IARC, OSHA, or ACGIH.

Legend:

NTP: (National Toxicity Program), ACGIH: (American Conference of Governmental Industrial Hygienists), IARC: (International Agency for Research on Cancer), OSHA: (Occupational Safety & Health Administration)

Reproductive Effects Not classified.

STOT - single exposure Not classified.

STOT - repeated exposure Not classified

**Chronic Toxicity** Avoid repeated exposure.

Aspiration hazard Not classified.

11.5 Acute Toxicity

Unknown acute toxicity 1.5154545% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

**Product Information (Estimated):** 

 ATEmix (oral)
 > 5,000 mg/kg

 ATEmix (dermal)
 > 2,000 mg/kg

 ATEmix (inhalation-dust/mist)
 > 5 mg/l

#### 12. ECOLOGICAL INFORMATION

#### 12.1 Ecotoxicity

Ecotoxicity effects Harmful to aquatic life with long lasting effects. Plants and animals may experience harmful

or fatal effects when coated with petroleum products. Petroleum-based (mineral) lubricating oils normally will float on water. In stagnant or slow-flowing waterways, an oil layer can cover a large surface area. As a result, this oil layer might limit or eliminate natural atmospheric oxygen transport into the water. With time, if not removed, oxygen depletion in

Revision Date: 13-Apr-2015

the waterway may be sufficient to cause a fish kill or create an anaerobic environment.

**Unknown aguatic toxicity** 2.63195% of the mixture consists of components(s) of unknown hazards to the aguatic

environment

**12.2 Persistence and degradability** No information available.

12.3 Bioaccumulation/Accumulation No information available

**12.4. Mobility in soil**No information available

PBT and vPvB assessment No information available

**12.5 Other adverse effects:** No information available

#### 13. DISPOSAL CONSIDERATIONS

Hazard characteristic and regulatory waste stream classification can change with product use. Accordingly, it is the responsibility of the user to determine the proper storage, transportation, treatment and/or disposal methodologies for spent materials and residues at the time of disposition.

To minimize exposure, see Section 8 (Exposure Controls/Personal Protection) of the SDS.

Waste Disposal Method This material, as supplied, is not a hazardous waste according to Federal regulations (40

CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local

regulations for additional requirements.

**Contaminated packaging** Dispose of in accordance with local regulations.

#### 14. TRANSPORT INFORMATION

**DOT** Not regulated

IATA Not regulated

IMDG/IMO Not regulated

#### 15. REGULATORY INFORMATION

#### International Inventories

TSCA	All ingredients are on the inventory or exempt from listing
DSL	All ingredients are on the inventory or exempt from listing

Revision Date: 13-Apr-2015

NDSL	Not Listed		
EINECS	Does not comply		
ELINCS	Not Listed		
ENCS	Does not comply		
CHINA	All ingredients are on the inventory or exempt from listing		
KECL	All ingredients are on the inventory or exempt from listing		
PICCS	All ingredients are on the inventory or exempt from listing		
AICS	All ingredients are on the inventory or exempt from listing		
NZIoC	Does not comply		
Mexico (INSQ)	Does not comply		

10	Λ.			
1.5	A			

Federal Regulations
---------------------

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

#### SARA 311/312 Hazardous Categorization

Acute Health Hazard Yes
Chronic Health Hazard Yes
Fire Hazard No
Sudden Release of Pressure Hazard No
Reactive Hazard No

#### **CERCLA/SARA 302 & 304**

Section 302 & 304 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 355.

Chemical Name	CAS-No	Weight %	RQ	TPQ
Toluene	108-88-3	<0.0001	1000 lb final RQ	
			454 kg final RQ	

#### Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product contains the following HAPs:

Chemical Name	CAS-No	Weight %	HAPS data
Toluene	108-88-3	<0.0001	X

State	Regulations	

#### **California Proposition 65**

This product contains chemicals known to the state of California to cause birth defects or other reproductive harm

Chemical Name	CAS-No	Weight %	California Prop. 65	Maximum	Safe Harbor Limits
				Allowable Dose for	for Cancer-causing
				Reproductive	Chemicals
				Toxicity (MADLS)	(NSRLs)
Toluene	108-88-3	<0.0001	Developmental	7000µg/daylevel	
			Female	represents	
			Reproductive	absorbed dose	

#### State Right-to-Know

Chemical Name	CAS-No	New Jersey	

Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	X
Residual oils (petroleum), solvent dewaxed	64742-62-7	X
Petroleum distillates, solvent dewaxed heavy paraffinic	64742-65-0	X
Petroleum distillates, solvent dewaxed light paraffinic	64742-56-9	X

#### New Jersey Worker and Community Right-to-Know Act:

Under the New Jersey Right-to-Know Act L. 1983 Chapter 315 N.J.S.A. 34:5A-1 et. seq., the product is to be identified as follows: PETROLEUM OIL (Gear Oil)

#### Canada

This material has been classified in accordance with the WHMIS 2015 regulation

	Chemical Name	CAS-No	Weight %	NPRI
	distillates (petroleum), hydrotreated light	64742-47-8	<1	Listed
Γ	Dicyclopentadiene	77-73-6	<0.1	Listed
Γ	Toluene	108-88-3	<0.0001	Listed

#### Legend

NPRI - National Pollutant Release Inventory

#### 16. OTHER INFORMATION



NFPA

Health: 1

Flammability: 1

**Instability** 0

Revision Date: 13-Apr-2015

Prepared By Susie Bibb Revision Date: Susie Bibb 13-Apr-2015

Revision Summary: GHS SDS format

#### **Disclaimer:**

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

**End of Safety Data Sheet**